

## HOUSE PAINT

### SIMCO

#### White Only



Here is a paint that will give protection equal to many higher priced paints. It is far superior to the average moderately priced products. It contains pure linseed oil. Its pigment base is white lead, zinc oxide and Titanium pigments.

That is why it is full-bodied and has a smooth gloss film. It is ready-mixed, spreads easily covers exceptionally well, retains its beauty and color and is weather resisting. Gives excellent service where careful economy is important.

Covers about 350 square feet per gallon, one coat.

Can	Contents of Can	Cans in ctn.	Wt. ctn., lbs.
905G-M X3D45	1 Gallon	4	63
905Q-M X1D03	1 Quart	6	26

## REFINED CREOSOTE PAINT

### SIMMONS GUARANTEED

#### GAS PROOF WITH MILDEW PREVENTIVE

#### For Exterior and Interior Surfaces



A general purpose paint for wood, metal, brick, concrete and stucco where a satisfactory and economical finish is desired.

Ideal for fences, barns, shingled siding and industrial purposes. Gives the popular egg-shell or semi-gloss finish with exceptional durability.

Can be used as a first coater on new wood by thinning with one part pure linseed oil to the gallon.

Covers about 400 square feet per gallon, one coat.

#### White Only

#### White is used very extensively for Spraying

Can	Contents of Can	Cans in ctn.	Wt. ctn., lbs.
2088G-M X3D40	1 Gallon	4	56
2088Q-M X1D02	1 Quart	6	22
2088/5G-M X16D75	5 Gallon	1	67

## EXTERIOR PRIMER AND SEALER

### SIMMONS GUARANTEED



For use as a priming coat on outside new wood and old painted surfaces under all exterior house paints. Painters prefer it because it hides and seals better than the ordinary primer, works easy, stops suction. Penetrates to form a firm bond, provides durable protection and produces an elastic, durable film affording an excellent foundation for the finishing coat.

#### White Only

May be tinted to any desired shade with **SIMMONS** colors in oil.

Covering capacity per gallon depends entirely upon surface to be painted. About 500-600 square feet per gallon, one coat

Per Can	Contents of Can	Cans in ctn.	Wt. ctn., lbs.
54-2428G-M X4D59 ★	1 Gallon	4	61
54-2428Q-M X1D33	1 Quart	6	25
54-2428/5G-M X22D70	5 Gallons	1	73

## SASH AND DOOR PAINT

### SIMMONS GUARANTEED



This paint is especially prepared for painting window sashes and doors, frames of screen windows and screen doors, in fact wherever a high lustre finish is wanted.

Its quick drying qualities make it possible to handle the painted surfaces without the usual finger-marking of ordinary slow-drying paint. For use inside and outside.

Cover approximately 550 square feet, 1 coat.

#### Black

Per Can	Contents of Can	Cans in ctn.	Wt. ctn., lbs.
54-2061Q-M X1D12	1 Quart	6	18
54-2061P-M D6C4	1 Pint	6	9



**WHITE BARN PAINT**

**SIMMONS GUARANTEED**

Here is a paint that will give good barn protection. It is far superior to the average moderately priced product. It contains 15 to 25 per cent more pure linseed oil than usually found in other paints similarly priced and the pigments are ground finer. Its pigment base is white lead, zinc oxide and titanium pigments. Its liquid contains 60 per cent linseed oil.

It is ready mixed, spreads easily, covers exceptionally well.

Covers about 350 square feet per gallon, 1 coat.



Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn. lbs.
54-2516G-M	X3D35★	1 Gallon	4	56

**BARN AND ROOF PAINT**

**SIMMONS GUARANTEED**

Ready mixed. For painting barns, roofs, fences, factories, structural iron work, grain elevators and for any wood, metal or brick surface. In covering, durability and elasticity this superior paint is unsurpassed. It is made of the best materials ground in strictly pure linseed oil, with necessary drier, and contains more iron oxide than ordinary barn paint. Spreads well, dries hard, retains its lustre and color. Arrests corrosion on metal.

Coverage capacity per gallon approximately 250-300 square feet per gallon, 2 coats.



**Light Red**

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn. lbs.
54-2515G-M	X2D75★	1 Gallon	4	55
54-2515Q-M	D8C6	1 Quart	6	23
54-2515/5G-M	X13D50	5 Gallon	1	62

Four cans in ctn. Wt. ctn. 55 lbs.

**SIMCO**

Barn and roof paint that will wear longer and look better than the usual low priced paint. Protects and beautifies your buildings and gives them years of additional service. Has excellent hiding powers and a good gloss. Simco is composed of the correct materials in the right proportions to make it weather resisting and long wearing. For roofs, barns, silos, fences, sheds, warehouses, grain elevators and all exterior surfaces where utmost protection at lowest cost is desired.

Covers about 350 square feet per gallon, 1 coat.



**RED ONLY**

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn. lbs.
54-708G-M	X1D95	1 Gallon	4	49
<del>54-708/5G-M</del>	<del>X9D50</del>	<del>5 Gallon</del>	<del>1</del>	<del>58</del>



## ALUMINUM PAINT

**SIMMONS GUARANTEED**

For Exterior or Interior Use



Conveniently packaged in ready-mixed form. Formulated for exterior use. The liquid is of the long oil type, which gives assurance of better weather resistance. Produces a very bright chrome type finish. Assuring best possible protection.

Resistant to heat or cold.

Recommended for use on wood or metal surfaces.

Coverage: on smooth metal surfaces one gallon covers about 500 to 900 square feet. The coverage per gallon on other areas depends on the condition of the surface.

**Ready Mixed**

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-3211G-M	X3D65★	1 Gallon	4	35
54-3211Q-M	X1D09★	1 Quart	6	15
54-3211P-M	D6C1★	1 Pint	6	8
54-3211/5G-M	X18D00	5 Gallon	1	44

**SIMMONS GUARANTEED**

**"Ever-Brite"**

For Exterior or Interior Use



A good grade ready-mixed aluminum paint that produces a bright chrome finish for long wear and protection.

Can be used on wood or metal surfaces.

One gallon covers 500 to 700 square feet one coat.

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-4211G-M	X3D10	1 Gallon	4	35
54-4211Q-M	X1D00	1 Quart	6	15

## CHROME-BRITE ALUMINUM ENAMEL

**SIMMONS GUARANTEED**



A chromium type aluminum enamel put up ready-mixed. Produces a very brilliant and fine textured finish. May be used on radiators, pipes, automobile bumpers or any other surface where a chrome finish is desired. For inside or outside use. Is heat resisting.

Covers about 500-900 square feet per gallon, 1 coat.

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-2753G-M	X5D15	1 Gallon	4	39
54-2753Q-M	X1D49	1 Quart	6	15
54-2753P-M	D8C1	1 Pint	6	8
54-2753HP-M	D4C7★	1/2 Pint	12	9
54-2753QP-M	D3C1★	1/4 Pint	12	5

## CHROME-BRITE GOLD ENAMEL

**SIMMONS GUARANTEED**



A chrome type gold enamel put up in compartment cans. This gold enamel produces a smooth, lustrous finish and may be used on radiators, picture frames, or any surface where a beautiful even finish is desired.

Covers about 500-900 square feet per gallon, 1 coat.

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-2754HP-M	D4C7	1/2 Pint	12	9
54-2754QP-M	D3C1★	1/4 Pint	12	5

## TINNERS' RED

**SIMMONS GUARANTEED**



A high grade red oxide paint made especially to meet the demands of tanners and metal workers as a shop coat for the painting of roofing, gutters, down spouts, etc.

Will dry to handle in two to three hours. We believe this product to be easily the equal of any on the market for the use for which it is intended. Do not use as a finish coat. For finish coat use barn and roof paint.

Covers about 250-400 Square Feet per Gallon, 2 Coats.

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-3350G-M	X2D50	1 Gallon	4	63
54-3350Q-M	D8C1★	1 Quart	6	26

## RED LEAD

**SIMMONS GUARANTEED**



An ideal protective coating for all metals, iron, steel, tin as well as wood surface. To be used as prime coat only and not for finish coat. Dries to recoat in 48 to 72 hours.

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-4086G-M	X5D10	1 Gallon	4	78
54-4086Q-M	X1D46	1 Quart	6	31

STAR ★ DENOTES BEST SELLER



**FLAT BRICK COLOR**

**SIMMONS GUARANTEED**



Simulates the Original Appearance of Unpainted Brick. Contains a Good Portion of Pure English Venetian Red Pigment to Insure the Least Possible Amount of Fading Pure Linseed Oil in the Proper Proportions with Other High-Grade Liquids are Used to Insure Long Life. Will Give Excellent Service and Fill the Need Wherever an Absolutely Flat Brick Red is Required. Recommended for Use on Brick, Stucco, Concrete, Iron or Wood. Covers 200 to 300 square feet per gallon one coat, depending on porosity of the surface.

**BRICK RED ONLY**

Per Can  
**54-3496G-M X2D80**

One gallon in a can; Four cans in a carton  
Wt. ctn. 71 lbs.

**AUTOMOBILE ENAMEL**

**SIMMONS GUARANTEED**

**QUICK DRYING**



This Economical Specially Prepared Enamel for Automobiles has Excellent Hiding Power and Dries Quickly with High Lustre. Almost Anyone Can Apply it Successfully. Not Affected by Washing. Will Stand Severe Exposure.

One Quart is Sufficient for an Average Sized Car.

**BLACK ONLY**

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
<b>54-2716Q-M</b>	<b>X1D49</b>	<b>1 Quart</b>	6	15
<b>54-2716P-M</b>	<b>D8C1</b>	<b>1 Pint</b>	6	8

**MACHINERY AND IMPLEMENT ENAMEL**

**SIMMONS GUARANTEED**

**QUICK DRYING**



Dries to a Hard Finish with a Rich, Full Luster. Ready to Use—Easy to Apply. Prevents Rust and Decay. Improves Appearance of Farm Machinery. It Dries with an Even Glossy Finish in About 24 Hours and is Long Lasting.

Covering Capacity per Gallon—500 Square Feet per Gallon, 1 Coat.

Per Can	No. 2488	Nos. 2477, 2481, 2485	Other Nos.
<b>1 Gallon Cans</b>	<b>X3D85</b>	<b>X4D55</b>	<b>X4D25</b>
<b>1 Quart Cans</b>	<b>X1D15</b>	<b>X1D32</b>	<b>X1D22</b>
<b>1 Pint Cans</b>	<b>D6C4</b>	<b>D7C4</b>	<b>D6C9</b>

Colors	Gallon Cans	Quart Cans	Pint Cans
	Nos.	Nos.	Nos.
<b>Black</b> .....	<b>54-2488G-M</b>	<b>54-2488Q-M</b>	<b>54-2488P-M</b>
<b>Grays—Gray</b> —Matches Ford Gray .....	<b>54-2487G-M</b>	<b>54-2487Q-M</b>	.....
<b>Greens—Dark Green</b> —Matches Oliver Green .....	<b>54-2483G-M★</b>	<b>54-2483Q-M★</b>	<b>54-2483P-M</b>
<b>Reds—Bright Red</b> —Matches Case, John Deere, International Harvester and Oliver Red .....	<b>54-2477G-M★</b>	<b>54-2477Q-M★</b>	<b>54-2477P-M★</b>
<b>Yellows—Yellow</b> —Matches John Deere Yellow .....	.....	.....	<b>54-2479P-M</b>

Cans in a Carton	4	6	6
Weight per Carton, lbs.	43	18	9

**SIMCO**



A Serviceable Enamel at a Low Price for Use on Agricultural Implements, Tractors and Wagons. Easily Applied, Dries Quickly with a High Gloss Finish That Will Give Unusually Long Wear.

Covers About 250-300 Square Feet per Gallon, 2 Coats.

Per Can	No. 688	Other Nos.
<b>1 Gallon Cans</b>	<b>X3D25</b>	<b>X3D70</b>
<b>1 Quart Cans</b>	<b>X1D01</b>	<b>X1D12</b>
<b>1 Pint Cans</b>	<b>D6C2</b>	<b>D6C5</b>

Colors	Gallon Cans	Quart Cans	Pint Cans
	Nos.	Nos.	Nos.
<b>Black</b> .....	.....	<b>54-688Q-M</b>	<b>54-688P-M</b>
<b>Dark Green</b> —Matches Oliver Green .....	<b>54-683G-M</b>	<b>54-683Q-M</b>	<b>54-683P-M</b>
<b>Bright Red</b> —Matches Case, John Deere, International Harvester and Oliver Red .....	<b>54-677G-M</b>	<b>54-677Q-M</b>	<b>54-677P-M</b>

Cans in a Carton	4	6	6
Weight per Carton, lbs.	43	18	9

**STAR ★ DENOTES BEST SELLER**



**SCREEN ENAMEL**



**SIMMONS GUARANTEED**

Provides Protection and Beauty for Wire Cloth Screens and for Wood and Metal Screen Frames. It Prevents Rust, Covers and Preserves Every Part of the Wire Fabric but Does Not Fill the Mesh. Dries Quickly to a Durable, High Gloss Finish.

Per Can  
 1 Quart Cans  
 1 Pint Cans

**No. 3200**  
**D8C6**  
**D5C0**

Colors	Quart Cans	Pint Cans
	Nos.	Nos.
Black .....	<b>54-3200Q-M</b>	<b>54-3200P-M</b>
Cans in a Carton	6	6
Wt. per Ctn., lbs.	16	8



**SIMCO**

Preserves, Protects, Beautifies Screens and Frames. For Wire Cloth, Wood and Metal Frames. Simco Screen Enamel is Made to a Consistency that Will Not Clog the Mesh of Fine Mesh Wire Cloth. Dries with a Fine Durable Gloss Finish.

**BLACK ONLY**

Per Can	Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-969Q-M	D6C8	1 Quart	6 16
54-969P-M	D4C2	1 Pint	6 8

**QUICK DRYING FLOOR ENAMEL**

Porch and Deck

**SIMMONS GUARANTEED**

Inside or Outside Use



For wood and cement floors. A super quality, extra tough floor enamel for wood, concrete and linoleum. Dries quickly with a hard, smooth surface of high gloss. Wearproof, weatherproof. Will withstand hardest wear without scuffing or marring the finish. Also ideal for many upright surfaces such as store fixtures, dados, etc. Covering capacity per gallon, 550-650 square feet, one coat.

**ANALYSIS**

Liquid .....	52.50%	Spar Varnish .....	50.00%
Titanium Pigments.....	47.50%	Specially Treated Oils ....	50.00%
	100.00%		100.00%

Per Can	<b>No. 2306</b>	<b>Other Nos.</b>
1 Gallon Cans	<b>X5D05</b>	<b>X4D20</b>
1 Quart Cans	<b>X1D45</b>	<b>X1D23</b>
1 Pint Cans	<b>D8C0</b>	<b>D7C0</b>

Colors	Gallon Cans	Quart Cans	Pint Cans
	Nos.	Nos.	Nos.
Gray—Blue .....	<b>54-2314G-M★</b>	<b>54-2314Q-M★</b>	<b>54-2314P-M</b>
Clean .....	<b>54-2305G-M</b>	<b>54-2305Q-M★</b>	<b>54-2305P-M</b>
Light Blue..	<b>54-2312G-M★</b>	<b>54-2312Q-M★</b>	<b>54-2312P-M</b>
Green—Tile.....	<b>54-2306G-M</b>	<b>54-2306Q-M</b>	<b>54-2306P-M</b>
Maroon.....	<b>54-2330G-M</b>	<b>54-2330Q-M</b>	.....
Oak—Dark .....	<b>54-2302G-M</b>	<b>54-2302Q-M★</b>	<b>54-2302P-M</b>
Light .....	<b>54-2301G-M</b>	<b>54-2301Q-M★</b>	<b>54-2301P-M</b>
Red—Tile .....	<b>54-2307G-M</b>	<b>54-2307Q-M</b>	.....
Walnut .....	.....	<b>54-2303Q-M</b>	.....
Cans in a Carton .....	4	6	6
Weight per Carton, lbs ...	43	18	9



## LATEX SATIN

SIMMONS GUARANTEED



### 100% Latex Interior Paint

A 100% latex base paint for interior walls, ceilings, woodwork. Excellent for masonry, interior plaster, porous wallboards, acoustical tile, wallpaper. The ideal latex paint for schools, hospitals, residences, offices, motels, hotels, apartments, housing projects, etc. Extremely fast, easy application; self priming, cuts painting time in half. No disagreeable odor. Guaranteed washable.

**Application**—Brush, roller, spray.

**Drying Time**—20 minutes; may be recoated in 4 hours.

**Thinner**—Water.

**Coverage**—Up to 500 square feet per gallon over most surfaces.

Per Can	
1 Gallon Cans	X3D84
1 Quart Cans	X1D20

Colors	Gallon Cans	Quart Cans
	Nos.	Nos.
Pale Ivory	54-3401G-M	54-3401Q-M
Confetti Yellow	54-3405G-M	54-3405Q-M
Pinefrost Green	54-3407G-M	
Smoke Rose	54-3408G-M	<del>54-3408Q-M</del>
Tropic Green	54-3409G-M	54-3409Q-M
Spray Blue	54-3410G-M	54-3410Q-M
<del>Blue Azure</del>		
Blue Azure	54-3412G-M	54-3412Q-M
Bone White	54-3413G-M	54-3413Q-M
Moonmist	54-3414G-M	
Blossom Pink	54-3415G-M	54-3415Q-M
Decorator White	54-3418G-M	54-3418Q-M
Berkshire Green	54-3428G-M	54-3428Q-M
Monterey Brown	54-3431G-M	54-3431Q-M
<del>Star</del>	<del>54-3441G-M</del>	<del>54-3441Q-M</del>
Sand	54-3442G-M	
Cotton Candy	54-3443G-M	54-3443Q-M
Flamingo	54-3444G-M	54-3444Q-M
Meadow Brook	54-3445G-M	54-3445Q-M
Polinsettia	54-3446G-M	54-3446Q-M
Celling Flat White	54-3470G-M	54-3470Q-M

Cans in ctn.....	4	6
Wt. ctn. lbs.....	50	20

STAR ★ DENOTES BEST SELLER

## PRIMER AND SEALER

(Vapor Barrier)

SIMMONS GUARANTEED



### A Latex Vapor-Barrier

An excellent latex primer for porous surfaces of dry-wall construction, plaster, masonry and asbestos covered pipes. Seals high-suction plaster, most water stains, "hot spots" and discolored surfaces. Assures positive sealing and holdout for succeeding finishing coats of either latex or oil base paints. May be intermixed with latex paints for color. An approved vapor barrier which helps to prevent outside paint failures.

**Application**—Brush, Roller, Spray.

**Drying Time**—20 minutes. May be recoated in 4 hours.

**Thinner**—Water.

**Coverage**—Up to 400 square feet per gallon on plaster. 100 square feet per gallon on porous wallboard.

Per Can		Contents of Can	Cans per Case	Wt. per Case, lbs.
54-3416G-M	X3D54	1 Gallon	4	46

## PATCH

SIMMONS GUARANTEED



### 100% Latex Spackling Compound

A ready-to-use spackling compound. Will not bleed through paint, or flash. Does not shrink. Dries to a "puff" which may be easily sanded. Does not clog sandpaper. Excellent adhesion.

**Application**—Putty knife.

**Drying Time**—30 minutes.

**Thinner**—Water.

Per Can		Contents of Can	Cans in Carton	Wt. per ctn., lbs.
54-3475G-M	X2D44	1 Gallon	4	57
54-3475Q-M	D8C3	1 Quart	6	23
54-3475HP-M	D3C6	Half Pint	12	12



## ALKYD SEMI-GLOSS ENAMEL

SIMMONS GUARANTEED



A self sealing, deodorized, alkyd semi-gloss enamel recommended for finishing walls, ceilings, woodwork, tables, chairs, radiators or any interior surface where a durable, washable semi-gloss finish is desired. It is very easy to apply, will withstand repeated washings. One coat is usually sufficient where color difference is not too great. Color styled for wall beauty.

**Application**—Brush, roller, spray.

**Drying Time**—Overnight for recoating.

**Thinner**—Mineral Spirits or Turpentine.

**Coverage**—Up to 550 square feet per gallon.

Per Can

1 Gallon Cans X4D54

1 Quart Cans X1D38

Colors	Gallon Cans	Quart Cans
	Nos.	Nos.
White	54-4600G-M	54-4600Q-M
Laurel	54-4628G-M	54-4628Q-M
Mocha Brown	54-4631G-M	54-4631Q-M
Mardi Gras	<del>54-4638G-M</del>	54-4640Q-M
Crocus Yellow	54-4641G-M	54-4641Q-M
<del>Peppermint</del>	<del>54-4642G-M</del>	
Cotton Candy	54-4643G-M	54-4643Q-M
Blaze	54-4644G-M	54-4644Q-M
Meadow Brook	54-4645G-M	54-4645Q-M
Poinsettia	54-4646G-M	54-4646Q-M
Congo Ivory	54-4651G-M	54-4651Q-M
Springtime	<del>54-4655G-M</del>	54-4655Q-M
Woodland	54-4657G-M	54-4657Q-M
Wood Rose	54-4658G-M	54-4658Q-M
Meadow Green	54-4659G-M	54-4659Q-M
Zircon	54-4660G-M	54-4660Q-M
Colony	54-4661G-M	54-4661Q-M
Blue Ice	54-4662G-M	54-4662Q-M
Smoky White	54-4663G-M	54-4663Q-M
Plaza Gray	54-4664G-M	54-4664Q-M
Pink Haze	54-4665G-M	54-4665Q-M

Cans in ctn..... 4 6  
Wt. ctn. lbs..... 45 19

## ALKYD FLAT ENAMEL

SIMMONS GUARANTEED



A self sealing, deodorized, washable, flat alkyd enamel for interior surfaces: plaster, masonry, woodwork, radiators, wallboard and metal. Can be applied quickly with a wide brush. Flows out beautifully. One coat is usually sufficient where color difference is not too great. Color styled for wall beauty.

**Application**—Brush, roller, spray.

**Drying Time**—Overnight for recoating.

**Thinner**—Mineral Spirits or Turpentine.

**Coverage**—Up to 550 square feet per gallon.

Per Can

1 Gallon Cans X3D59

1 Quart Cans X1D11

Colors	Gallon Cans	Quart Cans
	Nos.	Nos.
White	54-4700G-M	54-4700Q-M
Timber	54-4728G-M	54-4728Q-M
Vandyke Brown	54-4731G-M	54-4731Q-M
Chartreuse	54-4740G-M	54-4740Q-M
Lemon	54-4741G-M	54-4741Q-M
Biscuit	<del>54-4742G-M</del>	54-4742Q-M
Cotton Candy	54-4743G-M	54-4743Q-M
Hibiscus	54-4744G-M	54-4744Q-M
Meadow Brook	54-4745G-M	54-4745Q-M
Poinsettia	54-4746G-M	54-4746Q-M
Colonial Ivory	54-4751G-M	54-4751Q-M
Sunlight	54-4755G-M	54-4755Q-M
Honeydew	54-4757G-M	54-4757Q-M
Pink Wheat	54-4758G-M	54-4758Q-M
Asparagus	54-4759G-M	54-4759Q-M
Klondike Blue	54-4760G-M	54-4760Q-M
Venice Green	54-4761G-M	54-4761Q-M
Nassau	54-4762G-M	54-4762Q-M
Trellis	54-4763G-M	54-4763Q-M
Wood Ash	54-4764G-M	54-4764Q-M
Corsage	54-4765G-M	54-4765Q-M

Cans in ctn..... 4 6  
Wt. ctn. lbs..... 55 22



QUICK DRYING ENAMEL

SIMMONS GUARANTEED

High gloss finish. Dries quickly, easily applied, covers solidly, leaves no brush marks. Not affected by washing or scrubbing, withstands heat and cold—even boiling water will not chip or crack it. You can enamel anything—indoors or out with this quick-drying enamel and be certain of a beautiful, colorful, high gloss, protective finish. A finish that is tough and hard and remains elastic for a long time. Dries quickly in four to six hours. One coat will produce a fine, porcelain finish that formerly was achieved with two or three coats of ordinary enamel. Covering capacity per gallon 500-600 square feet, one coat.

- Per Can  
 1 Gallon Cans X5D15  
 1 Quart Cans X1D49  
 1 Pint Cans D8C1  
 1/2 Pint Cans D4C7  
 1/4 Pint Cans D3C1



Colors	Gallon Cans	Quart Cans	Pint Cans	Half Pint Cans	Quarter Pint Cans
	Nos.	Nos.	Nos.	Nos.	Nos.
Black		54-2732Q-M	54-2732P-M	54-2732HP-M	54-2732QP-M
Blue—Delphinium		54-2708Q-M	54-2708P-M	54-2708HP-M	
Light		<del>54-2739Q-M</del>	54-2739P-M	<del>54-2739HP-M</del>	
Royal		54-2710Q-M	54-2710P-M	54-2710HP-M	
Brown—Beaver		54-2709Q-M	54-2709P-M	54-2709HP-M	
Cream—Jersey		54-2704Q-M			
Gray—Thistle		54-2701Q-M	54-2701P-M	54-2701HP-M	
Green—Jade		54-2728Q-M	54-2728P-M	54-2728HP-M	
Pea		54-2737Q-M	<del>54-2737P-M</del>	54-2737HP-M	
Ivory—Congo		54-2702Q-M	54-2702P-M	54-2702HP-M	
Pink—Dusty		54-2703Q-M	54-2703P-M	54-2703HP-M	
Red—Chinese		54-2724Q-M	54-2724P-M	54-2724HP-M	54-2724QP-M
Yellow—Jonquil		54-2706Q-M	54-2706P-M	54-2706HP-M	
White	54-2733G-M	54-2733Q-M	54-2733P-M	54-2733HP-M	54-2733QP-M
Cans in a Carton	4	6	6	12	12
Weight per Carton, lbs.	51	22	11	11	6

SIMCO

Has the qualities of a higher priced product, but is moderately priced. Can be used for interior finish on furniture, woodwork and standing surfaces in the home, office, in hospitals, public buildings. It is easy to apply, has excellent hiding properties and dries with a high lustre in four hours. Produces a tough, hard finish that remains elastic for a long time. It will not chip or crack, is waterproof and very durable. Covering capacity per gallon 350-400 square feet.

- Per Can  
 1 Gallon Cans X3D35  
 1 Quart Cans X1D05  
 1 Pint Cans D6C0  
 1/2 Pint Cans D3C7



Colors	Gallon Cans	Quart Cans	Pint Cans	Half Pint Pint
	No.	No.	No.	No.
Black		54-951Q-M	54-951P-M	54-951HP-M
Red—Chinese		54-954Q-M	54-954P-M	54-954HP-M
White	54-950G-M	54-950Q-M	54-950P-M	54-950HP-M
Cans in a Carton	4	6	6	12
Weight per Carton lbs.	63	22	11	6

STAR ★ DENOTES BEST SELLER



**SUPER COVER ENAMEL****SIMMONS GUARANTEED**

Fume Resisting. Non-yellowing. Quick Drying.

High Gloss Finish for Interior and Exterior Use. Designed Especially for Use on Walls, Ceilings, Woodwork or Fixtures where Excessive Moisture, Heat or Fumes have a Tendency to Affect the Color of Ordinary Enamel

For Use in Bakeries, Dairies, Hospitals, Food Markets and Refrigerators. Retains its Original Color over a Long Period of Time. May be Washed Repeatedly with Mild Soap and Water, without Injury to the Finish.

Superior Also for Exterior Work Because it will Withstand Exposure to Elements.

Dries with a High Gloss in Four Hours. May be Tinted with Oil Colors. Covers 500-600 Square Feet per Gallon, one Coat.

**GLOSS WHITE**

Per Can		Contents of Can	Cans in Ctn.,	Wt. Ctn., lbs.
54-2520G-M	X5D58 ★	1 Gallon	4	44
54-2520Q-M	X1D58 ★	1 Quart	6	18
54-2520P-M	D8C5 ★	1 Pint	6	9
54-2520HP-M	D5C2	1/2 Pint	12	9

**ENAMEL UNDERCOATER****SIMMONS GUARANTEED**

Produces the Finest Possible Enamel Finish. Helps to Build Up a Smooth Adherent Foundation for the Enamel which is Applied Over it. Prepared Especially for Base Coat for **SIMMONS** Guaranteed Enamels and Paints. Dries Dust Free in 3 to 6 Hours. Can be Sanded and Recoated After Twenty-Four Hours. Should Always be Used on Unfinished Wood Before Enameling. Also Used where Color of New Finish of Enamel is of Decidedly Different Color than Old Finish.

Covers About 250-300 Square Feet per Gallon, 2 Coats.

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-2765G-M	X3D50	1 Gallon	4	55
54-2765Q-M	X1D06 ★	1 Quart	6	22
54-2765P-M	D6C0	1 Pint	6	11



**PAINT THINNER**

**SIMMONS GUARANTEED**



An Efficient Thinner for Paints, Varnishes and Enamels. This Product is Not a Substitute, but a "Better" Thinner than Naphtha or Turpentine for All Painting Purposes. Has No Objectionable Odor. Its Use Assures Free Flowing and Easy Working. Unlike Turpentine and Naphtha when Used as a Thinner, this Product will Not Dry Too Fast for Practical Work, but Provides a "Wet Edge" for a Considerable Time because of its Graduated Evaporation.

Is Not as Inflammable as Other Thinners.

Recommended for Thinning (Inside and Outside) where Instructions Designate Turpentine Painters' Naphtha or Mineral Spirits.

Per Can	Contents of Can	Cans in Ctn.,	Wt. Ctn., lbs.
54-3069G-M D7C5★	1 Gallon	6	45
54-3069/5G-M X3D50	5 Gallons	..	43

**ODORLESS PAINT THINNER**

**SIMMONS GUARANTEED**



Where Reduction of the Material as it Comes in the Can is Necessary in Preparing Either Odorless Flat or Interior Gloss for Use, 3247 Odorless Thinner Should be Specified in Order to Successfully Maintain the Odorless Feature of These Finishes. Since the Odorless Finishes Would Not be Actually "Odorless" if an Ordinary Thinner is Used in Reducing, the Dealer Should be Careful to Recommend Odorless Thinner for Reducing These Materials.

Per Can	Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-3247G-M X1D00★	1 Gallon	6	45

**PIGMENT WALL SEALER**

**SIMMONS GUARANTEED**



Produces Smoother, Finer Finished Work. Saves a Coat of Paint because of its Opacity and Smoothness, Often Making One Finishing Coat Sufficient. This is a Scientifically Prepared Liquid for Use on Plastered Surfaces where Flat Wall Paints are to be Applied. It Helps to Stop Suction on Plastered Walls, Seals the Surface, Closes Hair-Line Cracks and Gives Better Adhesion.

Do not use as undercoater for Latex paint.

Covers About 500-700 Square Feet per Gallon, 1 Coat.

Per Can	Contents of Can	Cans in Ctn.,	Wt. Ctn., lbs.
54-2085G-M X3D25	1 Gallon	4	63

**PRIMER SEALER**

**SIMMONS GUARANTEED**



A specially processed clear liquid, designed to assure the best sealing properties for practically any surface. It may be used for exterior or interior priming and sealing on wood, plaster, wallboard, plywood, masonry surfaces, stucco, etc. Can be brushed or sprayed.

Being clear, it has a distinct advantage over conventional pigmented wall sealers for undercoating deep colors and other interior finishes as well. By adding one quart of the desired shade of wall finish to the gallon of Primer-Sealer, the undercoat will be almost exactly the same color as the finish coat.

Not to be tinted with colors in oil. Use only deep flat color for tinting wall finishes.

Do not use as undercoater for Latex paint.

Per Can	Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-2080G-M X3D00	1 Gallon	6	6

**LIQUID SANDER**

**SIMMONS GUARANTEED**



A newly developed, clear, non-abrasive liquid that does the work of sandpaper. It cleans and dulls waxed or glossy surfaces, and allows new finish to adhere tightly.

Eliminates rubbing, sand dust, possibility of heavy sandpaper scratches and extra washing necessary when sandpaper is used.

Removes wax, grease, polish, etc., from old surfaces, without leaving any caustic residue to be neutralized and washed off. Dulls gloss, and temporarily creates a slight tack on the old surface to which the new finish can adhere and anchor itself firmly without crawling or pulling away.

Per Can	Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-4150Q-M D7C6	1 Quart	6	16
54-4150P-M D4C8	1 Pint	6	8

**CHALKBOARD SLATING**

**SIMMONS GUARANTEED**



Produces a Smooth Hard, Easy-To-Clean Finish for New or Old Blackboards or Wall Finish. Will Not Rub Off, "Powder Off" or Glaze. Makes an Effective Black Surface for Chalk or Crayon. Prepared from High-Grade Materials. Covers Well, Works Freely, Withstands Hard Scratches, Holds its "Tooth."

BLACK

Per Can	Contents of Can	Cans in Ctn.,	Wt. Ctn., lbs.
54-4500Q-M X1D46	1 Quart	6	16
54-4500P-M D8C4	1 Pint	6	8



# QUICK DRYING VARNISH STAIN

**SIMMONS GUARANTEED**



This Quick Drying, Non-Fading Combination of Colors and Elastic Varnish, Stains and Varnishes in One Operation. Saves Time, Labor, and Money. Retains its High Lustre and Color Exceptionally Long. Waterproof—Will Not Mar or Scratch White. Beautifies and Preserves the Surface to which it is Applied. Excellent for Furniture, Floors, Wood-Work. Makes Possible a Natural Hardwood Effect Over Cheap Soft Woods, Badly Marked or Unevenly Painted and Varnished Surfaces. Easily Applied—Ready to Use. It is Used Principally to Refinish

Surfaces which have been previously painted. It can be used on new woods although wood stains produce better results on new woods than varnish stains.

Covers About 500-650 Square Feet per Gallon, 1 Coat.

Per Can

- 1 Gallon Cans      X3D60
- 1 Quart Cans      X1D09
- 1 Pint Cans        D6C4
- 1/2 Pint Cans      D4C0

Colors	Gallon Cans	Quart Cans	Pint Cans	Half Pint Cans
	Nos.	Nos.	Nos.	Nos.
Mahogany.....	.....	.....	.....	<b>54-2930HP-M</b>
Maple.....	.....	<b>54-2937Q-M</b>	.....	.....
Oak—Dark..	<b>54-2939G-M</b>	<b>54-2939Q-M</b>	.....	<b>54-2939HP-M</b>
Golden.....	.....	<b>54-2931Q-M</b>	<b>54-2931P-M</b>	.....

Cans in a Carton      4                      6                      6                      12

Weight per Carton, lbs....      35                      15                      8                      8



## OUTSIDE SPAR VARNISH

**SIMMONS GUARANTEED**



The Finest Money Can Buy for Every Varnish Purpose Outside or Inside. This Long Oil, Pale, Durable Varnish Dries Hard and Tough Over Night to a Waterproof, Weatherproof Film that Resists Rain, Snow and Hot Rays of the Sun. Successfully Used on Yachts, Boats, Canoes, Fishing Rods, Golf Clubs, Steps, Window Sills, Toys, Automobiles or wherever the Utmost Water and Weather-Resisting Properties are Necessary.

**For Interior Surfaces**—It is Just as Successfully Used on Interior Surfaces where the Utmost in Wear and Resistance is Wanted. Use it for Furniture, Floors, Woodwork, Stairways, Porch Ceilings, Cabinets, and All Surfaces where an Exceptionally Fine, Durable Finish is Desired. Can be Scrubbed Repeatedly Without Dulling its Beautiful High Gloss. Dries Dust-Free in 6 to 8 Hours, and Hard in 24 to 36 Hours. It Cannot be Rubbed.

Covering Capacity per Gallon 550 to 650 Square Feet, 1 Coat.

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-3000HP-M	D5C4	1/2 Pint	12	9

## INTERIOR SPAR VARNISH

**SIMMONS GUARANTEED**



**Certified 4-Hour Drying.**

A Quality Product Recommended for All Interior Work. Excellent for Floors, Woodwork, Furniture and Other Interior Surfaces where an Attractive High-Grade Finish is Desired.

Covering Capacity per Gallon—500 to 600 Square Feet, 1 Coat.

Per Can		Contents of Can	Cans in Ctn.,	Wt. Ctn., lbs.
54-3077Q-M	X1D06	1 Quart	6	16

## FLOOR VARNISH

**SIMMONS GUARANTEED**

**RAPID DRYING**



An Exceptionally Tough, Durable Varnish Especially Recommended for Use on Floors. Will Withstand the Hard Usage to which a Finish of this Type is Subjected. Will Renovate Old Floors, and Protect New Floors. May be Washed Easily, is Moisture Proof. Dries Quickly to a Fine High Gloss Finish that is Hard and Tough and Will Not Scratch White.

Covering Capacity per Gallon 500-600 Square Feet, 1 Coat.

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-3076G-M	X4D00	1 Gallon	6	55
54-3076Q-M	X1D18	1 Quart	6	16

Covering Capacity per Gallon 500-600 Square Feet, 1 Coat.

## PAINT AND VARNISH REMOVER

**SIMMONS GUARANTEED**



For removing varnish or paint from wood or metal surfaces. If applied freely with a soft brush and allowed to stand until the paint or varnish is thoroughly softened (one coat is usually sufficient) it can be removed with a putty knife, cloth or stiff brush. No scraping or sanding. Will not discolor the wood or raise the grain.

## OUTSIDE AND INSIDE VARNISH

**SIMMONS GUARANTEED**

**QUICK DRYING—ALL PURPOSE**



Extra High Quality. May be Used with Complete Satisfaction for Any Inside or Outside Work Requiring a Good, Durable All Purpose Varnish. Recommended for Use on Furniture, Floors, Automobiles, Wagons, or for Any Purpose Whatever. Produces a Tough, Elastic Film that Will Withstand Exposure to Hot or Cold Water, as Well as Changing Weather Conditions.

Covering Capacity—550-650 Square Feet per Gallon, 1 Coat.

Per Can		Contents of Can	Cans in Ctn.,	Wt. Ctn., lbs.
54-3099G-M	X4D94	1 Gallon	6	55
54-3099HP-M	D5C2	1/2 Pint	12	9

**SIMMONS GUARANTEED**

**QUICK DRYING—GENERAL UTILITY**



Use it Anywhere Carefully and Expertly Made—An Economical Varnish that Provides a Tough and Durable Finish. A Quick Drying Finish for Interior or Exterior Surfaces. Is Not Affected by Hot or Cold Water. It Will Not Scratch White. Can be Successfully Used on Every Surface Where Varnish is Used Except as a Rubbing Varnish. Dries Quickly With a Fine Clear Finish—Dust-Free in 4 to 5 Hours and Hard in About 18 to 24 Hours.

Covering Capacity per Gallon—500 to 600 Square Feet, 1 Coat.

Per Can		Contents of Can	Cans in Ctn.,	Wt. Ctn., lbs.
54-3010G-M	X4D00	1 Gallon	6	55
54-3010HP-M	D4C1	1/2 Pint	12	9

## VELVET FINISH VARNISH

**SIMMONS GUARANTEED**



Dries Dust Free in Two Hours and Hard in 18 Hours to a Rubbed Finish Effect. Works Best when Flowed on with Least Amount of Brushing. Should be Used without Reducing and Applied Over a Good Gloss Varnish

Covering Capacity per Gallon 500-600 Square Feet, 1 Coat.

Per Can		Contents of Can	Cans in Ctn.,	Wt. Ctn., lbs.
54-3074G-M	X4D29	1 Gallon	4	37



## PENETRATING FLOOR SEALER

**SIMMONS GUARANTEED**

This Floor Sealer is Waterproof and Pale in Color. Penetrates Deeply into the Pores, Becoming a Part of the Wood. It contains No Wax and is Not Slippery. Since Penetration is Essential, it Must Not be Applied Over Varnish, Paint, Shellac, Wax, Oils, or Other Finishes. Where Color is Desired, Penetrating Oil Stains May be Added to the Sealer to Produce the Color Desired. May be Applied Over Stain or Paste Wood Filler. Can be Waxed, or Followed with Finish Coats of Additional Sealer or Gymnasium Floor Finish. May be Applied with a Sheep Wool Applicator. Apply 2 or 3 Coats Depending on Condition of Surface.

Covers 650-750 Square Feet to the Gallon, 1 Coat.



Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-3054G-M	X3D00	1 Gallon	6	55
54-3054Q-M	D9C2	1 Quart	6	16

## FLOOR FINISHER

**SIMMONS GUARANTEED**

**GYMNASIUM FLOOR FINISH**

A Clear, Bakelite and China Wood Oil Varnish, Especially Designed to Withstand the Wear to which Gymnasium Floors are Subjected. Dries Quickly, and Will Not Gum or Stick Under Tennis Shoes. Will Resist Rubber Burns, Traffic Scars, Action of Cleaners, Alkali, Etc.

Will Not Soften Under Friction Caused by Dancing. Affords Proper Light Deflection.

Covering Capacity per Gallon 600-750 Square Feet, 1 Coat.



Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-3055G-M	X3D90	1 Gallon	6	55
54-3055Q-M	X1D14	1 Quart	6	16

### A SUGGESTION

To make a Beautiful Home Floor on New Wood or Re-Sanded Wood, we suggest, First—One or Two Applications of Penetrating Floor Sealer, to be followed with One Coat of Gymnasium Floor Finish. This can also be Waxed in the Usual Way and will make an Extremely Fine, Lasting Finish on the Floor of any Residence.

### WHEN TO USE FILLERS AND SEALERS

Soft Woods	Hard Woods	Hard Woods
Need Sealer only before staining.	Closed Grain—No Filler or Sealer required.	Open Grain—Need Filler after staining.
White Pine	Maple	Oak
Knotty Pine	Cherry	Chestnut
Poplar, Fir	Beech	Walnut
Gumwood	Birch	Mahogany
Redwood		Ash

## LIQUID WOOD FILLER

**SIMMONS GUARANTEED**

Used as a Priming Coat to Fill the Grain on Close Grained Woods. After its Application Any Clear Varnish May be Applied.

Covering Capacity per Gallon 500-700 Square Feet, 1 Coat.



Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-4100G-M	X2D65★	1 Gallon	4	39

## PASTE WOOD FILLER

**SIMMONS GUARANTEED**

Used for Filling the Surface Pores of Open Grained Woods, Such as Oak, and Other Hardwoods which Results in a Smooth Surface for Finishing. This Filler, Made of a Fine Grade of Silica, Will Not Cloud the Grain. One Gallon Fills Approximately 480 Square Feet.



**LIGHT OR NATURAL**

Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-4200G-M	X2D99	1 Gallon	4	71
54-4200Q-M	D9C6	1 Quart	6	28
54-4200HP-M	D4C0	1/2 Pint	12	15

## JAPAN DRIER

**SIMMONS GUARANTEED**

A Pale Strong Drier Properly Prepared for Most Satisfactory Results for General Use. Will Not Discolor White or Delicate Shades of Paint or Enamel.



Per Can		Contents of Can	Cans in Ctn.	Wt. Ctn., lbs.
54-3040P-M	D4C1	1 Pint	6	9
54-3040HP-M	D2C9	1/2 Pint	12	9



**COLORS IN OIL**

**SIMMONS GUARANTEED**

A Master Craftsman's Product. Especially Designed to Aid the Painter in his Color Matching and Tint Work. These Pure Colors in Oil have the Highest Approval of the Most Critical Craftsmen, Because they are Unexcelled in Tinting Strength, Permanency of Tone and Fineness of Texture. Used Successfully by Master Painters, Decorators, Artists and Sign Painters. Economical to Use for Coloring Paint, Enamel, Stains and Sign Paint. Absolutely Pure, Ground in Pure Linseed Oil. These Brilliant Concentrated Colors are Made in a Semi-Paste Consistency Finely Ground and with Carefully Chosen Mixing Agents so that they Will Mix Easily and Blend Quickly and Uniformly with the Tinting Base. Saves Time and Removes the Danger of Lumps and Color Streaks in the Tinted Paint. For Tinting Strength to Obtain the Desired Shade and for Complete Instructions, Refer to Our **SIMMONS** Guaranteed Colors in Oil Card.

**Not To Be Used in Latex, Emulsion Paints or Lacquer**




Colors in Tubes—Six in a Box

**IN TUBES - CONTENTS 1 1/2 OZ.**

In Uniform Size Tubes—1x5 inches; Six Tubes in a Carton

Per Tube		Colors
54-2905T-M	D2C5	<b>Browns—</b> Burnt Sienna... Raw Sienna.... Burnt Umber... Raw Umber....
54-2904T-M	D2C5	
54-2900T-M	D2C5	
54-2901T-M	D2C5	
54-2907T-M	D2C4	<b>Blacks—</b> Ivory Drop..... Lamp.....
54-2906T-M	D2C4	
54-2909T-M	D2C7	<b>Blues—</b> Prussian..... Ultramarine....
54-2908T-M	D2C7	
54-2912T-M	D3C3	<b>Greens—</b> Chrome—Dark.. Light..... Medium.....
54-2910T-M	D3C3	
54-2911T-M	D3C3	
54-2914T-M	D2C5	<b>Reds—</b> Venetian.....
54-2923T-M	D3C2	<b>Yellows—</b> Chrome—Dark.. Medium..... Light..... French Ochre...
54-2922T-M	D3C2	
54-2921T-M	D3C2	
54-2920T-M	D2C5	

**LAMP BLACK**



(Ordinary)

Per Pound		Qty. in Paper
54-885 1/4-M	D6C5	1/4-lb.
54-885 1/2-M	D5C0	1/2-lb.
54-885/1-M	D4C0	1-lb.

Fifty Pounds in a Barrel



# PAINT SPRAY ASSORTMENT

## KRYLON

Self-service modern black satin finish wrought iron display rack with each assortment of versatile spray coatings. For interior or exterior use. Weatherproof and waterproof. Goes on in seconds—dries in minutes. Resists rust, fungus and chemicals. Excellent adhesion and non-inflammable. Guaranteed non-clogging precision valve on container.



See Section 12 Page 36FF  
For Open Stock

### Giant 16.2 oz. Containers

Quantity	No.	Colors	Retail Each
2	1301	Crystal-Clear.....	\$1.95
2	1401	Bright Silver (Alum.).....	1.79
2	1501	Touch-up Glossy White.....	1.79
1	1601	Glossy Black.....	1.79
1	1602	Flat Black.....	1.79
1	1603	Machine Grey.....	1.79
1	1604	Light Grey.....	1.79
1	1605	Dove Grey.....	1.79
2	1701	Bright Gold.....	1.79
1	1801	Chrome Yellow.....	1.79
1	1901	Regal Blue.....	1.79
1	1902	Baby Blue.....	1.79
1	2001	Hunter Green.....	1.79
1	2101	Cherry Red.....	1.79
1	2102	Baby Pink.....	1.79
1	2201	Bright Copper.....	1.79
1	2401	Int'l. Orange.....	1.79
1	1320	Metal Primer.....	1.95
1	1321	Rust Veto Spray.....	1.95
1	1502	Flat White.....	1.79

For a dealer to qualify for this assortment, he must purchase 12 extra giant size cans of Krylon of his choice of colors. (\$1.79 List Section 12—Page 36-FF.) Write as extra items on your order blank using quantity prices.

Per Asst. . . . . **54-16/24-M X26D16** . . . . . **▲ Per Asst. \$43.60**

Packed in two ctns. Wt. 36 lbs.



## KRYLON SPRAY PAINT

## OPEN STOCK

## 6 Ounce Size Cans

Each		Lots of 12 Can Assort	Color	▲ Each
54-1401A-M	D6C5★	D5C9★	Bright Silver	\$0.98
54-1501A-M	D6C5★	D5C9★	Touch-up White	.98
1502A Don't Sell				
54-1601A-M	D6C5★	D5C9★	Glossy Black	.98
54-1602A-M	D6C5★	D5C9★	Flat Black	.98
54-1603A-M	D6C5	D5C9	Machine Grey	.98
54-1604A-M	D6C5	D5C9	Light Grey	.98
1605A Don't Sell				
54-1701A-M	D6C5★	D5C9★	Bright Gold	.98
54-1801A-M	D6C5	D5C9	Chrome Yellow	.98
54-1901A-M	D6C5	D5C9	Regal Blue	.98
54-1902A-M	D6C5	D5C9	Baby Blue	.98
54-2001A-M	D6C5★	D5C9★	Hunter Green	.98
54-2101A-M	D6C5★	D5C9★	Cherry Red	.98
54-2102A-M	D6C5	D5C9	Baby Pink	.98
2201A Don't Sell				

Twelve in ctn. Wt. ctn. 7 lbs.

## Giant 16.2 Ounce Size Cans

(Colors Same as Old 12 Ounce Cans)

Each		Lots of 12 Can Assort	Color	▲ Each
54-1401-M	X1D19★	X1D07★	Bright Silver	\$1.79
54-1501-M	X1D19★	X1D07★	Touch-up White	1.79
54-1502-M	X1D19	X1D07	Flat White	1.79
54-1601-M	X1D19★	X1D07★	Glossy Black	1.79
54-1602-M	X1D19★	X1D07★	Flat Black	1.79
54-1603-M	X1D19	X1D07	Machine Grey	1.79
<del>54-1604-M</del>	<del>X1D19</del>	<del>X1D07</del>	<del>Light Grey</del>	<del>1.79</del>
54-1605-M	X1D19	X1D07	Dove Gray	1.79
54-1701-M	X1D19★	X1D07★	Bright Gold	1.79
54-1801-M	X1D19	X1D07	Chrome Yellow	1.79
54-1901-M	X1D19	X1D07	Regal Blue	1.79
54-1902-M	X1D19	X1D07	Baby Blue	1.79
54-2001-M	X1D19★	X1D07★	Hunter Green	1.79
54-2002-M	X1D19	X1D07	Surf Green	1.79
54-2101-M	X1D19★	X1D07★	Cherry Red	1.79
54-2102-M	X1D19	X1D07	Baby Pink	1.79
54-2201-M	X1D19	X1D07	Bright Copper	1.79
54-2301-M	X1D19	X1D07	O. D. Khaki	1.79
54-2401-M	X1D19	X1D07	Int'l Orange	1.79

Twelve in ctn. Wt. ctn. 18 lbs.

STAR ★ DENOTES BEST SELLER



**Mizzoo ENAMELS, PAINTS AND VARNISH STAIN**

**QUICK DRYING ENAMEL**



Per Can  
**Quarter pint cans N-D1C7**  
**Half pint cans N-D3C0**

Colors	Quarter Pint Cans	Half Pint Cans
Black . . . . .	54-5843QP-M★	54-5843HP-M★
Chinese Red	54-5832QP-M★	54-5832HP-M★
Congo Ivory	54-5816QP-M	54-5816HP-M
Delphinium		
Blue . . . . .	54-5818QP-M★	54-5818HP-M
Dusty Pink..	54-5819QP-M	54-5819HP-M
Jade Green..	54-5835QP-M★	54-5835HP-M
Jonquil		
Yellow . . . . .	54-5821QP-M★	54-5821HP-M
Pea Green . . .	54-5845QP-M	54-5845HP-M
Thistle Gray	54-5817QP-M	54-5817HP-M
White . . . . .	54-5840QP-M★	54-5840HP-M★
Weight Ctn. lbs.	5	9

Twelve cans in ctn.

**VARNISH STAIN**



Per Can  
**Quarter pint cans N-D1C7**  
**Half pint cans N-D3C0**

Colors	Quarter Pint Cans	Half Pint Cans
Clear . . . . .	54-5855QP-M	54-5855HP-M
Dark Oak .	54-5851QP-M	54-5851HP-M★
Golden Oak . . . . .		54-5857HP-M★
Light Oak .	54-5850QP-M	54-5850HP-M
Mahogany.	54-5853QP-M	54-5853HP-M
Walnut . . .	54-5852QP-M	54-5852HP-M★
Weight Ctn. lbs.	5	9

Twelve cans in ctn.

F O.B. St Louis, Mo No Freight Allowed

STAR ★ DENOTES BEST SELLER

**HOUSE PAINT**



Recommended as an excellent value in the low cost field. Possesses many good qualities. Strong covering and durable colors will wear well.

Soya oil and Titanium pigment base. Recommended thinning with one pint to one quart linseed oil to each gallon.

**WHITE ONLY**

Per Can	Contents in can	No. in ctn.	Wt. in ctn. lbs.
54-M900/5G-M N-X9D75	5 Gal.	1	60
54-M900G-M N-X2D00★	1 Gal.	4	49
54-M900Q-M N-D7C0★	1 Qt.	6	20

**BARN PAINT**



For barns, fences, outbuildings, etc. Possesses excellent coverage. Wears well and retains its color. Protects against deterioration.

Recommended thinning with one quart of linseed oil to each gallon.

**RED ONLY**

Per Can	Contents in can	No. in ctn.	Wt. in ctn. lbs.
54-M993/5G-M N-X9D50	5 Gal.	1	55
54-M993G-M N-X1D95★	1 Gal.	4	45



**FIRZITE FINISHES**

**CLEAR FIRZITE**

U. S. PLYWOOD



**Tames Unsightly Wild Wood Grain**

Solves the problem when staining fir plywood or other soft woods. Clear Firzite tames "wild" grain so effectively that inexpensive wood takes on the rich, subdued tone of costlier woods. Checking and grain raise are practically eliminated. Clear Firzite is also widely used as a sealer on exterior varnish jobs. Averages 400 to 500 square feet to the gallon.

D3C3 1/3% Per Can		Contents Can	Cans in Ctn.	Wt. Ctn., lbs.	▲ Per Can
54-CFG-M	X3D83 1/2	1 Gallon	6	49	\$5.75
54-CFQ-M	X1D30★	1 Quart	12	27	1.95
54-CFP-M	D8C0	1 Pint	12	14	1.20

**WHITE FIRZITE**



For those blond, pickled or wiped effects so popular today on any wood, hard or soft. White Firzite brings out the beautiful "woody" finish so much in demand. For tinted effects add colors-in-oil. On soft wood or fir plywood paint jobs White Firzite as an undercoater helps prevent grain raise and checking. Averages 400 to 500 square feet to the gallon.

D3C3 1/3% Per Can		Contents Can	Cans in Ctn.	Wt. Ctn., lbs.	▲ Per Can
54-WFG-M	X4D63 1/2	1 Gallon	6	64	\$6.95
54-WFQ-M	X1D57★	1 Quart	12	34	2.35
54-WFP-M	D9C7	1 Pint	12	18	1.45

**SATINLAC FINISHES**

U. S. PLYWOOD



**SATINLAC Brings Out the Natural Beauty of All Woods**

For obtaining the modern natural finish so much in vogue on paneling and woodwork. Works like magic on any wood, hard or soft, solid lumber or plywood. Brings out and preserves the full natural grain and color of the wood, yet avoids a "built-up" look. Won't darken the wood or turn yellow. Easy to brush or spray. Dries out of dust in 30 minutes, ready for next coat in 3 or 4 hours. Averages 350 to 450 square feet to the gallon.

D3C3 1/3% Per Can		Contents Can	Cans in Ctn.	Wt. Ctn., lbs.	▲ Per Can
54-SLG-M	X5D30	1 Gallon	6	51	\$7.95
54-SLQ-M	X1D70★	1 Quart	12	26	2.55
54-SLP-M	X1D03 1/2	1 Pint	12	14	1.55

**SATINLAC LIGHTENER**

U. S. PLYWOOD



To prevent the darkening or "wetting" look that normally occurs when virgin wood is finished. Satinlac Lightener is recommended as a first coat under Satinlac.

**Makes "invisible" protection possible**—a unique anti-wetting agent in new Satinlac Lightener preserves the look of freshly cut and sanded wood, yet it prepares the surface for subsequent protective coats of Satinlac.

**Affords new beauty in wood finishing**—for the first time, fresh, natural finishes are possible that are as light in color as the native wood itself.

Per Can		Contents Can	Cans in Ctn.	Wt. Ctn., lbs.	▲ Per Can
54-USLG-M	X4D63 1/2	1 Gallon	6	51	\$6.95
54-USLQ-M	X1D57	1 Quart	12	26	2.35
54-USLP-M	D9C7	1 Pint	12	14	1.45

Lots of 12 Gallons or More—Less D1C0% Can Assort

STAR ★ DENOTES BEST SELLER



**FIRZITE FINISHES**

**CLEAR FIRZITE**

U. S. PLYWOOD



**Tames Unsightly Wild Wood Grain**

Solves the problem when staining fir plywood or other soft woods. Clear Firzite tames "wild" grain so effectively that inexpensive wood takes on the rich, subdued tone of costlier woods. Checking and grain raise are practically eliminated. Clear Firzite is also widely used as a sealer on exterior varnish jobs. Averages 400 to 500 square feet to the gallon.

D3C3 1/3% Per Can		Contents Can	Cans in Ctn.	Wt. Ctn., lbs.	Per Can
<b>54-CFG-M</b>	<b>X3D47</b>	1 Gallon	6	49	\$5.20
<b>54-CFQ-M</b>	<b>X1D07★</b>	1 Quart	12	27	1.60
<b>54-CFP-M</b>	<b>D6C0</b>	1 Pint	12	14	.90

**WHITE FIRZITE**



For those blond, pickled or wiped effects so popular today on any wood, hard or soft. White Firzite brings out the beautiful "woody" finish so much in demand. For tinted effects add colors-in-oil. On soft wood or fir plywood paint jobs White Firzite as an undercoater helps prevent grain raise and checking. Averages 400 to 500 square feet to the gallon.

D3C3 1/3% Per Can		Contents Can	Cans in Ctn.	Wt. Ctn., lbs.	Per Can
<b>54-WFG-M</b>	<b>X4D37</b>	1 Gallon	6	64	\$6.55
<b>54-WFQ-M</b>	<b>X1D33★</b>	1 Quart	12	34	2.00
<b>54-WFP-M</b>	<b>D7C7</b>	1 Pint	12	17 1/2	1.15

**SATINLAC FINISHES**

U. S. PLYWOOD



**SATINLAC Brings Out the Natural Beauty of All Woods**

For obtaining the modern natural finish so much in vogue on paneling and woodwork. Works like magic on any wood, hard or soft, solid lumber or plywood. Brings out and preserves the full natural grain and color of the wood, yet avoids a "built-up" look. Won't darken the wood or turn yellow. Easy to brush or spray. Dries out of dust in 30 minutes, ready for next coat in 3 or 4 hours. Averages 350 to 450 square feet to the gallon.

D3C3 1/3% Per Can		Contents Can	Cans in Ctn.	Wt. Ctn., lbs.	Per Can
<b>54-SLG-M</b>	<b>X4D90</b>	1 Gallon	6	51	\$7.35
<b>54-SLQ-M</b>	<b>X1D47★</b>	1 Quart	12	26	2.20
<b>54-SLP-M</b>	<b>D8C7</b>	1 Pint	12	13 1/2	1.25





... **QUICKER**



... **CLEANER**



... **DRIES FASTER**

**NO BRUSH - NO FUSS - NO MUSS - NO LOST TIME**

# **KRYLON** **SPRAY ENAMELS**

... for those tedious, hard-to-get-at jobs, difficult-to-paint areas and touch-up use. No paint to mix . . . no mess to clean up . . . just shake the can vigorously, push the button and spray. A "professional" job every time. When finished, simply put the can away and it's ready for next time. Use wherever paint is required—indoors or outdoors.

**Handy, Portable, Convenient, Easy to Use!**  
*... always ready when you're ready*

- ★ Goes on in seconds — **DRIES IN MINUTES**
- ★ Good to the very last spray
- ★ Guaranteed non-clogging valve
- ★ Weatherproof, waterproof . . . excellent adhesion



**NEW FOIL LABEL**

"dressed up" in the new foil label—C.S.M.A. National 1st prize winner in package design for merchandising and selling appeal

**DISTRIBUTED BY:**

**19 BEST SELLER COLORS**

6-OZ. SIZE		16-OZ. SIZE		COLOR
Order No.	List	Order No.	List	
1401A	\$.98	1401	\$1.79	Bright Silver (Alum.)
1501A	.98	1501	1.79	Glossy White
1502A	.98	1502	1.79	Flat White
1601A	.98	1601	1.79	Glossy Black
1602A	.98	1602	1.79	Flat Black
1603A	.98	1603	1.79	Machine Grey
1604A	.98	1604	1.79	Light Grey
1605A	.98	1605	1.79	Dove Grey
1701A	.98	1701	1.79	Bright Gold
1801A	.98	1801	1.79	Chrome Yellow
1901A	.98	1901	1.79	Regal Blue
1902A	.98	1902	1.79	Baby Blue
2001A	.98	2001	1.79	Hunter Green
.....	.....	2002	1.79	Surf Green
2101A	.98	2101	1.79	Cherry Red
2102A	.98	2102	1.79	Baby Pink
2201A	.98	2201	1.79	Bright Copper
.....	.....	2301	1.79	O. D. Khaki
.....	.....	2401	1.79	International Orange



# KRYLON®

# VARNISH

## HIGH GLOSS or SATIN FINISH

*Marine Spar Grade*

**Resists Hot Liquids,  
Alcohol and  
Salt  
Water**



All-Purpose and Krylon  
which will also DRY IN  
"a brush can't reach"!

**or EXTERIOR USE**

**HIGH GLOSS** for a sparkling, crystal-clear finish. Transparent, exceptionally high gloss retention, clarity and adhesion . . . Resists scuffing . . . no yellowing or aging . . . on new or previously finished wood, metal, etc. . . . May be polished with emulsion or solvent-type polishes. Resists hot liquids, alcohol and salt water.

Excellent for fine furniture, porch or lawn furniture, wood paneling, antiques, woodwork, serving bars, toys, hobby craft, models, tools, sports and fishing equipment, boats, etc.

**SATIN FINISH** with all the features and advantages of High-Gloss All-Purpose . . . produces beautiful tone-depth and a hand-rubbed finish . . . gives distinctive and perfectly smooth finish to plain, intricately carved and cut-out surfaces.



Produce Krylon High-Gloss and Satin-Finish in attractive sales-complimenting counter carton display.

Colorful, sales-making single can display placard included in each carton.



No. 1401 — Bright Silver



No. 1701 — Bright Gold




No. 2201 — Bright Copper



No. 1605 — Dove Grey



No. 1603 — Machine Grey



No. 1604 — Light Grey



No. 1901 — Regal Blue



No. 1902 — Baby Blue



No. 1801 — Chrome Yellow



No. 2401 — Int'l. Orange



No. 2101 — Cherry Red



No. 2102 — Baby Pink



No. 2001 — Hunter Green



No. 2002 — Surf Green

also: No. 1501 — Glossy White; No. 1502 — Flat White; No. 1601 — Glossy Black; No. 1602 — Flat Black; No. 2301 — O.D. Khaki; No. 7001 — High Gloss Varnish; No. 7002 — Satin Finish Varnish

# DRIES IN MINUTES

Product Number	Product	List each	Units per carton	Weight per carton
7001	High-Gloss	\$1.79	12	16 lbs.
7002	Satin-Finish	\$1.79	12	16 lbs.

Manufactured by Krylon, Inc., Norristown, Pa.



KRYLON SPRAY PAINT

Giant 16.2 Ounce Cans

Each		Lots of 12 Can Asst.		▲Each
<b>54-7001-M</b>	<b>X1D19</b>	<b>X1D07</b>	High Gloss Varnish.....	\$1.79
<b>54-7002-M</b>	<b>X1D19</b>	<b>X1D07</b>	Satin Finish Varnish.....	1.79

Twelve in ctn. Wt. ctn. 18 lbs.



**12-36-D**

1-15-58

**SHAPLEIGH HARDWARE COMPANY, ST. LOUIS**

**KRYLON SPRAY PAINT**

Each	Can Asst.	Color	▲Each
<b>54-1300A-M</b>	<b>D6C5★</b>	<b>D5C9★</b> Crystal Clear (6 oz.).....	\$0.98

Twelve in ctn. Wt. ctn. 7 lbs.

<b>54-1301-M</b>	<b>X1D30★</b>	<b>X1D17★</b> Crystal Clear (16 oz.).....	1.95
------------------	---------------	---	------

Twelve in ctn. Wt. ctn. 18 lbs.

**STAR ★ DENOTES BEST SELLER**



If you prize it—**KRYLON**-ize it!

PRESERVE . . . PROTECT . . . BEAUTIFY WITH

# CRYSTAL-CLEAR SPRAY COATING

No. 1301



● Krylon Crystal-Clear Acrylic Coating — permanently preserves and protects metal, wood, paper and leather surfaces . . . saves time, money, effort . . . prolongs usefulness and long life. No brush, no fuss, no muss . . . easy to use . . . just push the button and spray.

- ★ Tough, pliable, lasting
- ★ Goes on clear — stays clear
- ★ Goes on in seconds — DRIES IN MINUTES
- ★ Weatherproof — waterproof
- ★ Resists fungus, chemicals, dilute acids, dirt and grease
- ★ Prevents tarnish, rust, corrosion



Use Krylon Crystal-Clear to protect brass, copper and other metals against tarnish and rust. One application lasts for months.



Use Krylon Crystal-Clear on bookbindings, car and driver's licenses, important papers, photographs, etc., for long lasting protection.



Weatherproof and rustproof bumpers and grille work on your car with Krylon Crystal-Clear. Protection lasts for months.



Spray ice buckets, portable refrigerators, lunch boxes, etc., with Krylon Crystal-Clear . . . stops rusting and prolongs usefulness.



Spray window and door screens with Krylon Crystal-Clear. Stops staining, makes them rustproof. Stack screens and spray several at a time.

Size	Product No.	Product	List each	Units per carton	Weight per carton
6-oz.	1300A	Crystal-Clear	\$ .98	12	7 lbs.
16-oz.	1301	Crystal-Clear	1.95	12	16 lbs.

## 1001 Uses Around the House, Workshop, Garage

**HOME** . . . Crystal-Clear to protect copper, brass, chrome—candlesticks, lamps, door knobs, light fixtures, floor plates, andirons; painted or tile wall surfaces exposed to grease, dirt, fingermarks; window sills and blinds; recipes, jar labels; bookbinding, record albums, song sheets; pictures, photos, portraits; important papers, certificates, membership cards, licenses; wallets, handbags, luggage; trophies, plaques, loving cups; window screens and frames, screen doors. **HOBBIES** . . . Crystal-Clear to protect hand-wrought metal, toleware, leathercraft, woodcraft, raffia objects, novelty jewelry, models; use as glaze on ceramics, plaster molds and models. **WORKSHOP** . . . Crystal-Clear to protect shop and garden tools, power equipment, lawn mowers, etc. **GARAGE** . . . Crystal-Clear to protect chrome surfaces; use on ignition systems to eliminate short circuits and "damping out"; prevent battery current leakage; stop battery terminal corrosion; weatherproof convertible tops.

**DISTRIBUTED BY:**

Manufactured by Krylon, Inc., Norristown, Pa.




# KRYLON® VARNISH

## HIGH GLOSS or SATIN FINISH

*Marine Spar Grade*



**Resists Hot Liquids,  
Alcohol and  
Salt  
Water**



Introducing 2 outstanding Varnish Sprays—Krylon High-Gloss All-Purpose and Krylon Satin-Finish All-Purpose. Now refinish the surface in minutes which will also **DRY IN MINUTES**. Fast, easy to use, with professional results, on projects "a brush can't reach"! Just spray it on—no brush, muss or fuss.

## INTERIOR or EXTERIOR USE



**HIGH GLOSS** for a sparkling, crystal-clear finish. Transparent, exceptionally high gloss retention, clarity and adhesion . . . Resists scuffing . . . no yellowing or aging . . . use on new or previously finished wood, metal, etc. . . . May be polished with emulsion or solvent-type polishes. Resists hot liquids, alcohol and salt water.

Excellent for fine furniture, porch or lawn furniture, wood paneling, antiques, woodwork, serving bars, toys, hobby craft, models, tools, sports and fishing equipment, boats, etc.

**SATIN FINISH** with all the features and advantages of High-Gloss All-Purpose . . . produces beautiful tone-depth and hand-rubbed finish . . . gives distinctive and perfectly smooth finish to plain, intricately carved and cut-out surfaces.



Introduce Krylon High-Gloss and Satin-Finish in attractive sales-compelling counter carton display.



Colorful, sales-making single can display placard included in each carton.

Size	Product Number	Product	List each	Units per carton	Weight per carton
16-oz.	7001	High-Gloss	\$1.79	12	16 lbs.
16-oz.	7002	Satin-Finish	\$1.79	12	16 lbs.

Manufactured by Krylon, Inc., Norristown, Pa.



KRYLON SPRAY PAINT

Giant 16.2 Ounce Size Cans

Each	Lots of 12 Can Asst.		▲Each
<b>54-7001-M</b>	<b>X1D19</b>	<b>X1D07</b>	High Gloss Varnish.....\$1.79
<b>54-7002-M</b>	<b>X1D19</b>	<b>X1D07</b>	Satin Finish Varnish..... 1.79

Twelve in ctn. Wt. ctn. 18 lbs.



**12-36-F**

1-15-58

**SHAPLEIGH HARDWARE COMPANY, ST. LOUIS**

**KRYLON SPRAY PAINT**

**METAL PRIMERS**

**1319 Don't Sell**

**1320 Don't Sell**



# KRYLON®

# METAL PRIMERS



## Zinc Chromate Yellow or Green

manufactured in accordance with  
Specification MIL-P-6889-A, Type 1  
modified for Aerosol packaging

... handy, "always ready" spray dispensers of rust inhibiting zinc chromate primer (your choice of yellow or green) ... indispensable where metal priming is necessary. It eliminates the costly and messy open paint pot, saves material. Simple and direct, its use saves time and labor.

### READY WHEN YOU'RE READY!

Because of a special formulation technique, KRYLON ZINC CHROMATE YELLOW OR GREEN METAL PRIMERS do not settle hard in the container. To condition the material for use, just shake until the rattle of agitator in the container moves freely. Then push the button and spray!

Size	Product No.	Product	List each	Units per carton	Weight per carton
16-oz.	1319	Metal Primer-Yellow	\$1.95	12	16 lbs.
16-oz.	1320	Metal Primer-Green	\$1.95	12	16 lbs.

DISTRIBUTED BY:

*Field tested  
for 2 years  
with  
outstanding  
results*

*Developed  
originally  
for the  
aircraft  
industry*

*"the first  
step to a  
good  
finish..."*

*No brush  
No fuss*

*DRIES  
FAST!*



two famous names

KRYLON, INC.  
NORRISTOWN, PA.



in protective coatings

E. F. HOUGHTON & CO.  
PHILADELPHIA, PA.

Rust Veto and Tenac Open Gear and Cable Lubricant in aerosol dispensers are packaged and marketed by Krylon, Inc., under license from E. F. Houghton & Co.



Rust Veto rust preventive and Tenac Open Gear and Cable Lubricant are made and sold by E. F. Houghton & Co., manufacturers of rust preventives and lubricants to industry and government since 1865.

# RUST VETO Spray

*protects metals from corrosion*



RUST VETO SPRAY is a thin-film solvent-type coating, averaging .0003" to .0005" . . . a dry, waxy coating that protects metal surfaces for long periods, when parts are stored indoors. This assures a film which clings tightly, but which is readily removed by solvent or in a degreaser. It will withstand the standard 100-degree humidity test at 100° F. for more than 30 days.

**POSITIVE ANTI-RUST PROTECTION** on dies, tools, gauges, fixtures, ball bearings, polished steel surfaces, critical surfaces of idle machines stored indoors. Use on sporting goods, outdoor garden and farm equipment, snow equipment, nested small parts, hardware of all types, garbage and trash cans, bicycles, marine equipment, etc.

No mess  
No dipping  
No dripping

Size	Product No.	Product	List each	Units per carton	Weight per carton
16-oz.	1321	Rust Veto	\$1.95	12	16 lbs.
16-oz.	1322	Tenac	\$1.95	12	16 lbs.

. . . reduces lube costs because TENAC lasts longer



# TENAC

## OPEN GEAR & CABLE LUBRICANT

Use on all open gears and cables where conditions do not permit enclosure.

TENAC forms continuous film of lubrication under all loads and speeds . . . gets progressively tougher and more impervious to flaking and leeching action of water and mild alkalis or acids . . . provides exceptional adhesiveness and oiliness at higher temperatures . . . will not crack or flake at low temperatures.

TENAC meets strict requirements for wire rope and cable lubrication under adverse conditions. Even under high humidity and dust in mining, quarrying and similar operations, TENAC provides long-term lubrications and guards against corrosion.

# The MIRACLE of "In Place" Cleaning

## KRYLON SPRAY

# Cleaner & Degreaser

for cleaning Auto and Truck Engines, Machinery, Outboard Motors, Appliances, etc.



One of the most unusual grease and oil solvents yet devised, Krylon Cleaner and Degreaser dissolves oil and grease deposits which may then be rinsed away with water, leaving a clean surface . . . very effective in cleaning automobile and truck engines and underframes, aircraft and Diesel engines, outboard and marine engines and engine rooms, aircraft fuselages, materials-handling equipment, or any surface soiled with grease or oil . . . used in appliance service and repair shops for cleaning up oily and greasy washers, stoves, air-conditioning units, ventilating fans, etc. "A real time and labor saver!"

Krylon Cleaner & Degreaser also excellent for cleaning barbecue grilles, power mowers, fans, painted surfaces, clothing and upholstery, asphalt tile floors, etc.

Size	Product No.	Product	List each	Units per carton	Weight per carton
16-oz.	1323	Cleaner & Degreaser	\$1.95	12	16 lbs.
16-oz.	1324	Rust Release	1.69	12	16 lbs.
6-oz.	1324A	Rust Release	.98	12	7 lbs.

# RUST RELEASE

## PENETRATING OIL SPRAY

penetrates and lubricates rusty bolts and nuts . . . "frozen" movable parts, etc.

Just push the button and spray, and in seconds rusty bolts and nuts or "frozen" parts loosen easily, without effort. Krylon Rust Release is a special formulation of chemicals and oils blended to provide unusual penetrating and solvent properties . . . removes corrosion, supplies lubrication, frees the part . . . spray reaches areas otherwise inaccessible.



6-oz. RUST RELEASE

Packaged in Sales-Appealing Counter Display Carton

Attracts attention . . . sells merchandise . . . increases profits!



**KRYLON SPRAY PAINT**

Giant 16.2 Ounce Cans

**RUST VETO SPRAY**

Each		Lots of 12			▲Each
54-1321-M	X1D30	Can Asst.	X1D17.....		\$1.95

Twelve in ctn. Wt. ctn. 18 lbs.

**TENAC**

1322 Don't Sell

**CLEANER AND DEGREASER**

1323 Don't Sell

**RUST RELEASE**

1324 Don't Sell


1324A Don't Sell



**SPEED-E-NAMEL SPRAY PAINTS**

Each		Color	Retail ▲Each
54-131-M	X1D01	Acrylic Clear.....	\$1.69
54-211-M	X1D01	Rich Red.....	1.69
54-170-M	X1D01	Gold Finish.....	1.69
54-200-M	X1D01	Hunter Green.....	1.69
54-140-M	X1D01	Aluminum Finish.....	1.69
54-190-M	X1D01	Rich Blue.....	1.69
54-222-M	X1D01	Light Blue.....	1.69
54-220-M	X1D01	Copper Finish.....	1.69
54-180-M	X1D01	Bright Yellow.....	1.69
54-221-M	X1D01	Gloss White.....	1.69
54-150-M	X1D01	Appliance White.....	1.69
54-162-M	X1D01	Modern Flat Black.....	1.69
54-161-M	X1D01	Gloss Black.....	1.69
54-210-M	X1D01	Modern Pink.....	1.69
54-223-M	X1D01	Zinc Chromate Primer .....	1.69
54-224-M	X1D01	Hot Rod Metal Primer (Gray).....	1.69
54-225-M	X1D01	Flat White.....	1.69

Six cans in case. Wt. 8 lbs.



**DISPLAY RACK**

A tried and proven method to sell merchandise is to properly display and merchandise the goods, we have available and without charge a wire rack display to dispense SPEED-E-NAMEL spray paint. Dealer must buy a minimum of 63 cans of his choice (which will fill display stand.)

Enter on your order ONE ONLY.

Each  
**54-SPE-M      Display Rack No Charge.**

One Rack in a Carton. Wt. 15 lbs.



## SPEED-E-NAMEL SPRAY PAINTS

Each		Color	Retail ▲Each
54-131-M	X1D01	Acrylic Clear	\$1.69
54-211-M	X1D01	Rich Red	1.69
54-160-M	X1D01	Gray	1.69
54-170-M	X1D01	Gold Finish	1.69
54-200-M	X1D01	Hunter Green	1.69
54-140-M	X1D01	Aluminum Finish	1.69
54-190-M	X1D01	Rich Blue	1.69
54-222-M	X1D01	Light Blue	1.69
54-220-M	X1D01	Copper Finish	1.69
54-180-M	X1D01	Bright Yellow	1.69
54-221-M	X1D01	Gloss White	1.69
54-150-M	X1D01	Appliance White	1.69
54-162-M	X1D01	Modern Flat Black	1.69
54-161-M	X1D01	Gloss Black	1.69
54-210-M	X1D01	Modern Pink	1.69
54-223-M	Don't	Sell	
54-224-M	"	"	




A PROFESSIONAL PAINT JOB EVERYTIME!

**ZYNOLYTE****SPEED-E-ENAMEL**  
ALKYD ENAMEL*the new star in spray paints***NO BRUSH • NO MIXING  
JUST PRESS AND PRESTO**...a complete line of alkyd  
enamels at popular prices**RICH TONES  
to choose from**

- Acrylic Clear
- Rich Red
- Gray
- Gold Finish
- Hunter Green
- Aluminum Finish
- Rich Blue
- Light Blue
- Copper Finish
- Bright Yellow
- Gloss White
- Appliance White
- Flat White
- Modern Flat Black
- Gloss Black
- Modern Pink
- Zinc Chromate Primer
- Hot Rod Primer (Dk Gray)

- DRIES IN MINUTES
- LONG LASTING
- HIGH LUSTRE
- SUPERIOR QUALITY

SIZE: 16 OZ.  
PACK: 6  
WEIGHT: 8 LBS.



100's of uses for household, hobby, automotive, marine, commercial &amp; industrial

DISTRIBUTED BY:  
**SHAPLEIGH HARDWARE CO.**  
ST. LOUIS 2, MO.

**ZYNOLYTE PRODUCTS COMPANY**

1646 South Vermont Avenue • Los Angeles 6, California



## SPEED-E-NAMEL SPRAY PAINTS

Each		Color	Retail ▲ Each
54-131-M	X1 D01	Acrylic Clear.....	\$1.69
54-211-M	X1 D01	Rich Red.....	1.69
54-160-M	X1 D01	Gray.....	1.69
54-170-M	X1 D01	Gold Finish.....	1.69
54-200-M	X1 D01	Hunter Green.....	1.69
54-140-M	X1 D01	Aluminum Finish.....	1.69
54-190-M	X1 D01	Rich Blue.....	1.69
54-222-M	X1 D01	Light Blue.....	1.69
54-220-M	X1 D01	Copper Finish.....	1.69
54-180-M	X1 D01	Bright Yellow.....	1.69
54-221-M	X1 D01	Gloss White.....	1.69
54-150-M	X1 D01	Appliance White.....	1.69
54-162-M	X1 D01	Modern Flat Black.....	1.69
54-161-M	X1 D01	Gloss Black.....	1.69
54-210-M	X1 D01	Modern Pink.....	1.69
54-223-M	X1 D01	Zinc Chromate Primer.....	1.69
54-224-M	X1 D01	Hot Rod Metal Primer (Gray).....	1.69
54-225-M	X1 D01	Flat White.....	1.69



**SPRAY CAN HANDLES**

ALFCO



Converts any spray can to professional spray gun. Keeps hands clean and maintains even, accurate spray application.

Use for paints, insecticide, deodorants, window cleaner, hair spray, etc.

Easy to attach and remove.

Each ▲Each  
**54-SC100-M D5C3 1/2**.....\$0.89  
 Twelve in ctn. Wt. ctn. 3 lbs.

**DECORATOR ENAMEL**

PLEASURETONE



**Interior-Exterior**

Features 9 different colors as well as bronze and aluminum paints and spar varnish in two ounce jars. Packed in colorful counter display.

**48 two ounce jars**

Display rack size, 14 1/2 inches wide, 14 inches high, 13 1/2 inches deep.

Qty.	No.	Color
6	100	Gloss White
6	101	Gloss Black
6	102	Aluminum
3	103	Gold
3	104	Copper
3	105	Wrought Iron Black
3	106	Wrought Iron White
6	107	Bright Red
3	108	Royal Blue
3	109	Forest Green
3	110	Medium Yellow
3	111	Super Spar Varnish

Per Asst. ▲Per Asst.  
**54-ATUE-M X8D35**.....\$13.92

Packed in two ctns. Wt. 22 lbs.

**OPEN STOCK**

Each		Color	▲Each
<b>54-100-M D1C7 1/2</b>		Gloss White.....	\$0.29
<b>54-101-M D1C7 1/2</b>		Gloss Black.....	.29
<b>54-102-M D1C7 1/2</b>		Aluminum.....	.29
<b>54-103-M D1C7 1/2</b>		Gold.....	.29
<b>54-104-M D1C7 1/2</b>		Copper.....	.29
<b>54-105-M D1C7 1/2</b>		Wrought Iron Black	.29
<b>54-106-M D1C7 1/2</b>		Wrought Iron White	.29
<b>54-107-M D1C7 1/2</b>		Bright Red.....	.29
<b>54-108-M D1C7 1/2</b>		Royal Blue.....	.29
<b>54-109-M D1C7 1/2</b>		Forest Green.....	.29
<b>54-110-M D1C7 1/2</b>		Medium Yellow....	.29
<b>54-111-M D1C7 1/2</b>		Super Spar Varnish	.29

Three in ctn. Wt. ctn. 1/2 lb.

36 in a case

**Sold Only in Full Cartons**



**SUPER KEM-TONE**

**THE DE LUXE WALL PAINT**

One Finish for All—Both Woodwork and Wall

Super Kem-Tone Leads Because:

1. Apply over paint, plaster, wallpaper, wallboard, metal.
2. Ready to use, just stir and apply.
3. One quick coat covers most surfaces.
4. Easy to apply.
5. Dries in one hour.
6. A smooth, rubber-tough, wear-resisting finish.
7. Guaranteed washable—actually scrubbable.
8. Easy clean-up, just wash roller or brush in warm soapy water.
9. Color matched with Kem-Glo.

30 Gorgeous, Fast-Selling Colors  
One Gallon Does an Average Room

**Regular Colors**

Per Can	Zone 1	Zone 2	Zone 3	▲Per Can
<b>1 Gal. Cans</b>	<b>X4D00★</b>	<b>X4D05★</b>	<b>X4D10★</b>	.....\$6.39
Ctn. lots 4	<b>X3D94★</b>	<b>X3D99★</b>	<b>X4D04★</b>	
<b>1 Qt. Cans</b>	<b>X1D27★</b>	<b>X1D29★</b>	<b>X1D30★</b>	.....2.10
Ctn. lots 6	<b>X1D23★</b>	<b>X1D25★</b>	<b>X1D26★</b>	

Colors	Gallon Cans	Quart Cans
Apple Blossom.....	54-K7R46G-M	54-K7R46Q-M
Burmuda Turquoise.....	54-K7L10G-M	54-K7L10Q-M
Blue Bell.....	54-K7L11G-M	54-K7L11Q-M
Camellia Pink.....	54-K7R42G-M	54-K7R42Q-M
Ceiling Flat White.....	54-K7W94G-M	54-K7W94Q-M
Crystal Green.....	54-K7G32G-M	54-K7G32Q-M
Glenwood Gray.....	54-K7A70G-M	54-K7A70Q-M
Linden Green.....	54-K7G30G-M	54-K7G30Q-M
Melodie Green.....	54-K7G31G-M	54-K7G31Q-M
Princess Ivory.....	54-K7H37G-M	54-K7H37Q-M
Ripple Green.....	54-K7G26G-M	54-K7G26Q-M
Sandalwood.....	54-K7N81G-M	54-K7N81Q-M
Satin Wood.....	54-K7H36G-M	54-K7H36Q-M
Shasta White.....	54-K7W93G-M	54-K7W93Q-M
Skyline Blue.....	54-K7L9G-M	54-K7L9Q-M
Sunbeam Yellow.....	54-K7Y59G-M	54-K7Y59Q-M
Twilight Gray.....	54-K7A71G-M	54-K7A71Q-M
Wedgewood Blue.....	54-K7L8G-M	54-K7L8Q-M
Holiday Turquoise.....	54-K7L12G-M	54-K7L12Q-M
Sandrift.....	54-K7N82G-M	54-K7N82Q-M
Provincial Gold.....	54-K7Y63G-M	54-K7Y63Q-M
High Gate Green.....	54-K7G33G-M	54-K7G33Q-M
Driftwood White.....	54-K7W55G-M	54-K7W55Q-M
Autumn Gold.....	54-K7Y65G-M	54-K7Y65Q-M

**Deep Colors**

Per Can	Zone 1	Zone 2	Zone 3	▲Per Can
<b>1 Gal. Cans</b>	<b>X4D20</b>	<b>X4D25</b>	<b>X4D30</b>	.....\$6.69
Ctn. lots 4	<b>X4D14</b>	<b>X4D19</b>	<b>X4D24</b>	
<b>1 Qt. Cans</b>	<b>X1D32</b>	<b>X1D34</b>	<b>X1D35</b>	.....2.15
Ctn. lots 6	<b>X1D28</b>	<b>X1D30</b>	<b>X1D31</b>	

Colors	Gallon Cans	Quart Cans
Caprice Yellow.....	54-K7Y60G-M★	54-K7Y60Q-M★
Chartreuse.....		54-K7G28Q-M
Citron.....	54-K7Y62G-M	54-K7Y62Q-M
Flamingo.....	54-K7R45G-M	54-K7R45Q-M
Monterey Red.....	54-K7R43G-M	54-K7R43Q-M
Pinhurst Green.....	54-K7G27G-M	

Cans in carton.....	4	6
Weight carton, lbs.....	49	20

Cannot Assort Colors for Carton Lot Price

Full freight allowed in shipments of X60D00 or more on Kem-Tone, Kem-Glo and Lin-X in zones 1, 2 and 3. All zones west of zone 3—zone 3 price. Actual freight allowed in 100 lb. shipments not to exceed X1D00 cwt.

Kem-Tone products, Kem-Glo and Lin-X can be assorted to make weight. For locations and advertising matter see below.

**ZONE LOCATIONS**

State	Zone	State	Zone	State	Zone	State	Zone
Alabama	3	Illinois	1	Mississippi	3	So. Dakota	2
Arkansas	3	Indiana	1	Missouri	2	Tennessee	3
Colorado	3	Kansas	2	Nebraska	2	Texas	3
Iowa	2	Kentucky	2	Ohio	1	Wisconsin	1
		Louisiana	3	Oklahoma	3	Wyoming	3

**ADVERTISING MATTER**

The Factory will Send Direct to Dealer, Window Trim and Advertising Matter when the KEM-TONE Order is for 25 Gallons or More. If Advertising Matter is Wanted as per Above, Attach Letter to Order Calling for Same.

We will Send from Stock up to 10 Color Cards if Entered on Order.

NOTE—FOR COLOR INFORMATION ON ALL ITEMS—See Color Card

STAR ★ DENOTES BEST SELLER

**KEM-GLO**

**THE MIRACLE LUSTRE FINISH**

Looks and Washes Like Baked Enamel

Kem-Glo Leads Because:

1. Apply over plaster, woodwork, paint, enamel, metal, or interior and exterior furniture.
2. Ready to use, just stir and apply.
3. Needs no undercoater or primer. Has a smooth, tough surface.
4. Looks and washes like baked enamel.
5. One coat covers most surfaces.
6. It's fast. Dries in 3 to 4 hours.
7. So tough even boiling hot water won't harm its rich subdued lustre.
8. Fruit juices, alcohol, cooking spatters, cosmetics, crayons wash off as easily as washing your refrigerator.
9. Kem-Glo is "scuff-proof". Use it on the floor. It will take the wear.



Per Can	Zone 1	Zone 2	Zone 3	▲Per Can
<b>1 Gal. Cans</b>	<b>X5D90★</b>	<b>X5D95★</b>	<b>X6D00★</b>	.....\$9.49
Ctn. lots 4	<b>X5D84★</b>	<b>X5D89★</b>	<b>X5D94★</b>	
<b>1 Qt. Cans</b>	<b>X1D77★</b>	<b>X1D79★</b>	<b>X1D80★</b>	.....2.85
Ctn. lots 6	<b>X1D73★</b>	<b>X1D75★</b>	<b>X1D76★</b>	
<b>1 Pt. Cans</b>	<b>X1D01★</b>	<b>X1D02★</b>	<b>X1D03★</b>	.....1.69
Ctn. lots 12	<b>D9C9★</b>	<b>X1D00★</b>	<b>X1D01★</b>	

Colors	Gallon Cans	Quart Cans	Pint Cans
Apple Blossom.....		54-K3R46Q-M	54-K3R46P-M
Burmuda Turquoise.....		54-K3L10Q-M	54-K3L10P-M
Blue Bell.....		54-K3L11Q-M	54-K3L11P-M
Camellia Pink.....		54-K3R42Q-M	54-K3R42P-M
Caprice Yellow.....		54-K3Y60Q-M	54-K3Y60P-M
Chartreuse.....			54-K3G28P-M
Citron.....		54-K3Y62Q-M	54-K3Y62P-M
Crystal Green.....		54-K3G32Q-M	54-K3G32P-M
Ebony Black.....		54-K3B1Q-M	54-K3B1P-M
Flamingo.....		54-K3R45Q-M	54-K3R45P-M
Glenwood Gray.....		54-K3A70Q-M	54-K3A70P-M
Linden Green.....		54-K3G30Q-M	54-K3G30P-M
Melodie Green.....		54-K3G31Q-M	54-K3G31P-M
Monterey Red.....		54-K3R43Q-M	54-K3R43P-M
Pinhurst Green.....			54-K3G27P-M
Princess Ivory.....		54-K3H37Q-M	54-K3H37P-M
Ripple Green.....		54-K3G26Q-M	54-K3G26P-M
Sandalwood.....		54-K3N81Q-M	54-K3N81P-M
Satin Wood.....		54-K3H36Q-M	54-K3H36P-M
Skyline Blue.....		54-K3L9Q-M	54-K3L9P-M
Stay White.....	54-K3W91G-M	54-K3W91Q-M	54-K3W91P-M
Sunbeam Yellow.....		54-K3Y59Q-M	54-K3Y59P-M
Sunset Rose.....		54-K3R44Q-M	54-K3R44P-M
Twilight Gray.....		54-K3A71Q-M	54-K3A71P-M
Velvet White.....	54-K3W92G-M	54-K3W92Q-M	54-K3W92P-M
Wedgewood Blue.....		54-K3L8Q-M	54-K3L8P-M
Holiday Turquoise.....		54-K3L12Q-M	54-K3L12P-M
Sandrift.....		54-K3N82Q-M	54-K3N82P-M
Provincial Gold.....		54-K3Y63Q-M	54-K3Y63P-M
High Gate Green.....		54-K3G33Q-M	54-K3G33P-M
Driftwood White.....		54-K3W55Q-M	54-K3W55P-M
Autumn Gold.....		54-K3Y65Q-M	54-K3Y65P-M

Cans in carton.....	4	6	12
Weight carton, lbs.....	53	21	20




## KEM TINTING COLORS

Revolutionary new fluid shading colors that mix and work equally well with Super Kem-Tone, latex wall paint and Kem-Glo, alkyd enamel.

It is now possible to blend colors by adding Kem Tinting Colors to Super Kem-Tone and Kem-Glo which can not be obtained from base colors. With twelve tinting colors the dealer can supply 130 newest fashionable colors.

With Super Kem-Tone and Kem-Glo supplied in circle-seal cans there is ample space to take the additional color up to the recommended limit—gallon: four ounces, quart: one ounce.

Kem Tinting Colors are pigment dispersions—they can not be used alone as paint. Their fluid consistency and the convenient tubes in three sizes simplify any tinting program.



**Just 12 Kem Tinting Colors Make it Possible to Create 130 Matching Colors  
in Super Kem-Tone Latex Wall Paint and Kem-Glo Miracle Alkyd Enamel**

Packaged in one line of tubes for tinting both Super Kem-Tone and Kem-Glo. Can also be used for tinting other latex and oil base paints and alkyd enamels.

A simplified tinting system that requires only one tube to shade a desired color.

1/4 ounce Tubes				1 ounce Tubes				4 ounce Tubes			
Each		Color	▲Each	Each		Color	▲Each	Each		Color	▲Each
54-K10B7/1/4-M	D2C1	Black	\$0.35	54-K10B7/1-M	D3C0	Black	\$0.50	54-K10B7/4-M	D5C5	Black	\$0.85
54-K10L5/1/4-M	D2C1	Blue	.35	54-K10L5/1-M	D3C0	Blue	.50	54-K10L5/4-M	D5C5	Blue	.85
54-K10N6/1/4-M	D2C1	Brown	.35	54-K10N6/1-M	D3C0	Brown	.50	54-K10N6/4-M	D5C5	Brown	.85
54-K10Y2/1/4-M	D2C1	Ochre	.35	54-K10Y2/1-M	D3C0	Ochre	.50	54-K10Y2/4-M	D5C5	Ochre	.85
54-K10G4/1/4-M	D2C1	Green	.35	54-K10G4/1-M	D3C0	Green	.50	54-K10G4/4-M	D5C5	Green	.85
54-K10R8/1/4-M	D2C1	Red Oxide	.35	54-K10R8/1-M	D3C0	Red Oxide	.50	54-K10R8/4-M	D5C5	Red Oxide	.85
54-K10Y3/1/4-M	D2C1	Yellow	.3	54-K10Y3/1-M	D3C0	Yellow	.50	54-K10Y3/4-M	D5C5	Yellow	.85
54-K10L11/1/4-M	D2C4	Deep Blue	.40	54-K10L11/1-M	D3C9	Deep Blue	.65	54-K10L11/4-M	D6C7	Deep Blue	1.05
54-K10E1/1/4-M	D2C4	Orange	.40	54-K10E1/1-M	D3C9	Orange	.65	54-K10E1/4-M	D6C7	Orange	1.05
54-K10L10/1/4-M	D2C4	Turquoise	.40	54-K10L10/1-M	D3C9	Turquoise	.65	54-K10L10/4-M	D6C7	Turquoise	1.05
54-K10R12/1/4-M	D2C4	Magenta	.40	54-K10R12/1-M	D3C9	Magenta	.65	54-K10R12/4-M	D6C7	Magenta	1.05
54-K10G13/1/4-M	D2C9	Brite Green	.48	54-K10G13/1-M	D5C0	Brite Green	.83	54-K10G13/4-M	D8C5	Brite Green	1.35

Six tubes in ctn. Wt. 1 1/2 ozs.

Six tubes in ctn. Wt. 6 ozs.

Six tubes in ctn. Wt. 1 1/2 lbs.



CLEAR GLOSS VARNISH

LIN-X



For Interior and Exterior Use

For linoleum and wood surfaces. Produces a hard surface and is highly resistant to boiling water, sizzling grease, fruit juice and alcohol.

In Friction Top Cans

Each	Zone 1	Zone 2	Zone 3	Contents can	No. cans in case	Weight each, lbs.	▲ Each
54-K17V1G-M	X4D55★	X4D60★	X4D65★	Gallon	4	9	\$7.60
Case lots (4) . . . .	X4D49★	X4D54★	X4D59★				
54-K17V1Q-M	X1D38★	X1D40★	X1D41★	Quarts	6	2½	2.30
Case lots (6) . . . .	X1D34★	X1D36★	X1D37★				
54-K17V1P-M	D7C8★	D7C9★	D8C0★	Pint	12	1¼	1.30
Case lots (12) . . .	D7C6★	D7C7★	D7C8★				

Full freight allowed in shipments of \$60.00 or more on Kem-Tone, Kem-Glo and Lin-X in Zones 1, 2 and 3. All zones west of Zone 3 takes Zone 3 price. Actual freight allowed in 100 lb. shipments not to exceed X1D00 cwt. Kem-Tone, Kem-Glo and Lin-X can be assorted to make weight.

ZONE LOCATIONS

State	Zone	State	Zone	State	Zone	State	Zone	State	Zone	State	Zone	State	Zone
Alabama	3	Georgia	3	Indiana	1	Louisiana	3	Nebraska	2	Oklahoma	3	Tennessee	3
Arkansas	3	Iowa	2	Kansas	2	Mississippi	3	No. Carolina	3	So. Carolina	3	Texas	3
Florida	3	Illinois	1	Kentucky	2	Missouri	2	Ohio	1	So. Dakota	2	Wisconsin	1



**MASKING TAPE**

SCOTCH



For use in painting and spraying operations on automobiles, furniture, etc., where it is necessary or desirable to protect adjoining surfaces against color being used.

Holds firmly on chrome parts, rubber mouldings, upholstery or paper aprons. Has uniform adhesive tackiness regardless of weather—does not collect moisture. Extremely flexible—easily applied to curves and will not curl back. The strong, tough backing lessens breakage on removal.

**In 60-Yard Rolls—Individually Boxed**

Per Roll	Less than 12 Per Roll	Lots of 12 to 35 Per Roll	Lots of 36 or more Per Roll	Width, ins.	Wt. per Rolls, ozs.	▲Roll
54-SMT1/2-M	X1D02	D9C1	D8C6	1/2	10	\$1.37
54-SMT3/4-M	X1D21★	X1D10★	X1D04★	3/4	11	1.65
54-SMT1-M	X1D55★	X1D40★	X1D32★	1	15	2.10
54-SMT1 1/2-M	X2D33	X2D10	X1D98	1 1/2	16	3.15
54-SMT2-M	X3D10	X2D80	X2D64	2	24	4.20

Twelve Rolls in a Carton

Can assort above numbers **ONLY** to get quantity price

**BULK PACK**

Per Roll		Rolls in a Sleeve	Rolls in a Carton	Width Inches	Wt. per Roll, ozs.	▲Roll
54-232/3/4-M	D8C0	12	48	3/4	11	\$1.20
Lots of 12 Rolls		D7C3				
Lots of 48 Rolls		D6C5				
54-232/1-M	X1D05	9	36	1	15	1.59
Lots of 9 Rolls		D9C6				
Lots of 36 Rolls		D8C7				
54-232/1 1/2-M	X1D60	6	24	1 1/2	16	2.37
Lots of 6 Rolls		X1D44				
Lots of 24 Rolls		X1D31				
54-232/2-M	X2D12	6	24	2	24	3.18
Lots of 6 Rolls		X1D93				
Lots of 24 Rolls		X1D75				

Can assort any combination of four sleeves to obtain carton price

**MASKING TAPE DISPLAYS**

SCOTCH



For use in home painting and handy man work. Offers a quick and easy way of striping furniture, bicycles, etc., protecting door and window frames, base boards and moldings.

Attractively packaged in individual roll boxes, twelve boxes in a display.

**12 Rolls—3/4 inch x 300 inches**

Per Display		Wt. per Display	■Per Roll
54-181-M	X2D80★	2 lbs.	\$0.35
6 or more displays		X2D52★	

**12 Rolls—3/4 inch x 90 feet**

Per Display		Wt. per Display	■Per Roll
54-185-M	X7D84	4 1/2 lbs.	\$0.98
6 or more displays		X7D06	

Can assort with Nos. H3, 181, 185 and 188 to get Quantity Price



Makes home painting easier and neater. For paint masking, striping and carton sealing.

Attractive counter display. Each roll mounted in its own individual sleeve.

**Twelve Rolls—1 1/2 x 300 inches in a Display**

Per Display		Wt. ctn.	■Per Roll
54-188-M	X5D52★	3 1/2 lbs.	\$0.69
6 or more		X4D97★	


Twelve in ctn. Wt. ctn. 3 1/2 lbs.

Can assort with Nos. H3, 181, 185 and 188 to get Quantity Price



**MASKING TAPE**

**SCOTCH**



**Display and 48 Rolls**

Profitable merchandiser for masking tape. Boost impulse sales of "Scotch" brand masking tape in new cutter-edge boxes. Take less than one square foot of counter space.

Contains:

No. Rolls	Size Tape	Retail Per Roll
24	3/4 inch x 300 inches	\$0.35
12	3/4 inch x 90 feet	.98
12	1 1/2 inch x 300 inches	.69

Per Deal	Code	Per Deal
54-H3-M	X18D96	\$28.44

2 or more deals X17D07  
One deal in ctn. Wt. ctn. 15 lbs.

Can assort One Only No. H3 plus two other Masking Tape Displays to get Quantity Price



**Deal H-5 Merchandising Display**

Self-dispensing display in full color. Takes less than a square foot of counter space. 16 inches wide, 6 inches deep, 21 inches high. Displays three popular masking tape sizes.

Contains:

No. Rolls	Size Tape	Retail Per Roll
12	3/4 inch x 300 inches	\$0.35
12	1 1/2 inch x 300 inches	.69
12	3/4 inch x 90 Feet	.98

**Display and 36 Rolls**

Per Deal	Code	Per Deal
54-H5-M	X16D17	\$24.24

2 or more deals X14D55  
One deal in ctn. Wt. ctn. 9 lbs.

Can assort deal H-5 with other deals and displays to obtain Quantity Price

**MYSTIK**



**Auto-Serve**

No fumbling to pick up packages. Package pops out and another roll pops in place automatically.

Compact metal rack holds stock in less than one-half of a square foot of counter space. Size 10 1/2 x 5 1/2 x 15 1/2 ins.

Each roll cellophane wrapped. Color display card and other merchandising aids with each display.

Consists of:

Qty. Rolls	No.	Size	Each
28	222	3/4 x 300 ins.	\$0.35
16	259	1 1/2 x 300 ins.	.69
8	289	3/4 in. x 90 ft.	.98
2	287	1 1/2 in. x 90 ft.	1.89

Per Display	Code	Per Display
54-MX2-M	X21D64	\$32.46

One in ctn. Wt. ctn. 9 1/2 lbs.



**12 Rolls—3/4 x 300 inches**

Per Display	Code	Per Roll
54-222-M	X2D80	\$0.35

6 or more displays X2D52

Six displays per case. Wt. case 1 lb.



**6 Rolls—1 1/2 x 300 inches**

Per Display	Code	Per Roll
54-259-M	X2D76	\$0.69

6 or more displays X2D48

Six displays per case. Wt. case 1 lb.



**12 Rolls—3/4 inch x 90 feet**

Per Display	Code	Per Roll
54-289-M	X7D84	\$0.98

6 or more displays X7D06

Six displays in ctn. Wt. ctn. 3 lbs.

Eye-catching self service counter display holds 12 rolls of popular 3/4" x 300" size. Each roll is individually wrapped in cellophane and container that shows household uses. Price is printed on cellophane.

Colorful self-service counter display holds 6 rolls of the increasingly favorite 1 1/2" x 300" size. Each roll is individually wrapped in cellophane and container that shows household uses. Price printed on cellophane.

"Do it yourself". Bright colored self service display carton holds 12 individually cellophane wrapped rolls 3/4 inch x 90 feet. Each roll priced.

Free dispenser packed with each roll.



## BRONZE ENAMEL AND SHELLAC



### SUPER STAR QUALITY

Bronze Enamels for Picture Frames, Radiators, Bicycles and Auto Grills.

Shellac for Toys, Lamp Shades, Furniture and Wood Sealing.

#### 1½ OZ. SIZE

Each	Item	Each
54-1½GE-M	D0C9★ Gold Enamel	\$0.15
54-1½A-M	D0C9★ Aluminum Paint	.15
54-1½CE-M	D0C9 Chrome Enamel	.15
54-1½OS-M	D0C9 Orange Shellac	.15
54-1½WS-M	D0C9 White Shellac	.15


Weight ctn. 3½ lbs.  
Twenty-four in Carton

#### 4 OZ. SIZE

Each	Item	Each
54-4GE-M	D1C8★ Gold Enamel	\$0.30
54-4A-M	D1C8★ Aluminum Paint	.30
54-4CE-M	D1C8 Chrome Enamel	.30
54-4OS-M	D1C8 Orange Shellac	.30
54-4WS-M	D1C8 White Shellac	.30

Weight ctn. 15 lbs.  
Twenty-four in Carton

## PAINT CONDITIONER RED DEVIL



Cut shows conditioner mounted on spring counter base.


Exclusive patented eccentric-action. Lazy pigments and wall sediments can't stand up against vigorous, thorough, rapid-fire agitation. A solution equal to factory freshness is produced in an average time of 2 minutes or less.

Automatic Timer switches off current at any predetermined period (30 seconds to 15 minutes): assures the exact amount of conditioning desirable for particular cans. Holder is adjusted by a can holder handle that facilitates quick change of cans, making it possible to change those of the same size in 2 seconds—to replace a half-pint with a gallon in 10 seconds.

The Red Devil holds cans on end, not side, so that cans and labels are never marred, and there is no danger of covers coming off.

#### Specifications:

- Capacity:** ¼ pint to 1 gallon cans U. S. Standard.
- Base Measurements:** 12½ in. wide, 14½ in. long, 19½ in. high; operating space 13 in. x 21¾ in. (Fits Pedestal Base 34 in. high).
- Motor Equipment:** ¼ H. P. 60 cycle, 110 volt A. C., unless otherwise specified.
- Oscillation:** 1350 shakes per minute.
- Lubrication:** Operates in a bath of oil, that requires only occasional addition of good grade 20W SAE oil. Bayonet type oil gauge supplied.



Cut shows conditioner mounted on pedestal base with rubber feet.

### PAINT CONDITIONER ONLY

Less Pedestal or Counter Base

Each  
54-30-M N-X138D50

One in crate. Ship. Wt. 130 lbs.

### PEDESTAL BASE ONLY

Without Rubber Feet or Mounting Arms

Each  
54-P-M N-X20D75

One in crate. Ship. Wt. 56 lbs.

### RUBBER FEET ONLY

Complete With Mounting Arms  
(For Pedestal Base)

Rubber suction cup feet can be used on new or old pedestal bases—without being fastened to floor.

Per Set  
54-RF-M N-X3D75

One set in ctn. Wt. ctn. 11 lbs.

### SPRING COUNTER BASE ONLY

Spring mounted Counter Base eliminates vibration and cuts down noise of operation. Fits all No. 30 Conditioners.

Each  
54-CB30-M N-X17D00

One in ctn. Wt. ctn. 16 lbs.

STAR ★ DENOTES BEST SELLER



## PAINT AND VARNISH REMOVER

### SAVOGRAN STRYPEEZE

#### Semi-Paste



Guaranteed semi-paste paint remover that stays wet and stays put. Stays wet longer and cuts more coats of old finishes per application—indoors or out. Removes all finishes, including synthetics. Does not contain benzol, acid, caustic, alkali or wax. Outstanding for outdoor use.

Each		Size Can	Cans in a Case	Wt. Case lbs.	▲ Each
54-1/2PSE-M	D3C3	1/2 Pint	24	16	\$0.55
54-1PSE-M	D5C7★	1 Pint	12	15	.95
54-1QSE-M	D9C3★	1 Quart	12	27	1.55
54-1GSE-M	X2D55	1 Gallon	6	50	4.25

## PAINT AND VARNISH REMOVER

### ZIP-STRIP



Goes through several coats of paint or varnish at one time.

Will remove paint, varnish, baked enamels, lacquer and rubber base paints and enamels. Does not require an afterwash. Will not harm the grain of the wood or the filler in the wood and can be used on metal, wood, wallboard, etc. Easily applied. Permits immediate refinishing after old material has been removed.

#### Non-Inflammable In Screw Top Cans

Each		Size Cans	Weight Ctn., lbs.	▲ Each
54-PR1/2P-M	D4C1	1/2 Pint	5	\$0.69
54-PRP-M	D6C3★	Pint	9	1.05
54-PRQ-M	X1D02★	Quart	17	1.69
		Six in ctn.		
54-PRG-M	X3D12	Gallon	21 1/2	5.19
		Two in ctn.		

Note—Thirty-six 1 1/2 oz. samples will be packed in each full carton of quarts.

## WATER WASH PAINT AND VARNISH REMOVERS

### SAVOGRAN STRYPEEZE SPECIAL



A faster acting liquid paint remover. Especially recommended for horizontal surfaces and for industrial uses. Harmless to bristles or surfaces stripped. Contains no caustic, acid or alkali. No after wash necessary.

Each		Size Cans	Cans in Case	Weight Case lbs.	▲ Each
54-RKP-M	D3C3★	Pint	12	14	\$0.55
54-RKQ-M	D5C1★	Quart	12	27	.85
54-RKG-M	X1D56	Gallon	6	48	2.60



Actually emulsifies dissolved old finishes with water and stop the need of steel wool rubbing or scraping. Water Wash dissolves the old finish and then cleans everything away with a sponge and water process. Old sludge "just washes away." Does not contain benzol, caustic or acid.

Each		Size Can	Cans in Case	Wt. Case, lbs.	▲ Each
54-STSP-M	D7C5★	Pint	12	19	\$1.25
54-STSQ-M	X1D29★	Quart	12	36	2.15
54-STSG-M	X3D90	Gallon	6	66	6.50


## PAINT DEGLOSSER

### SAVOGRAN



Fireproof remover for all finishes. Non-flammable. Keeps wet and working longer—clings to upright surfaces. Super Strip does not contain benzol, acid or caustics.

Each		Size Cans	Cans in Case	Wt. Case, lbs.	▲ Each
54-SSP-M	D6C6	Pint	12	19	\$1.10
54-SSQ-M	X1D05	Quart	12	36	1.75



DEG 158

A superior Liquid Sandpaper for deglossing, cleaning and smoothing old painted or varnished surfaces to prepare them for refinishing. Works fast, yet does a perfect job. Easy on the hands because it contains no harsh chemicals or abrasives. Not a weakened paint remover.

Each		Contents Can	Cans in Case	Wt. Case, lbs.	▲ Each
54-DGP-M	D5C1	Pint	12	14	\$0.85
54-DGQ-M	D8C1	Quart	12	27	1.35



**WHITE LEAD****DUTCH BOY****All-Purpose Soft Paste**

This newly developed **All-Purpose** soft paste white lead is the same "Lead in Oil" you have always known—pure white lead ground in pure linseed oil—but with this difference: It has just enough turpentine (two per cent) and just enough additional grinding to make it whiter, finer, softer than ever. Not only does it give good looking, long wearing gloss paint for exterior use, but combined with turpentine or flattening oil it produces a flat paint that has that uniform, delicate sheen desired by all decorators.

Per Keg		Contents Keg, lbs.	Per Keg
<b>54-50SP-M</b>	<b>N-X15D00</b>	50	\$24.00
<b>54-25SP-M</b>	<b>N-X7D90</b>	25	12.75

**Heavy Paste White Lead**

Heavy paste is exactly the same as **All-Purpose** soft paste except that it does not contain the turpentine and must therefore be "broken-up" before it can be thinned to paint.

Per Can		Contents Can, lbs.	Cans in Case	Per Can
<b>54-5HP-M</b>	<b>N-X1D65</b>	5	10	\$2.75
<b>54-1HP-M</b>	<b>N-D4C0★</b>	1	12	.65

**MURIATIC ACID****(HYDROCHLORIC)****Packed in Non-Breakable  
Polyethylene Bottles**

A safe way to sell, dispense, and use muriatic acid. Has many uses such as cleaning mortar from bricks, etching cement before painting, etc. 18° commercial grade.

Bottle has hard plastic closure, and plastic safety plug in bottle neck. Contents cannot leak or be used until safety plug is removed or opened.

Per Carton		Contents	▲ Each
<b>54-MA-M</b>	<b>X4D40</b>	Quart	\$1.10

Six bottles in ctn. Wt. ctn. 16 lbs.

**Sold Only in Full Cartons**



**BOILED LINSEED OIL**  
SPENCER KELLOGG



**Improved Pure**

Produced by a patented process—99<sup>8</sup>/<sub>10</sub>% pure linseed oil, to which has been added <sup>2</sup>/<sub>10</sub> of 1% lead and manganese drier. The addition of a special bodied linseed oil helps the tough natural film level out to a smooth surface that is unsurpassed. It contains none of the foreign substances which threaten the long life of paint.

Per Can	Contents of can	No. in case	Wt. per can, lbs.	Per Can		
54-BO1G-M	N-X2D30★	1 Gal.	6	7 <sup>3</sup> / <sub>4</sub>	\$3.50	
Each	54-BO1Q-M	N-D6C5★	1 Qt.	12	2	Each \$1.00

**RAW LINSEED OIL**  
SPENCER KELLOGG

Pure and free from harmful adulterants, carefully settled and filtered and made from selected seed. No acid, alkali or air is used in preparation and its superior quality makes it the perfect oil wherever raw linseed oil is desired.

Per Can	Contents of can	No. in case	Wt. per can, lbs.	Per Can		
54-R1G-M	N-X2D25★	1 Gal.	6	7 <sup>3</sup> / <sub>4</sub>	\$3.50	
Each	54-R1Q-M	N-D6C4★	1 Qt.	12	2	Each \$1.00

**Note**—One gallon of linseed oil 7<sup>1</sup>/<sub>2</sub> lbs.; a U. S. government oil measure will hold 7<sup>1</sup>/<sub>4</sub> to 8 lbs. according to temperature; therefore a dealer should weigh oil when selling from barrel instead of measuring.

**WOOD PRESERVER**  
CARBOLINEUM AMERICA



Long lasting outside stain applied by brush, spray, dip or soak which will preserve wood from rot, termites, chicken mites, blue bugs, etc. The shade can be changed. If too dark in color it can be made lighter by adding kerosine. If too light in color, add crankcase oil or other similar oil.

Per Gal.	Size Can	Per Gal.
54-CA/1-M	N-X1D50	\$2.55
Six cans in case. Wt. 60 lbs.		

**WE DO NOT BREAK CASES**

Per Gal.	Size Drums	Per Gal.
P-CA/30-M	N-X1D03	\$1.85
P-CA/55-M	N-D9C7	1.50

*Slip wt. approx. 10 lbs. per gal.*

**TURPENTINE**  
HERCULES



**STEAM DISTILLED TURPENTINE**

Per Can	Size Cans	Qty. in Case	Wt. Case, lbs.	Per Can	
54-T1P-M	N-D2C3 <sup>1</sup> / <sub>2</sub> ★	1 Pt.	48	58	\$0.39
54-T1Q-M	N-D4C0★	1 Qt.	24	55	.65
54-T1G-M	N-X1D35★	1 Gal.	6	6	2.15



**PURE GUM SPIRITS TURPENTINE**

Per Can	Size Cans	Cans in Case	Wt. Case, lbs.	Per Can	
54-GS1P-M	N-D2C5★	1 Pt.	12	14 <sup>1</sup> / <sub>2</sub>	\$0.40
54-GS1Q-M	N-D4C3 <sup>1</sup> / <sub>2</sub> ★	1 Qt.	12	27 <sup>1</sup> / <sub>2</sub>	.70
Per Gal.	54-GS1G-M	N-X1D30	Gal. 6	50	2.25

**SOLOX GENERAL SOLVENT ALCOHOL**

U. S. I.

Easy to use and speeds productions



A proprietary alcohol type solvent with general characteristics and excellent solvent qualities. Replaces completely denatured alcohol. Has faster and better solvent power, a mild non-residual odor and readily available for any manufacturing or other lawful purpose.

General uses:

Removing shellac and varnish, thinning shellac, brightens shellacked floors. Cleaning paint brushes, paint and general household cleaning and many other uses.

**In Screw Top Cans**

Per Gallon	Per Gallon
54-SA1G-M	N-X1D70★
Lots of 6 cans	N-X1D57★
Six in case	

Per Can	Capacity Cans	Cans in Case	Weight Case, lbs.	Per Can	
54-SAQ-M	N-D5C0★	Quart	24	52	\$0.75
Lots of 24 cans	N-D4C7★				
54-SAP-M	N-D3C2★	Pint	48	64	.50
Lots of 48 cans	N-D3C0★				



### CAULKING GUN COMBINATIONS

#### SEAL RITE



#### CALK-O-PAC JR.

For household caulking jobs on windows, doors, glazing, roofs, porches, sinks, bathtubs skylights, boats and greenhouses.

A standard gun in every way. Adaptable to standard size cartridges or bulk. Substantially built household tool.

All steel construction. Barrel 9 inches long. Ratchet type. Cadmium finish.

#### Complete with Two Caulk Cartridges The Big 3


Each **54-15-M X2D85**.....\$4.25

Six in ctn., with counter display

Wt. each 6 lbs.

### CAULKING GUNS

#### SEAL RITE



For caulking, glazing, greasing, seaming or applying any plastic or semi-liquid material. With the variable handle grip leverage, tremendous pressure can be developed with ordinary effort. Ratchet feed.


Capacity 32 cubic inches. Cylinders 2x10 inches. Will handle No. 16 or any 2x10 inch cartridge.

Complete with three assorted nozzles.

Each **54-10-M X3D30**.....\$4.95

Loose. Wt. each 3½ lbs.

#### VITAL



MODEL ER-3N

#### Nozzle Cradle Caulker


Half barrel, for use with spoutless cartridges. Nozzle is interchangeable. Positive ratchet drive with cadmium plated rod. Blue enamel finish.

Each **54-ER3N-M X1D35**.....\$1.95

Lots of 6 **X1D25**

6 in a case. Wt. case, 8 lbs.

### CAULKING GUNS



Designed for quick economical operation. Will hold securely any nozzle type cartridge, metal or paper.

All metal construction. Non-slip ratchet rod and plunger. Full grip trigger. Convenient rod hook.

#### Without Cartridge

Each **54-HBC-M X1D20★**.....\$1.80

Lots of 6 **X1D15★**

Six in ctn. Wt. ctn. 9 lbs.

### CAULKING CARTRIDGES

#### DAP



#### Nozzle Type

Standard nozzle cartridge. Finest elastic materials and processed oils blended to proper consistency. Compound adheres tightly, preventing heat loss and draft, sealing out moisture and dust.

Each cartridge contains 1/10 gallon and will caulk 15 to 25 lineal feet, depending on size of opening.

Per Ctn.		Color	Wt. Ctn., lbs.	Each
<b>54-HNC-M N-X3D75</b>	Aluminum		14	\$0.60
<b>54-HWC-M N-X4D10</b>	Brilliant White		14	.65

Ten in ctn.

Sold Only in Full Cartons

#### RELY-ON



A non-bleeding caulking compound in standard size fibre cartridge with plastic nozzle.

Capacity 1/10 Gallon

Ten cartridges in carton.

Per Ctn.		Color	Wt. Ctn., lbs.	Each
<b>54-CC10N-M N-X3D00★</b>	Gray		14	\$0.50
<b>54-CC10W-M N-X3D00★</b>	Natural White		14	.50

Sold Only in Full Cartons

STAR ★ DENOTES BEST SELLER

### CAULKING CARTRIDGES

#### KEEN KUTTER

#### Natural White

Non-yellowing and non-staining, always stays soft and pliable. Made especially for sealing cracks and crevices around doors, windows, cornices, chimneys or wherever masonry or metal joins.

Nozzle type cartridge, no muss, no fuss or waste.

Size 2x9 inches. Contains approximately 1/10 gallon.

Fits any standard barrel or cradle gun.



Per Ctn. (12)		Wt. Ctn., lbs.	Each
<b>54-1104NW-MK N-X3D18★</b>		15	\$0.52

Twelve cartridges in ctn.

Sold Only in Full Cartons

#### SEAL RITE



A quality caulk guaranteed to give permanent elastic sealing. Proved best by laboratory test.

Double cellophane air-tight cartridge 2x9 inches, fits every type of caulking gun. Fast loading. No scraping or wiping, or waste of material. Easy to use and speedy.

Each		Color	Wt. each, lbs.	Each
<b>54-16WCT-M N-D3C3</b>	White		1¼	\$0.50

Twenty-four in a case.

#### RUTLAND

#### Klip-Tip



For filling and sealing crevices and cracks in wood, masonry, around door and window frames, etc. with the new Klip-Tip you can customize the opening to provide for three or more different beads of caulk from one nozzle. 1/10 gallon.

Per Ctn.		Color	Wt. Ctn., lbs.	Each
<b>54-RCCN-M N-X4D32</b>	Natural		18	\$0.59
<b>54-RCCW-M N-X4D44</b>	Brilliant White		17½	.62

12 tubes in a ctn.

Sold Only in Full Cartons



**GLAZING COMPOUND**

RUTLAND



Superior in setting glass in wood or metal sash. Will not sag, crack, pull away from sash or harden like putty, making removal of glass easy. Can also be used as knife grade caulking compound.

Each		Size	No.	Wt.	
		Can	in	Case	
		Lbs.	Case	lbs.	Each
54-RGC1-M	N-D2C0	1	24	29	\$0.35
54-RGC2-M	N-D3C8	2	12	28	.70
54-RGC5-M	N-D8C5	5	12	66	1.40
54-RGC12 1/2-M	N-X2D06	12 1/2	4	55	3.50

**Note**—D1C0% Less on 350 lbs. can assorted all sizes and other Rutland products for quantity prices.

**GLAZIERS PUTTY**

KEEN KUTTER



Leaktite—Superior

Made for all around use where a consistently reliable grade of standard commercial putty is required. Made of blended linseed vehicle and finest grade of whiting. Recommended for glazing wood sash, for fill nail holes, cracks; for plumbing and/or for general purpose use. Natural color.

Per Can		Size	Qty.	Wt. per	
		Can,	in	ctn.,	Per
		lbs.	ctn.	lbs.	Can
54-S1-MK	N-D1C4★	1	25	30	\$0.25
<b>Sold Only in Full Cartons</b>					
54-S5-MK	N-D5C5★	5	12	65	1.00



KEEN KUTTER

Leaktite—Steel Sash


When glazing steel sash, it is very necessary to use a steel sash putty in order to get satisfactory results.

**White Color  
In Five Pound Cans**

Per Can		Per Can
54-SSW5-MK	N-D6C2.....	\$1.15
Twelve cans in ctn. Wt. ctn. 65 lbs.		

**ELECTRIC  
PUTTY SOFTENERS**

FLETCHER-TERRY



The Fletcher Electric Putty Softener works fast. Has plastic handle.

An "on and off" switch is conveniently located for easy manipulation. This acts as a safety device and also allows the user to operate frequently on stored heat, furthering the economic use of this tool.

Specifications:

Model 5-A. Heating edges 6 inches and 11 inches. 110 volts A.C., approximately 700 watts.

Each		Each
54-5A-M	X14D90 .....	\$23.95

One in ctn. Wt. ctn. 3 lbs.

**TUB CAULK  
MIRACLE**



For caulking sinks, tubs, showers, and around bath fixtures and tile. Applies from tube—dries within one hour to a tight waterproof seal that will not shrink or crumble.

**Six 4 1/2 oz. Nozzle Tubes in a Display**

White

Per Display		Per Tube
54-100TW-M	X3D60★.....	\$1.00
Weight display 1 3/4 lbs.		

**TUB CAULK**

MYSTIK



Pure white water-proof sealer for cracks around tub, shower, sink. Non-toxic, non-solvent, odorless. Safe for any surface, safe for hands, washes clean with plain water while fresh, wipes clean with water. Dries to a tough waterproof seal.

New, exclusive "skin-packed" units.

Per Ctn.		▲ Each
54-600-M	X6D41 .....	\$0.89

One tube on a peg board type card.  
Twelve cards in a ctn. Wt. ctn. 5 lbs.

**Sold Only in Full Cartons**



## WATER PUTTY OR CRACK FILLER

REARDON'S

Cracks in Wood Floors, Holes in Cement Floors, Imperfections in Furniture and Woodwork, Metal, Concrete, Plaster and Other Surfaces Can be Quickly and Easily Repaired.



A Dry Powder which Needs Only to be Mixed with Water to a Paste of the Required Consistency for the Job to be Done. After Drying it Can be Sanded Down Level with the Surrounding Surface and be Painted or Varnished.

	1-lb. Can	Zone 1	Zone 2	
Each		Zone 1	Zone 2	▲ Each ▲ Each
54-RWP1-M	D2C3 D2C4			\$0.35 \$0.36

Twenty-four ctn. in case. Wt. case 28 lbs.

### CONSUMERS

An Improved Plastic in Dry Powder Form that Requires only the Addition of Water to Make it into a Material that does Those "Fix-It" and "Make-It" Jobs Easily and Quickly.



Fills Cracks or Holes in almost all Material and will Not Shrink. Can be Cut, Sawed, Painted or Stained any Color.

1 Pound Box

Each		Each
54-CCF1-M	N-D1C8	\$0.30

Twenty-four in case. Wt. case 25 lbs.

### DURHAM Rock-Hard

For Filling Cracks, Crevices, Joints, Knot and Nail Holes. Permanently Adheres to Wood, Cement, Plaster, Tiles, Composition and Stone. Used to Repair Furniture, Set Loose Handles, Set Tiles, Fill Cracks in Boats, Mold Novelties and Hundreds of Other Uses. Will Withstand Weather Indefinitely if Kept Painted.



A Dry Powder that Mixes Readily with Water and Forms a Plastic Material that Can be Sawed, Chiseled, Nailed and Polished. Sticks and Stays Put—Will Not Shrink.

Per Can	Size Can, No. in lbs. Carton	Per Can
54-D1RHP-M	D2C6 <sup>2</sup> / <sub>3</sub> ★ 1 12	\$0.40
Lots of 12	D2C4	
54-D4RHP-M	D9C3 <sup>1</sup> / <sub>3</sub> ★ 4 6	1.40
Lots of 6	D8C4	

#### In Drums

Per Drum	Size, Shipping lbs. Wt. lbs.	Per Drum
✕D25RHP-M	X4D25 25 27	\$7.00
✕D50RHP-M	X8D00 50 55	13.00
✕D100RHP-M	X15D00 100 110	25.00

**Zone 1**—These prices apply in all States East of the Rocky Mountains, except Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, Montana, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.

**Zone 2**—These prices apply in the following States, Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.

Items Marked ✕ Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory, F. O. B., Des Moines, Iowa.

## CRACK FILLER

SAVOGRAM



Original patented water putty. Fills holes, cracks and dents. Tightens loose casters, rungs, handles, knobs, fixtures, screws. WILL NOT SHRINK. Takes paints or stains—can be precolored with dry color.

1-lb. package.

Each		▲ Each
54-CF1-M	D2C1	\$0.35

Twelve pkgs. in ctn. Wt. ctn., 14 lbs.

Sold Only in Full Cartons

## SPACKLING PASTE

REARDON RESURFO



Contains all the properties demanded by professionals. Thoroughly tested. Easy to handle on every job. Won't settle, pleasant odor, no burn-out problems, no need to prime, no need to mix, no waste. Saves time. Dries fast and hard.

White

		Zone 1	Zone 2
Per Can	Zone 1 Zone 2	▲ Per Can	▲ Per Can
54-RSP <sup>1</sup> / <sub>2</sub> -M	<sup>1</sup> / <sub>2</sub> Pt. D3C9 D3C9	\$0.60	\$0.60
54-RSQ-M	Qt. D9C5 D9C5	1.45	1.45

<sup>1</sup>/<sub>2</sub> pint size, 12 in ctn. Wt. ctn. 14<sup>1</sup>/<sub>2</sub> lbs.

Quart size, 6 in ctn. Wt. ctn. 26 lbs.

Half pints packed 12 in a display.

## TEXTURE PAINT ADDITIVE

PERLTEX



Easy to apply—brush, roller or spray. Popular "sand float" finish on wall-board, plaster or any paintable surface in one application. Mixes easily with any color or type of interior paint and covers cracks, blemishes or seams in an even attractive finish. Remains in uniform suspension when thoroughly mixed—never settles to bottom of can.

One Package to Each Gallon of Paint

No. 1 Package

Per Pkg.		▲ Per Pkg.
54-PL1-M	D3C6	\$0.60

Twelve in case. Wt. case 8 lbs.



**DICK ARMSTRONG PONTIUS PRODUCTS**

Direct Shipment  
**SOLD ONLY IN FULL CASES**  
 †DAP CAULKING COMPOUND—M

	5 Gallon Can	1 Gallon Can	Quart Can	Pint Can
Gun Grade, Aluminum Gray or Natural White.....	<b>X11D70</b>	<b>X2D45</b>	<b>D7C2</b>	<b>D4C2</b>
Gun Grade, Brilliant White.....	<b>X13D20</b>	<b>X2D75</b>	<b>D7C9</b>	<b>D4C5</b>
Cans in Case.....	.....	4	6	24

(Approximately 14 lbs. per gallon)

	5 Gallon Can	1 Gallon Can	Quart Can	Pint Can	1/2 Pint Can
Knife Grade, Natural.....	<b>X11D70</b>	<b>X2D45</b>	<b>D7C2</b>	<b>D4C2</b>	<b>D2C2</b>
Cans in Case.....	.....	4	6	24	36

(Approximately 14 lbs. per gallon)

†DAP CAULKING CARTRIDGES—M

Metal Collapsible Tubes (12 oz. No. DPT).....					Per Carton <b>X5D65</b>
---	--	--	--	--	----------------------------

Packed 10 tubes in a display case. Wt. per case 17 lbs.

†DAP CAULKING CARTRIDGES—M

		Natural White or Aluminum Gray	Brilliant White
		Per Case	Per Case
Fibre, with Spout (1/10 gal.).....		<b>X3D35</b>	<b>X3D65</b>
Fibre, without Spout (1/10 gal.).....		<b>X3D13</b>	<b>X3D40</b>
Metal, with Spout (1/10 gal.).....		<b>X3D60</b>	<b>X3D90</b>

Packed 10 to a case. Wt. approximately 14 lbs. per case.

†RELY ON CAULK CARTRIDGES—M

		Natural White or Gray	Brilliant White
		Per Case	Per Case
Fibre cartridge with plastic spout (1/10 gal.).....		<b>X2D75</b>	<b>X3D05</b>

Packed 10 to a case. Wt. approximately 14 lbs. per case.

†CAULKING GUNS—M

Half Barrel—Cartridge use only (same as our No. HBC).....		Each <b>X1D13</b>
Solid Barrel—For bulk or cartridges.....		<b>X2D65</b>

Six in case. Wt. case 9 lbs.

One in a ctn. Wt. ctn. 3 1/2 lbs.

†DAP GLAZING COMPOUND—M

	100 lb. Drum	50 lb. Drum	25 lb. Drum	10 lb. Can	5 lb. Can	2 lb. Can	1 lb. Can
DAP No. 33—For wood or metal sash, White or Gray.....	<b>X12D50</b>	<b>X6D60</b>	<b>X3D42</b>	<b>X1D38</b>	<b>D7C0</b>	<b>D3C1</b>	<b>D1C8</b>
No. 1012—Aluminum Gray—For use on aluminum, hot dipped galvanized, bonderized steel, bronze and other metal sash. Does not require painting. Can also be used on primed wood sash if painted.	<b>X11D10</b>	<b>X5D90</b>	<b>X3D08</b>	<b>X1D38</b>	<b>D7C0</b>	<b>D3C1</b>	<b>D1C8</b>
Cans in Case.....	.....	.....	.....	6	12	24	36

†DAP GREENHOUSE GLAZING COMPOUND KNIFE GRADE—M

	100 lb. Drum	50 lb. Drum	25 lb. Drum
Knife Grade.....	<b>X12D50</b>	<b>X6D60</b>	<b>X3D42</b>

†DAP WOOD SASH PUTTIES—M

	100 lb. Drum	50 lb. Drum	25 lb. Drum	10 lb. Can	5 lb. Can	2 lb. Can	1 lb. Can
Commercial Grade.....	<b>X9D25</b>	<b>X5D00</b>	<b>X2D62</b>	<b>X1D06</b>	<b>D5C4</b>	<b>D2C5</b>	<b>D1C5</b>
Superior Glaziers.....	<b>X10D50</b>	<b>X5D60</b>	<b>X2D92</b>	<b>X1D18</b>	<b>D6C0</b>	<b>D2C7</b>	<b>D1C6</b>
Strictly Pure 100% Linseed Oil.....	<b>X11D50</b>	<b>X6D10</b>	<b>X3D18</b>	<b>X1D28</b>	<b>D6C5</b>	<b>D2C9</b>	<b>D1C7</b>
Cans in Case.....	.....	.....	.....	6	12	24	36

†DAP STEEL SASH PUTTIES—M

	100 lb. Drum	50 lb. Drum	25 lb. Drum	10 lb. Can	5 lb. Can	2 lb. Can	1 lb. Can
Steel Sash, Natural Red or Gray.....	<b>X9D95</b>	<b>X5D35</b>	<b>X2D80</b>	<b>X1D13</b>	<b>D5C8</b>	<b>D2C6</b>	<b>D1C5 1/2</b>
Casement, Fed. Spec. TT-P-781A, Type 11—Natural, Red or Gray.	<b>X10D60</b>	<b>X5D65</b>	<b>X2D95</b>	<b>X1D20</b>	<b>D6C1</b>	<b>D2C7</b>	<b>D1C6</b>
Cans in Case.....	.....	.....	.....	6	12	24	36

**ZONE 1**

F. O. B. nearest factory with freight allowed on 500 lbs. or more. Factories located in Dayton, Ohio; Detroit, Michigan; Chicago, Ill.; Alexandria, Va.; Dallas, Texas; Decatur, Ga.; Xenia, Ohio; Tampa, Fla.



**CAULKING COMPOUND**

**SEAL RITE**

**Calk-O-Tube**

Do your own caulking. Ideal for the home owner. Keeps your home warm, dry, free from dust and insects.

Guaranteed permanently elastic, airtite, moisture proof, non-staining and can be painted over in 24 hours if desired.

With handy roll up key and applicator nozzle.

**White**

**1 1/4 lb. tube**



Per case ▲ Each  
**54-2OW-M X7D20** .....\$1.00

Twelve in ctn. Wt. ctn. 15 lbs.

**Sold Only in Full Cartons**

**DAP**

Perfect for sealing cracks and crevices around window and door frames, concrete, masonry, chimneys, roof flashings, cornices, bathtubs, showers, etc.



Brilliant white compound in collapsible tube with applicator nozzle and key for compactness, convenience and easy handling.

**Capacity 12 Oz.**

Per carton ▲ Each  
**54-DPT-M N-X6D25** .....\$1.05

Ten tubes in ctn. Wt. ctn. 17 lbs.

**Sold Only In Full Cartons**

**DAP**



**Knife Grade  
Natural Color**

Compound formulated to meet the most exacting performance.

For sealing cracks around doors and windows, making tight waterproof joints.

In friction top cans.

Per Can		Cap., in Can	Cans in Ctn.	Wt. lbs.	Per Ctn.
<b>54-KCHP-M</b>	<b>N-D2C4</b>	1/2 pt.	36	32	\$0.40
<b>54-KCP-M</b>	<b>N-D4C7</b>	pt.	24	42	.79
<b>54-KCQ-M</b>	<b>N-D8C0</b>	qt.	6	21	1.35

**Natural White Color**

**Gun Grade**

<b>54-GCQ-M</b>	<b>N-D8C0</b>	qt.	6	21	1.35
<b>54-GCG-M</b>	<b>N-X2D75</b>	gal.	4	56	4.50

**KEEN KUTTER**



**Leaktite—Gun Grade**

Made of the finest oils and pigments to produce a caulking compound that does not stain or yellow. Natural white color. It always stays soft and pliable. It keeps out moisture, air, dust and vermin.

Recommended for sealing cracks, crevices, joints and small openings around doors or windows, glass blocks, asbestos shingles or siding, expansion joints; for caulking skylights, greenhouse ranges, flashings, cornices, around chimneys or wherever masonry, wood or metal adjoin.

Per Can		Cap., in Can	Cans in Ctn.	Wt. lbs.	Per Ctn.
<b>54-1104Q-MK</b>	<b>N-D7C0</b>	qt.	12	45	\$1.25
<b>54-1104G-MK</b>	<b>N-X2D40</b>	gal.	4	60	4.25

**GLAZING COMPOUND**

**DAP**



An all-purpose white glazing compound for glazing new or old windows of all types, wood or metal, primed or unprimed, it gives a permanent, elastic seal between glass and sash.

Will not crack, sag or fall out.

Can be used for all general repairs where a permanent seal is required.

**Ready for Use**

Each		Container	Wt. lbs.	Each
<b>54-DP1-M</b>	<b>N-D2C0★</b>	1 lb. can	1 1/4	\$0.33
<b>54-DP2-M</b>	<b>N-D3C5</b>	2 lb. can	2 1/2	.58
<b>54-DP5-M</b>	<b>N-D7C8★</b>	5 lb. can	5 1/2	1.30
<b>54-DP25-M</b>	<b>N-X3D80</b>	25 lb. drum	27	6.30

Packed thirty-six 1 lb., twenty-four 2 lb., twelve 5 lb. cans in a case; balance in drums

**KEEN KUTTER**



**Leaktite—Elastic**

Made for glazing both wood, steel or metal sash. Perfect for reglazing and general patchwork around farm, home and factory. Excellent adhesion to any glass or sash surface. Very elastic. Sets to a smooth rubber-like bead that skins over the top but remains soft, flexible underneath and never gets "rock hard."

It is shrink-, crack-, and water-proof. May be painted at once. Far superior to ordinary putties. White color.

Per Can		Cap. in Can	Cans in Ctn.	Wt. lbs.	Each
<b>54-1203/1-MK</b>	<b>N-D1C7 1/2★</b>	1	24	28	\$0.35
<b>54-1203/2-MK</b>	<b>N-D3C0</b>	2	24	54	.55
<b>54-1203/5-MK</b>	<b>N-D6C5</b>	5	12	63	1.00

**STAR ★ DENOTES BEST SELLER**



**GLAZING COMPOUND**  
RUTLAND



Superior in setting glass in wood or metal sash. Will not sag, crack, pull away from sash or harden like putty, making removal of glass easy. Can also be used as knife grade caulking compound.

Each	Size Can	No. in Case	Each
54-RGC1-M	N-D1C9½	1 24	\$0.35
54-RGC2-M	N-D3C7	2 12	0.70
54-RGC5-M	N-D8C5	5 12	1.40
54-RGC12½-M	N-X2D06	12½ 4	3.50

**Note**—D1C0% Less on 350 lbs. can assorted all sizes and other Rutland products for quantity prices.

**PUTTY**  
SHAPLEIGH'S



**All Purpose-Standard Commercial**

Made for all around use where a consistently reliable grade of standard commercial putty is required. Made of blended linseed vehicle and finest grade of whiting. Recommended for glazing wood sash, for fill nail holes, cracks; for plumbing and/or for general purpose use. Natural color.

Per Can	Size Can	Qty. in ctn.	Wt. per ctn., lbs.	Per Can
54-S1-M	N-D1C4★	1 25	30	\$0.25
<b>Sold Only in Full Cartons</b>				
54-S2-M	N-D2C5	2 24	55	.45
54-S5-M	N-D5C5★	5 12	65	1.00

**For Steel Sash**

When glazing steel sash, it is very necessary to use a steel sash putty in order to get satisfactory results.


**White Color**  
**In Five Pound Cans**

Per Can	Size Can	Per Can
54-SSW5-M	N-D6C2	\$1.15

Twelve cans in ctn. Wt. ctn. 65 lbs.

**ELECTRIC PUTTY SOFTENERS**

**FLETCHER-TERRY**



The Fletcher Electric Putty Softener works fast. Has plastic handle.

An "on and off" switch is conveniently located for easy manipulation. This acts as a safety device and also allows the user to operate frequently on stored heat, furthering the economic use of this tool.

**Specifications:**

Model 5-A. Heating edges 6 inches and 11 inches. 110 volts A.C., approximately 700 watts.

Each	Each	
54-5A-M	X14D90	\$23.95

One in ctn. Wt. ctn. 3 lbs.

**TUB CAULK**  
MIRACLE



For caulking sinks, tubs, showers, and around bath fixtures and tile. Applies from tube—dries within one hour to a tight waterproof seal that will not shrink or crumble.

**Six 4½ oz. Nozzle Tubes in a Display**

Per Display	Per Tube	
54-100TW-M	X3D60★	\$1.00

Weight display 1¾ lbs.

**TUB CAULK**  
MYSTIK



Pure white water-proof sealer for cracks around tub, shower, sink. Non-toxic, non-solvent, odorless. Safe for any surface, safe for hands, washes clean with plain water while fresh, wipes clean with water. Dries to a tough waterproof seal.

New, exclusive "skin-packed" units.

Per Ctn.	▲ Each	
54-600-M	X6D41	\$0.89

One tube on a peg board type card. Twelve cards in a ctn. Wt. ctn. 5 lbs.

**Sold Only in Full Cartons**

**TILE AND TUB SEALER**  
VAN CLEEF



**Dutch Brand**

Easily applied, permanent white, quick drying and does not crack or chip. Soaps, detergents, cleaning powders do not affect it. There is no bleeding through if painted. Wooden applicator furnished for working into cracks and crevices.

**Contains Twelve 5 oz. Tubes in Display**

Per Display	Per Tube	
54-930-M	X5D88	\$0.79

One display in box. Wt. box 5¼ lbs.



## WATER PUTTY OR CRACK FILLER

REARDON'S



Cracks in Wood Floors, Holes in Cement Floors, Imperfections in Furniture and Woodwork, Metal, Concrete, Plaster and Other Surfaces Can be Quickly and Easily Repaired.

A Dry Powder which Needs Only to be Mixed with Water to a Paste of the Required Consistency for the Job to be Done. After Drying it Can be Sanded Down Level with the Surrounding Surface and be Painted or Varnished.

	1-lb. Can	Zone 1	Zone 2	
Each	Zone 1	Zone 2	▲Each	▲Each
54-RWP1-M	D2C3	D2C4	\$0.35	\$0.36

Twenty-four ctn. in case. Wt. case 28 lbs.

### CONSUMERS



An Improved Plastic in Dry Powder Form that Requires only the Addition of Water to Make it into a Material that does Those "Fix-It" and "Make-It" Jobs Easily and Quickly.

Fills Cracks or Holes in almost all Material and will Not Shrink. Can be Cut, Sawed, Painted or Stained any Color.

1 Pound Box

Each	Each
54-CCF1-M	N-D1C8.....\$0.30

Wt. ea. 1 1/8 lbs.

### DURHAM Rock-Hard



For Filling Cracks, Crevices, Joints, Knot and Nail Holes. Permanently Adheres to Wood, Cement, Plaster, Tiles, Composition and Stone. Used to Repair Furniture, Set Loose Handles, Set Tiles, Fill Cracks in Boats, Mold Novelties and Hundreds of Other Uses. Will Withstand Weather Indefinitely if Kept Painted.

A Dry Powder that Mixes Readily with Water and Forms a Plastic Material that Can be Sawed, Chiseled, Nailed and Polished. Sticks and Stays Put—Will Not Shrink.

Per Can	Size Can, No. in lbs. Carton	Per Can
54-D1RHP-M	D2C6 2/3★ 1 12	\$0.40
Lots of 12	D2C4	
54-D4RHP-M	D9C3 1/3★ 4 6	1.40
Lots of 6	D8C4	

#### In Drums

Per Drum	Size, Shipping lbs. Wt. lbs.	Per Drum
✕D25RHP-M	X4D25 25 27	\$7.00
✕D50RHP-M	X8D00 50 55	13.00
✕D100RHP-M	X15D00 100 110	25.00

## CRACK FILLER

SAVOGRAN



Original patented water putty. Fills holes, cracks and dents. Tightens loose casters, rungs, handles, knobs, fixtures, screws. WILL NOT SHRINK. Takes paints or stains—can be precolored with dry color.

1-lb. package.

Each	▲ Each
54-CF1-M D2C1	\$0.35

Twelve pkgs. in ctn. Wt. ctn., 14 lbs.

## SPACKLING PASTE

REARDON RESURFO



Contains all the properties demanded by professionals. Thoroughly tested. Easy to handle on every job. Won't settle, pleasant odor, no burn-out problems, no need to prime, no need to mix, no waste. Saves time. Dries fast and hard.

White

		Zone 1	Zone 2
Per Can	Zone 1 Zone 2▲Per Can▲Per Can		
54-RSP1/2-M	1/2Pt. D3C9 D3C9	\$0.60	\$0.60
54-RSQ-M	Qt. D9C5 D9C5	1.45	1.45

1/2 pint size, 12 in ctn. Wt. ctn. 14 1/2 lbs.

Quart size, 6 in ctn. Wt. ctn. 26 lbs.

Half pints packed 12 in a display.

**Zone 1**—These prices apply in all States East of the Rocky Mountains, except Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, Montana, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.

**Zone 2**—These prices apply in the following States, Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.

Items Marked ✕ Not Carried in Stock. Can Only be Furnished by Shipping Direct from Factory, F. O. B., Des Moines, Iowa.

STAR ★ DENOTES BEST SELLER



**PLASTER OF PARIS**

CONSUMERS



Pure white, quick setting. Highest quality for repair work, and for pouring molds.

Per Pkg.	Size, lbs.	No. in ctn.,	Wt. lbs.	Each
54-PP1-M N-D1C2★	1	24	25	\$0.20
54-PP5-M N-D3C0★	5	12	60	.50

Sold Only in Full Cartons

**JOINT CEMENT**

RUTLAND



For concealing joints and nail holes in gypsum wallboard.

Powder form. Prepared by mixing with water.

Applied with broad-knife or other applicator.

5 lb. Package

Each	Each
54-5RJ-M N-D7C4.....	\$1.25

Ten pkgs. per case. Wt. per case 51½ lbs.

**SPACKLING COMPOUND**

SAVOGRAN - PRESTO PATCH



A paste form resurfacer. A ready to use spackling compound that sticks so tight. Fills and levels cracks, dents, joints in wood, plaster metal, etc. No mixing, no sizing — hardens quickly to a feather edge.

Each	Size Can	Wt. Ctn., lbs.	Each
54-PPHP-M D3C0	½ Pint	13	\$0.55
54-PPQ-M D8C1	1 Quart	47	1 50

Twelve cans in ctn.

**SPACKLING COMPOUND**

SAVOGRAN



Level-Best

Famous "A" cement widely used by contractors for many years. White, non-shrinking compound with strong adhesive qualities. Sets up quickly, usable within the hour, easily tinted and sanded. Smooth fill for holes, imperfections and cracks in walls or ceilings. Leveling compound for wood or masonry flooring. Makes fine Swedish putty.

Each

Each	Size Pkg., lbs.	Pkgs. in Ctn.	Wt. lbs.	Each
54-LB1-M D1C6	1	12	14	\$0.30
54-LB4-M D5C8	4	10	42	.75

RUTLAND



Kex

This compound offers a quick, easy way to give rough, cracked or dented surfaces a smooth even finish before painting or papering. It readily penetrates fine hairline cracks in plastered walls.

It sticks firmly to practically all surfaces: woodwork, metal, plaster, canvas and brick.

It does not shrink in setting and is crack-proof and crumble-proof.

Its consistency is regulated by the amount of water added. Can be applied with a brush, knife or trowel, according to the nature of the job.

Each	Size Pkg., lbs.	No. in Case	Wt. lbs.	Each
54-RSC1-M N-D1C8★	1	24	28½	\$0.28
54-RSC2½-M N-D3C6	2½	24	62	.59
54-RSC5-M N-D6C3★	5	12	62	1.00
54-RSC25-M N-X2D60	25	2	53	4.25



**PATCHING CEMENT**

GLENCOE

Highest grade, waterproofed portland cement. Suitable for all kind indoor and outdoor work. Becomes hard and permanent. Can be used for mending breaks in cement floors and sidewalk, patching breaks in stucco work and wherever cement would be used ordinarily.

In 10-lb. Bags

Each	Each
54-PC10-M N-D3C3★.....	\$0.85

Six bags in sack. Wt. sack 68 lbs.

Sold Only in Full Sacks

**ROTTEN STONE**

CONSUMERS



For fine finishing of furniture, varnish or lacquer surfaces.

For cleaning and polishing, aluminum storm sash and doors, silverware, nickel plate, chrome.

One Pound Carton

Each	Each
54-RSIC-M N-D1C8.....	\$0.30

Twelve in ctn. Wt. ctn. 13 lbs.

Sold Only in Full Cartons

**PUMICE STONE**

CONSUMERS

For Preparing an Old Surface for Revarnishing.



Rub the surface with Pumice Stone and water until all gloss, dirt, grease, etc. are removed. Mouldings and carved portions of furniture can be rubbed with a tooth brush dipped in Pumice Stone. Wash thoroughly with water and dry with a soft cloth or Chamois Skin. When thoroughly dry the surface is ready for the varnish.

One Pound Carton

Each	Each
54-PSIC-M N-D1C6.....	\$0.30

Twelve in ctn. Wt. ctn. 13 lbs.

Sold Only in Full Cartons

**WHITING**

CONSUMERS



Brings out a glistening, sparkling surface if used as a polish on articles of brass, nickle, chromium, silver, cut glass, windows or porcelain. An inexpensive, removeable window glass coating for temporarily blocking the view. Use to letter signs for temporary use.

One Pound Carton

Each	Each
54-WIC-M N-D1C7.....	\$0.30

Twelve in ctn. Wt. ctn. 13 lbs.

Sold Only in Full Cartons



**CONCRETE PATCHER**

**RUTLAND**



**Lex-Crete**

**Latex Concrete Patcher**

Concrete and rubber latex patching material for interior and exterior repairs on concrete, stone, brick and masonry surfaces. Kit includes powder and latex—medium kit covers about 20 square feet 1/16 inch thick.

Per Kit	Kits in Ctn.	Wt. lbs.	Per Kit
<b>Small Kit (5 lbs. Powder, 1 Pt. Latex)</b>			
54-LXCS-M X1D80	6	41	\$2.69
<b>Medium Kit (10 lbs. Powder, 1 Qt. Latex)</b>			
54-LXCM-M X3D00	4	54	4.50
<b>Large Kit (20 lbs. Powder, 2 Qts. Latex)</b>			
54-LXCL-M X5D35	2	54	7.90

**CONSUMERS**



For Patching Concrete Sidewalks, Walls, Floors, Etc. Also for Brick and Masonry Jobs, Setting Loose Tiles, Tree Surgery, General Repairing and Household Use. Will Give Most Satisfactory Results.

A Dry Powdered Compound that Requires Only the Addition of Water to be Ready for Use.

Per Bag	Contents, lbs.	No. in case	Wt. lbs.	Per Bag
54-CP5-M N-D2C7★	5	12	60	\$0.50
54-CP10-M N-D4C5	10	6	60	.95

Per Bag	Contents, lbs.	Per Bag
54-CP25-M N-X1D00	25	\$2.00

**RUTLAND**



For Repairing Breaks in Concrete Steps, Sidewalks and Cement Floors. Pointing Up Joints in Brick and Masonry. Setting Loose Tiles. Stopping Leaks in Cisterns and Concrete Tanks. Filling Holes and Stopping Leaks in Concrete Foundations. Performing Tree Surgery and General Use where Concrete is Used.

A High Grade Specially Prepared Powder Composition which Requires only to be Mixed with Water to be Ready for Use. Makes a Fine, Neat, Strong Job.

Per Pkg.	Per Pkg.
54-RPP5-M N-D3C9	5 lb. Pkg. \$0.70

Twelve in ctn. Wt. ctn. 63 lbs.

**PLASTIC WOOD**



**Handles Like Putty  
Hardens Into Wood**

A wood compound which hardens into wood on exposure to the air. Can be used for model or pattern work and a general filler. Not affected by moisture or climate. Water and oil proof and will not chip, crack, crumble or splinter. Will stick to wood, metal, porcelain and tile and hold screws, tacks and nails. Can be sanded and finished.

**Natural Color**

Size Cans, 4 oz.

Each	No. Cans in Case	Wt. lbs.	▲Each
54-8511-M D2C7★	36	14	\$0.40
Lots of 36 D2C4★			

Size Cans, 1 lb.

Each	No. Cans in Case	Wt. lbs.	▲Each
54-8521-M D5C7★	12	15	.85
Lots of 12 D5C1★			

Note—No. 8511 packed in display carton.

**Natural Color**

In 1/2 oz. Collapsible Tubes

Each	▲Each
54-275-M D1C3★	\$0.20
Lots of 144 D1C2★	

Twelve in box. Twelve boxes in ctn.  
Wt. ctn. 16 lbs.

**Sold Only in Full Boxes**

In 1 1/2 oz. Handy Collapsible Tubes



Each	Color	▲Each
54-8501-M D2C0★	Natural	\$0.30
Lots of 36 D1C8★		
54-8505-M D2C0	Dark Mahogany	.30
Lots of 36 D1C18		
54-8504-M D2C0	Light Mahogany	.30
Lots of 36 D1C18		
54-8502-M D2C0	Oak	.30
Lots of 36 D1C8		
54-8503-M D2C0	Walnut	.30
Lots of 36 D1C8		

Twelve in box. Thirty-six in ctn. Wt. ctn. 5 lbs.

**PLASTIC WOOD SOLVENT**

**Plastic Solvent**

For restoring plastic wood to its original moist condition when it hardens from frequent opening of the can. Also to clean the fingers or tools after working with plastic wood. Size can, 3 ozs.

Each	▲Each
54-8585-M D2C0★	\$0.30
Lots of 12 D1C8★	

Twelve in ctn. Wt. ctn. 3 lbs.

STAR ★ DENOTES BEST SELLER

**MIRACLE WOOD**

**NEWTON**



Goes on smooth and dries quickly without crumbling. Can be stained, is non-shrinking and waterproof. Can be planed and power sanded. Excellent for home repairmen and hobbyists, builders and contractors. Plumbers and electricians can use it with complete confidence.

Counter display has impulse sales appeal. Dramatically demonstrated by filled piece of hard wood. Assortment of 20 cans consists of:

Qty.	No.	Item
12	54-MW4-M	1/4 lb. Can
6	54-MW8-M	1/2 lb. Can
2	54-MW16-M	1 lb. Can

Per Asst. ▲Per Asst.  
54-MW950-M X6D24★ \$10.40

One in ctn. Wt. ctn. 9 1/2 lbs.

**OPEN STOCK**

For No. 54-MW950-M

**Miracle Wood Assortment**

Each	No. in Ctn.	Wt. lbs.	▲Each
<b>1/4 lb. Can</b>			
54-MW4-M D2C4★	36	12	\$0.40
<b>1/2 lb. Can</b>			
54-MW8-M D3C9★	24	14	.65
<b>1 lb. Can</b>			
54-MW16-M D5C1★	12	14	.85

**WHITE TILE CEMENT**

**PLASTIC WOOD**



A waterproof white tile cement for sealing cracks around bathtubs, sinks and shower stalls. For resetting loose tiles and bathroom fixtures. Fast drying, sticks to tile, porcelain, enamel, wood, plaster and cement.

In 4 oz. nozzle type tube.

Each	▲Each
54-8560-M D5C0	\$0.75
Lots of 12 D4C5	

Twelve tubes in ctn. Wt. ctn. 5 lbs.



## ASPHALT ALUMINUM ROOF COATING

KEEN  KUTTER



**Leaktite—Alum-Coating**  
**Ready Mixed with Asbestos Fibre**

Dries to a bright aluminum, firm but not hard finish which is very durable. Reflects up to 80% of all light and heat rays resulting in room below, up to 15° F cooler.

For use on asphalt and metal roofs, industrial metal surface, frame works and tanks. For interior or exterior use. One gallon covers approximately 100 square feet depending on type and condition of roof


Per Can	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3	Gallons in Can	Cans in Case	Wt. Case, lbs.
54-LA1G-MK	N-X2D40	X2D53	X2D60	X2D65	1	6	60
<b>Sold Only in Full Cases</b>							
54-LA5G-MK	N-X11D75	X12D40	X12D75	X13D00	5	1	50

**30 Gallon Drums**  
Per Drum  
✚LA30G-MK N-X56D00  
Wt. drum 300 lbs.

**55 Gallon Drums**  
Per Drum  
✚LA55G-MK N-X99D00  
Wt. drum 550 lbs.

## ASPHALT ALUMINUM ROOF PAINT

KEEN  KUTTER



**Leaktite—Alum-Coating**  
**Ready Mixed without Fibre**

Dries to a bright aluminum, firm but not hard finish which is very durable. Reflects up to 80% of all light and heat rays resulting in room below, up to 15° F cooler.

For use on asphalt and metal roofs, industrial metal surface, frame works and tanks. For interior or exterior use. One gallon covers approximately 300 to 500 square feet depending on type and condition of roof. Can also be sprayed on.

Per Can	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3	Gallons in Can	Cans in Case	Wt. Case, lbs.
54-LP1G-MK	N-X2D40	X2D53	X2D60	X2D65	1	6	60
<b>Sold Only in Full Cases</b>							
54-LP5G-MK	N-X11D75	X12D40	X12D75	X13D00	5	1	50

**30 Gallon Drums**  
Per Drum  
✚LP30G-MK N-X56D00  
Wt. drum 300 lbs.

**55 Gallon Drums**  
Per Drum  
✚LP55G-MK N-X99D00  
Wt. drum 550 lbs.

## ROOF COATING

RUTLAND  
ASPHALT AND ASBESTOS FIBRE



For Covering Whole Roofs. May be Used Satisfactorily Over Metal, Paper, Built-Up or Composition Roofing. Composed of Asphalt, Asbestos and Drying Oils. Gives New Life to an Old Roof. Guaranteed by the Rutland Fire Clay Company Not to Contain Coal Tar in Any Form.

**NO TAR IN—BLACK ONLY**

Per Can	No. Cans	Wt. Size in Case, Gals.	Per Can
54-RC1-M	N-X1D06	1 4 36½	\$1.85
54-RC5-M	N-X4D50	5 Loose 44	7.75

**Note—D1C0%** less on 100 gallons, can assort with Rutland paint for quantity prices.



**ASPHALT PAINT**  
RUTLAND  
BLACK

Protects metal from rust and corrosion. Forms a black glossy coat that resists water, steam, acids, alkalis, heat and cold. Based on genuine gilsonite.

Each	Quart Can	Each
54-AP1-M	N-D7C5	\$1.20
Twelve in case. Wt. case 27½ lbs.		
Per Can	Gallon Can	Per Can
54-AP4-M	N-X2D35	3.95
Four in case. Wt. case 34 lbs.		



### BLACK ROOF COATING



KEEN  KUTTER

#### Leaktite—Asphalt and Asbestos Fibre

For roofs of all kinds (except wood shingle roofs). Conforms to government and state specifications.

Forms a tough, durable, protective, seamless coating that will not run or sag in hot weather nor chip in cold weather.

One gallon covers approximately 100 square feet of metal, or 65 square feet of paper, felt or composition roofing. On old dried out roofing, one gallon will coat 30 to 40 square feet, depending on condition of roof

Per Can	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3	Gallons in Can	Cans in Case	Wt. Case, lbs.
54-LRC1-MK	N-D6C2★	D7C2★	D7C7★	D8C2★	1	6	60
<b>Sold Only in Full Cases</b>							
54-LRC5-MK	N-X2D55★	X3D05★	X3D30★	X3D55★	5	1	50
Per Drum	30 Gallon Drums				Per Drum	55 Gallon Drums	
✦LRC30G-MK	N-X10D10				✦LRC55G-MK	N-X17D25	
					Wt. drum 250 lbs.		Wt. drum 500 lbs.

#### Leaktite—Asphalt—Without Fibre

For preserving and protecting composition and metal roofs, siding, sheds, water towers, bridges, structural iron, cinder pits, etc. Waterproofs and protects against corrosion buried pipes and tanks, fence posts, brick and concrete foundations. Conforms to government and state specifications.

Resaturates and restores the life to dried out felt and composition roofs and asphalt shingles.

One gallon covers from 80 to 100 square feet, depending on type and condition of roof.



Per Can	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3	Gallons in Can	Cans in Case	Wt. Case, lbs.
54-LRP1-MK	N-D6C1★	D7C1★	D7C6★	D8C1★	1	6	60
<b>Sold Only in Full Cases</b>							
54-LRP5-MK	N-X2D50★	X3D00★	X3D25★	X3D50★	5	1	50
Per Drum	30 Gallon Drums				Per Drum	55 Gallon Drums	
✦LRP30G-MK	N-X9D75				✦LRP55G-MK	N-X16D50	
					Wt. drum 250 lbs.		Wt. drum 500 lbs.

### PLASTIC ROOF CEMENT

KEEN  KUTTER

#### Leaktite—Asbestos Fibre

For sealing leaks in all types of roofing felt-metal, canvas, rubber, masonry, etc. Ready mixed for immediate application to wet or dry surfaces and should be spread out to a thickness of approximately 1/8 inch. Apply with trowel or putty knife. Conforms to government and state specifications.



Per Can	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3	Contents of Can	Cans in Case	Wt Case, lbs.
54-F1-MK	N-D1C4 1/2★	D1C7★	D1C8★	D1C9★	Pint	36	40
54-F2 1/2-MK	N-D2C7 1/2★	D3C0 3/4★	D3C2 1/4★	D3C3 3/4★	Qt.	24	60
54-F5-MK	N-D4C1★	D4C7 1/4★	D5C0 1/4★	D5C3 1/2★	1/2 Gal.	12	60
54-F10-MK	N-D6C5★	D7C7 1/2★	D8C5★	D9C0★	Gal.	6	60
<b>Sold Only in Full Cases</b>							
Per Drum	N-X2D70★	X3D35★	X3D70★	X3D95★	5 Gal.	1	53

### LAP CEMENT

KEEN  KUTTER

#### Leaktite

Per Can	F.O.B. St. Louis	Zone 1	Zone 2	Zone 3	Contents of Can	Cans in Case	Wt. Case, lbs.
54-LF1R-MK	N-D1C4 1/2★	D1C6★	D1C7★	D1C8★	Pint	36	43

**Sold Only in Full Cases**

### ROOFING CEMENT

RUTLAND



BLACK

For General Roof Repair Work, or for Covering Whole Roofs. Composed of Asphalt, Asbestos and Drying Oils. Guaranteed by the Rutland Fire Clay Company Not to Contain Coal Tar in Any Form.

Per Can	Qty. in Can	No. Cases	Wt. Case lbs.	Per Can
54-BRC10-M	N-D1C8 1/2	1	24 31	\$0.33
54-BRC30-M	N-D3C9	2 1/2	12 35	.70
54-BRC50-M	N-D7C2 1/2	5	12 69 1/2	1.30
54-BRC100-M	N-X1D25	10	4 45	2.20

**Note**—D1C0% less on 300 lbs. in cans, assort all sizes for quantity prices.

We Do Not Break Cases

### IRON ENAMEL

RUTLAND



BLACK

In Friction Top Cans

Genuine gilsonite asphalt base. Dries to a hard, glossy finish. High heat resisting qualities. Will dry within four hours. Cap., Wt.

Each	Cap., Pint	Ctn., lbs.	Wt.	Each
54-RB 1/2-M	N-D2C3	1/2	15	\$0.40
54-RB1-M	N-D3C6	1	28	.60

Twenty-four in ctn.

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Chicago, Ill.

STAR ★ DENOTES BEST SELLER—See Section 30—Page 4 for Zone Map.



# Quick Plug®

## For Active Leaks



Reardon's Quick Plug instantly stops even active water leaks in masonry surfaces... quickly anchors washing machines, other heavy appliances, brackets, hooks, bolts, railings, etc., in masonry floor, wall surfaces... sets firm in three to five minutes, even under

water pressure...dries rock-hard in a matter of hours. Supplied in powder form for maximum convenience, economy... you mix only what you need... air-tight container keeps the rest ready for use indefinitely.

# Bondex® HYDRAULIC PATCHER

## Ends Water Penetration




BONDEX Hydraulic Patcher quickly, effectively ends annoying, damaging "after-rain" water leaks in basement foundations... repairs cracks in walls, along floor lines, window wells, mortar joints, etc... inside or out, above or below grade. Controls most below-grade foundation leaks from the inside, thus eliminating expense of digging

around foundations. Comes in convenient, economical powder form... mixes easily with plain water... sets slowly... holds securely in cracks, joints, etc., to end mess and damage of water leakage.

Where water is flowing through breaks or cracks in masonry surfaces, use Reardon's Quick Plug.

# Bondex® PRIMER

## For Non-Porous Masonry



BONDEX Primer prepares smooth, dense-surfaced masonry for a colorful, protective finish coat of BONDEX Cement Paint. Provides a "toothy," uniformly absorbent surface over smooth-finished concrete, brick, oil-painted masonry, surfaces previously painted with BONDEX but insufficiently

weathered to accept direct BONDEX application. The finish coat of BONDEX Cement Paint over BONDEX Primer will bond, insuring moisture protection and long-lasting beautification. Made in economical powder form... mixes easily with plain water... brushes on fast... sets in four hours.



**THE REARDON COMPANY**

Makers of Nationally Advertised BONDEX

PRINTED BY  
SAYERS  
SAINT LOUIS  
U.S.A.



# Bondex<sup>®</sup> Cement Paint

**FOR SMOOTH POROUS MASONRY WALLS  
(POURED CONCRETE, STUCCO, BRICK, ETC.)**



World-famous BONDEX works magic on damp, dingy masonry walls—inside and out! Transforms dark, musty basements into dry, bright, liveable work and play areas . . . makes dirty, cracked stucco look better than new . . . converts ugly raw cement to fresh, colorful beauty. Nationally advertised, internationally known, BONDEX Cement Paint is the world's standard in masonry paints.

Supplied in economical powder form, BONDEX mixes easily with plain water . . . goes on fast with brush or spray equipment. Double-waterproofed for maximum effectiveness, made with finest Portland cement, BONDEX fills and seals the moisture-trapping "pores" of masonry surfaces . . . penetrates deep into the pores of the masonry and bonds to the surface as it dries, providing an effective barrier against moisture penetration, effective protection against moisture damage . . . simultaneously redecorating in white or any of 12 eye-appealing colors . . . gives years of lasting service.

*A Reardon product . . . your guarantee of satisfaction.*

5 Lb. Box	(10 to case)	..... \$	..... per case
25 Lb. Pail		..... \$	..... each
50 Lb. Bag		..... \$	..... each

## 12 LOVELY DECORATOR COLORS AND WHITE



# Bondex<sup>®</sup> HEAVY DUTY

**FOR CONCRETE, CINDER BLOCK AND  
ROUGH TEXTURED MASONRY SURFACES**



The finest most dependable product in its field to stop water penetration through porous masonry surfaces . . . BONDEX Heavy Duty fills, seals, smooths, coarse porous surfaces, unsightly mortar joints in cinder block, cement block, rough concrete and brick, porous stucco and similar surfaces . . . inside or out, above or below grade. Penetrates deeply, seals out water . . . gives long-lasting protection and beauty in white or any of four popular new colors.

A heavy-bodied, mineral wall coating, BONDEX Heavy Duty is double-waterproofed for maximum effectiveness. Supplied in economical powder form . . . mixes easily with plain water . . . applied with fibre brush . . . dries to a finish of unusual beauty, lasting durability. Effective against water penetration, will hide mortar joints, voids, blemishes and level uneven masonry walls. Two coats may be necessary under extreme conditions.

Ten pounds of BONDEX Heavy Duty, mixed as directed, covers 50 to 70 square feet, (1st coat), 70 to 90 square feet, (2nd coat), depending on surface porosity and texture.


*A time-tested Reardon product . . . your guarantee of lasting satisfaction.*

## 4 NEW HEAVY DUTY DECORATOR COLORS



10 Lb. Can	(4 to case)	..... \$	..... per case
50 Lb. Bag		..... \$	..... per bag





**REARDON'S®**

**"SX" JOINT CEMENT**

**AND REARDON'S**

**"ORANGE CORE"**

**(SPARK AND NEW IMPROVED  
SLOT PERFORATED)**

**JOINT TAPE**

**FOR DRY WALL CONSTRUCTION**

**REARDON'S®**

**"SX" JOINT CEMENT**

This new "SX" formulation provides the answer to one of the most serious problems in the dry wall field—that of "photographing," "telegraphing" or "shadowing" as it is sometimes called, of the finish coats of paint over wallboard joints.

In addition to this revolutionary non-photographing quality, Reardon's "SX" Cements are even more finely ground than before, which results in smoother troweling, knifing and feathering. Being completely neutral, "SX" can be coated over with the most delicate shades of paint.

- 5 Lb. Package (10 to case) . . . . . Price . . . . .
- 25 Lb. Bag . . . . . Price . . . . .
- \*Combination Bag . . . . . Price . . . . .
- (Contains 250 ft. tape—18 lbs. Joint Cement)

**REARDON'S® ORANGE CORE**

**JOINT TAPE**

Made from the highest quality paper, formulated to provide maximum wet and dry strength and the minimum of contraction and expansion, these tapes are cleanly and perfectly angle skived. This new tape roughed on both sides insures perfect adhesion at all points and provides maximum joint strength. Reardon's "Orange Core" tapes contain no splices, and are tightly wound on a heavy core to assure perfectly rounded rolls with clean straight edges.

- 75 Ft. rolls (10 to pkg.) . . . . . Price . . . . .
- 250 Ft. rolls (20 to pkg.) . . . . . Price . . . . .
- 500 Ft. rolls (10 to pkg.) . . . . . Price . . . . .



**THE REARDON COMPANY**



# Dramex®



## Texture Finish A NEW DIMENSION IN PAINT

*Dramex*

DRAMEX is the amazing new texture finish designed to solve the many problems confronting the home decorator. Just brush on... DRAMEX colors like paint and rebuilds like plaster. Walls and ceilings painted

with DRAMEX truly become a background of beauty and charm for the home.

A time saver, economical and versatile, DRAMEX covers cracks in plaster walls and ceilings as well as taped seams in wallboard surfaces. Individual texture effects, reflecting personality and charm, are accomplished with one coat of wonder-working DRAMEX. In addition to being the answer to the home decorator's problem of, "what can I do with these walls," DRAMEX is, happily enough, very economical to use.

Superior performance and economy wrapped in one package truly describes DRAMEX Texture Finish. No texture paint can offer such satisfaction to the retail consumer. Its great ease of application and its literally foolproof performance offers to the dealer and distributor a product unmatched by any other texture paint of its type.

Five lbs. of DRAMEX mixed according to directions will cover from 65 to 95 square feet depending upon the condition of the wall or ceiling surface and the design desired. All DRAMEX colors are uniform and non-streaking, and may be applied over new plaster or joint cement. Once mixed, DRAMEX stays mixed... needs no additional stirring as DRAMEX never settles out. Twelve decorator colors and white.

5 Lb. Pkgs.....(10 to case) \$.....per case  
25 Lb. Pails..... \$.....each

*Dramex Ready Mixed*

Exclusive formula for those who prefer DRAMEX in Ready Mixed form.

New liquid form of Reardon's famous DRAMEX... Simultaneously finishes and redecorates interior

walls and ceilings... producing a remarkable three dimensional texture finish of striking beauty. Washable and extremely durable. Comes in 12 lovely decorator colors, pure white and tinting base for use with latex type color systems.

1 Gal. Cans.....(4 to case) \$.....per case

### THESE LOVELY EFFECTS CAN BE ACHIEVED...


*When DRAMEX has been applied and is still soft.*




Interesting effect achieved by applying sponge to DRAMEX surface.



Casual pattern obtained by patting surface with regular paint brush.



Whirl pattern reproduced with an ordinary whisk broom.



Simple regular pattern quickly traced with a paint roller.

12 LOVELY DECORATOR  
COLORS, TINTING BASE  
AND 400 WHITE



401 BUTTER YELLOW



402 SILVER GRAY



403 PEACH BLOSSOM



404 MODERN IVORY



405 AZURE BLUE



406 BLUSH PINK



407 SEAFOAM GREEN




408 GOLDEN CREAM



409 SHADOW GREEN



410 AUTUMN BROWN



411 DUSTY ROSE



412 SMOKE GRAY

DRAMEX is a product of

**THE REARDON COMPANY**

Makers of Nationally Advertised BONDEX



The REARDON Company © 1956

PRINTED BY  
SAYERS  
SAINT LOUIS  
IN U. S. A.



# REARDON TINTING SYSTEM

## Tube Tinting Colors

8 base colors produce 40  
TOP FASHION COLORS

for: **BONDEX** Cement Paint  
**BONDEX** Heavy Duty  
**DRAMEX** . . . and . . .  
**DRAMEX** Ready Mixed  
(One tube tints all four products)



**FREE!**

**Beautiful Display Merchandiser**  
with purchase of combination pack

Occupies only one square foot of counter space —  
29 inches high, 24 inches wide, 6 inches deep.

**combination pack contains:**

- 6—1 oz. tubes each of the eight base colors
- 6—2 oz. tubes each of the eight base colors

**HERE'S HOW IT WORKS FOR YOU!**

Retail Price	. . . . .	<b>\$43.20</b>
Dealer Price	. . . . .	<b><u>25.92</u></b>
Dealer Profit	. . . . .	<b>17.28</b>
Dealer Profit Margin	. . . . .	<b>40%</b>

### NINE BIG ADVANTAGES FOR YOU . . .

1. Save 70% on cash investment.
2. Save 65% in valuable stock space.
3. Stock only white goods . . . fast inventory turnover.
4. Unbreakable plastic tubes . . . no loss — no mess.
5. Beautiful individual foil display cartons.
6. Free display merchandiser with purchase of special introductory deal.
7. Tint powder and liquid with same tubes.
8. Pre-dispersed colors for fast easy mixing.
9. "Pre-tested" for consumer acceptance.

Per Asst.		Per Asst.
<b>54-RTS-M</b>	<b>X25D92</b> .....	<b>\$43.20</b>

Packed in two cartons. Total weight 23½ lbs.

#### OPEN STOCK

##### 1 Ounce Tubes

Each		Base Color	Each
<b>54-1-11-M</b>	<b>D2C1</b>	Cocoa	\$0.35
<b>54-1-22-M</b>	<b>D2C1</b>	Buff	.35
<b>54-1-33-M</b>	<b>D2C1</b>	Blue	.35
<b>54-1-44-M</b>	<b>D2C1</b>	Pink	.35
<b>54-1-55-M</b>	<b>D2C1</b>	Grey	.35
<b>54-1-66-M</b>	<b>D2C1</b>	Green	.35
<b>54-1-77-M</b>	<b>D2C1</b>	Yellow	.35
<b>54-1-88-M</b>	<b>D2C1</b>	Aqua	.35

Packed 6 Tubes in a sleeve. 4 sleeves to a shipping carton.  
Wt. ctn. 4 lbs.

**We will not break sleeves**

##### 2 ounce tubes

Each		Base Color	Each
<b>54-2-11-M</b>	<b>D3C3</b>	Cocoa	\$0.55
<b>54-2-22-M</b>	<b>D3C3</b>	Buff	.55
<b>54-2-33-M</b>	<b>D3C3</b>	Blue	.55
<b>54-2-44-M</b>	<b>D3C3</b>	Pink	.55
<b>54-2-55-M</b>	<b>D3C3</b>	Grey	.55
<b>54-2-66-M</b>	<b>D3C3</b>	Green	.55
<b>54-2-77-M</b>	<b>D3C3</b>	Yellow	.55
<b>54-2-88-M</b>	<b>D3C3</b>	Aqua	.55

Packed 6 Tubes in a sleeve. 4 sleeves to a shipping carton.  
Wt. ctn. 7½ lbs.

**We will not break sleeves**



**REARDON PRODUCTS**

**WATERPROOF CEMENT PAINT**

**BONDEX**



A Patented Waterproofing and Decorating Material which Can be Applied to Any Un-painted Porous Masonry Surfaces — Stucco, Rough Concrete, Stone, Unglazed Brick and Tile Cinder Block.

When Applied it Actually Bonds with and Becomes an Integral Part of the Surface.

Comes in Dry Powdered Form and is Ready for Use when Mixed with Cold Water.

Five Pounds Mixed According to Directions will Cover from 80 to 150 Square Feet Depending on the Texture and Porosity of the Surface.

		White Color		Zone 1	Zone 2
		■Per	■Per	■Per	■Per
Per Pkg.		Pkg.	Pkg.	Pkg.	Pkg.
5-lb. Pkg. ★	X1D10 X1D16	\$1.65	\$1.74		
Per Pail					
25-lb. Pail ★	X5D00 X5D29	7.50	7.93		
Per Bag					
50-lb. Bags	X7D00 X7D58	10.50	11.37		
		All Colors Except White		Zone 1	Zone 2
		■Per Pkg.	■Per Pkg.	■Per Pkg.	■Per Pkg.
Per Pkg.					
5-lb. Pkg.	X1D23 X1D30	\$1.85	\$1.95		
25-lb. Pkg.	X5D60 X5D92	8.40	8.88		

Colors	5 lb. Can	25 lb. Pail	
	Nos.	Nos.	
Blue—Grotto....	54-112/5-M		
Gray—Dawn	54-109/5-M		
Green—Ivy.....	54-114/5-M★	54-114/25-M	
Red—Canyon...	54-108/5-M		
White.....	54-99/5-M★	54-99/25-M★	54-99/50-M
Yellow—Sunset	54-103/5-M		

Ten 5-lb. cans in case.

**HEAVY DUTY SEALER**

**REARDON**



**Bondex**

An aggregate type wall coating for resurfacing, sealing and patching porous masonry wall surfaces, interior or exterior, below or above grade. Fills, patches and seals the voids in rough poured concrete, cinder and concrete blocks, rough brick and other porous masonry surfaces.

Contains titanium dioxide which insures excellent hiding qualities under all climatic conditions. 10 pounds of Bondex Heavy Sealer will cover from 30 to 50 square feet, depending upon the texture and porosity of surface.

		White		Zone 1	Zone 2
		■Per Can	■Per Can	■Per Can	■Per Can
Per Can					
54-BS10-M	10 lb. Cans X1D96 X2D05	\$2.95	\$3.08		
Four cans in case. Wt. case 44½ lbs.					
		50 lb. Bags		Zone 1	Zone 2
		■Per Bag	■Per Bag	■Per Bag	■Per Bag
Per Bag					
54-BS50-M	X5D74 X6D17	\$8.60	\$9.25		

**INTERIOR WALL COATING**

**DRAMEX**

**ONE COAT COVERS ALL**

Rebuilds interior walls and ceilings. Easily applied. Conceals surface cracks, dents, gouges and imperfections. Dries fast with no "painty" odor. Overnight the walls are dry and hard. Will not chip or rub off. After applying and while it is still soft, almost any kind of surface design can be created:—

**Casual Pattern**—with a piece of crumpled newspaper.

**Whirl Pattern**—with ordinary whisk broom.

**Artex or Rough Design**—with sponge.

**Simple, Regular Pattern**—with paint roller. Five pounds mixed according to directions, will cover 60 to 100 square feet, depending on surface.



		White Color		Zone 1	Zone 2
		■Each	■Each	■Each	■Each
Each					
5-lb. Package ★	X1D23 X1D28	\$1.85	\$1.92		
25-lb. Pail	X5D97 X6D26	8.95	9.39		
		All Pastel Colors Except White		Zone 1	Zone 2
		■Each	■Each	■Each	■Each
Each					
5-lb. Package	X1D36 X1D42	\$2.05	\$2.13		
25-lb. Pail	X6D60 X6D92	9.90	10.39		

Colors	5-lb. Package	25-lb. Pails
	Nos.	Nos.
Blue—Azure.....	54-405/5-M★	
Cream—Golden.....	54-408/5-M	
Gray—Silver.....	54-402/5-M★	
Green—Seafoam.....	54-407/5-M★	54-407/25-M
Ivory—Modern.....	54-404/5-M★	
Peach—Blossom.....	54-403/5-M	
Pink—Blush.....	54-406/5-M★	
White.....	54-400/5-M★	54-400/25-M★
Yellow—Butter.....	54-401/5-M★	

Ten 5-lb. pkgs. in a case. Wt. 53½ lbs.

Colors	5 lb. Package
	Nos.
Autumn Brown.....	54-410/5-M
Dusty Rose.....	54-411/5-M
Smoke Gray.....	54-412/5-M

		All Deep Tone Colors		Zone 1	Zone 2
		■Each	■Each	■Each	■Each
Each					
5-lb. Package	X1D43 X1D48	\$2.15	\$2.22		
Ten 5 lb. pkgs. in case. Wt. 53½ lbs.					



**DRAMEX READY MIXED**

"Resurfaces and Redecorates in One Easy Coat"

"It's Washable"

Easy to apply and wonderful for resurfacing badly cracked interior walls and ceilings. May be applied to all types of solid interior surfaces. Priming is required of very porous surfaces of varying porosity.

One gallon covers from 90 to 125 square feet depending upon condition of the surface and type of design desired.

**Base White - For use with tubes of Reardon Color Tinting System.**

Per Can	Zone 1	Zone 2	■ Zone 1	■ Zone 2
54-RM413-M	X3D30	X3D40	\$4.95	\$5.10
Packed 4 in a ctn. Wt. per ctn. 48 lbs.				

**Pure White - For use on ceilings and walls. Cannot be tinted.**

Per Can	Zone 1	Zone 2		
54-RM400-M	X3D30	X3D40	\$4.95	\$5.10
Packed 4 in a ctn. Wt. per ctn. 48 lbs.				

**Zone 1**—These prices apply in all States East of the Rocky Mountains, except Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, Montana, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.

**Zone 2**—These prices apply in the following States, Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.



REARDON PRODUCTS

PRIMER

BONDEX



Specially Formulated to Condition Certain Otherwise Unsuitable Surfaces for the Application of Bondex Waterproof Cement Paint. It Adheres Tenaciously to All Masonry Surfaces, Painted or Unpainted. Forms a Perfect Bonding Medium.

Comes in Dry Powdered Form and is Ready for Use when Mixed with Cold Water.

Five Pounds Mixed According to Directions Will Cover from 200 to 350 Square Feet Depending on the Texture and Porosity of the Surface.

Per Pkg.	5 lb. Package		Retail	
	Zone 1	Zone 2	Zone 1	Zone 2
	■Per Pkg.	■Per Pkg.	■Per Pkg.	■Per Pkg.
54-5WBP-M	X1D47	X1D52	\$2.20	\$2.28

Ten pkgs. in case. Wt. case 53½ lbs.

AD-MIX



Specially formulated material to be mixed with any latex, oil or resin emulsion paint to make sand finish paint.

Apply mixed material with paint brush or mohair roller. Many different types of texture finishes may be obtained to achieve modern decorating effects.

Per Pkg.	Zone 1	Zone 2	Size, lbs.	No. in Ctn.	Wt. lbs.	Zone 1	Zone 2
						▲Per Pkg.	▲Per Pkg.
54-RAD2½-M	D3C6	D3C8	2½	20	51	\$0.54	\$0.57
54-RAD15-M	X1D67	X1D80	15	..	15½	2.50	2.70
54-RAD25-M	X2D40	X2D61	25	..	25½	3.60	3.92

QUICK PLUG



Fast setting formulative patching material. Will stop the flow of water leakage through breaks in masonry surfaces under pressure; also used for anchoring bolts, hooks and machinery to masonry surfaces, patching bird baths, cement wash tubs and floors.

In Friction Top Cans

Per Can	Zone 1		Zone 2	
	■Per Can	■Per Can	■Per Can	■Per Can
54-QP1½-M	D5C3★	D5C4★	\$0.80	\$0.82
Cap. Cans, 1½ lbs. Cans in Case, 12				
Wt. Case, 20 lbs.				
54-QP3-M	X1D03★	X1D05★	1.54	1.58
Cap. Cans, 3 lbs. Cans in Case, 6.				
Wt. Case, 20 lbs.				

HYDRAULIC PATCHER



Basements can be waterproofed from the inside. To be used only for treating inactive or "after-rain leaks" where water is not constantly flowing through the surface. Scientifically formulated compound to be used as a base material for filling wall cracks, mortar joints and floor line breaks.

Sets slowly, allowing ample time for working. Comes in powder form and is easily mixed for use by adding water. It can be mixed into a thick paste for trowel application.

5 lb. Can

Per Can	Zone 1		Zone 2	
	■Per Can	■Per Can	■Per Can	■Per Can
54-5BHW-M	X1D03	X1D08	\$1.55	\$1.62

Ten cans in case. Wt., 53½ lbs.

SX-JOINT CEMENT



For joining sections of interior wall and plaster board with joint tape.

Powder form. Prepared by mixing with water. Applied with broad knife or other applicators. Mixes easily, sands easily, uniform in quality and texture and easy to apply.

5 lb. Package

Per Pkg.	Zone 1		Zone 2	
	▲Per Pkg.	▲Per Pkg.	▲Per Pkg.	▲Per Pkg.
54-JC5-M	D7C0★	D7C0★	\$1.17	\$1.17

Ten packages in a case

25 lb. Bag

Per Bag	Zone 1		Zone 2	
	▲Per Bag	▲Per Bag	▲Per Bag	▲Per Bag
54-JC25-M	X2D67	X2D67	4.45	4.45




JOINT CEMENT AND PAPER TAPE

COMBINATION PACKAGE

Contains 18 lbs. of joint cement and 250 foot roll of Joint Tape. Sufficient to do one average room.

Per Pkg.	Zone 1		Zone 2	
	▲Per Pkg.	▲Per Pkg.	▲Per Pkg.	▲Per Pkg.
54-JC18-M	X3D22	X3D22	\$5.37	\$5.37

One package in bag. Wt. bag 20 lbs.



Used in conjunction with joint cement for joining sections of wall and plaster board in dry wall construction.

Perforated paper tape with sanded tapered edges, insure a rigid joint. Guides straight and will not wrinkle under the knife.

Per Roll	Zone 1		Zone 2		Ft. in Roll	Rolls in Pkg.	Wt. Lbs.	Zone 1	Zone 2
	▲Per Roll	▲Per Roll	▲Per Roll	▲Per Roll					
54-PT75-M	D3C5★	D3C5★	75	10	5	\$0.59	\$0.59		
Lots of 10 rolls									
54-PT250-M	D6C6★	D6C6★	250	10	18	1.10	1.10		
Lots of 10 rolls									
	D6C2★	D6C2★	...	..	..				

SILICONE WATERPROOFING



For waterproofing structurally sound exterior above-grade masonry surfaces.

Provides ONE COAT, long-lasting, invisible, water-repellent protection. Protects masonry against efflorescence, guards against mortar rot, masonry deterioration caused by freeze-and-thaw cycles, spalling, and all the damage that water penetration does to unprotected masonry. Prevents costly moisture damage to interior plaster, wood, etc. because it prevents the penetration of water through the outside masonry walls.

Transparent, will not change the original color or texture of masonry surface.

Each	Zone 1		Zone 2	
	▲Ea.	▲Ea.	▲Ea.	▲Ea.
54-BSQ-M	X1D18	X1D18	Qt.	\$1.77
54-BSG-M	X3D14	X3D14	Gal.	4.71

Quart size, 6 in ctn. Wt. ctn. 12½ lbs.  
Gallon size, 4 in ctn. Wt. ctn. 31½ lbs.

JOINT TAPE

**Zone 1**—These prices apply in all States East of the Rocky Mountains, except Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, Montana, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.

**Zone 2**—These prices apply in the following States, Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.

STAR ★ DENOTES BEST SELLER



**REARDON PRODUCTS**

**BONDEX  
HEAVY DUTY ADDITIVE**



A concentrated silicone-latex additive for use with Bondex Heavy Duty. Permits application over masonry previously painted with cement paint or oil paint. Increases bonding power and eliminates pre-wetting of surface.

**Quart Cans**

Per Can	Zone 1	Zone 2	Zone 1	Zone 2
			▲Per Can	▲Per Can
<b>54-BAG-M</b>	<b>X1D20</b>	<b>X1D24</b>	\$2.00	2.07

Six cans in case. Wt. case 15 lbs.

**Gallon Cans**

Per Can	Zone 1	Zone 2	Zone 1	Zone 2
			▲Per Can	▲Per Can
<b>54-BAG-M</b>	<b>X4D08</b>	<b>X4D20</b>	6.80	7.00

Two cans in case. Wt. case 19 lbs.

**BONDEX CONCRETE PATCH**



Scientifically combines silicone, latex and cement into a fool proof, easy-to-use, all-purpose patcher for all types of concrete, stucco, brick, stone and other masonry.

**Regular Kit**

Contains 5 lbs. special cement and 1 pint of mixing liquid.

Per Kit	Zone 1	Zone 2	Zone 1	Zone 2
			▲Per Kit	▲Per Kit
<b>54-BRK-M</b>	<b>X1D59</b>	<b>X1D59</b>	\$2.65	2.65

Six kits in case. Wt. case 41 lbs.

**Large Kit**

Contains 10 lbs. special cement and 1 quart mixing liquid.

Per Kit	Zone 1	Zone 2	Zone 1	Zone 2
			Per Kit	Per Kit
<b>54-BLK-M</b>	<b>X2D55</b>	<b>X2D55</b>	\$4.25	4.25

Two kits in case. Wt. case 27 lbs.

**Zone 1**—These prices apply in all States East of the Rocky Mountains, except Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, Montana, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.

**Zone 2**—These prices apply in the following States, Alabama, Colorado, Florida, Georgia, Louisiana, Mississippi, New Mexico, North Carolina, South Carolina, North Dakota, South Dakota, Texas and Wyoming.