

EYE BOLT ASSORTMENTS



Beautiful metal display panel 6x14 inches with hooks marked for individual sizes.

Cadmium plated wrought steel nut and bolt with closed bent eye, not welded. Assortment consists of one dozen each as follows:

	Diam. Rod, in.	Lgth. Incl. Eye, ins.	Inside Diam. of Ring, ins.	Each
L2822F-2	3/16	2	3/16	\$0.05
L2823F-4	1/4	2 5/8	3/8	.06
L2824F-4A	1/4	4	3/8	.08
L2825F-5	5/16	3 1/4	1/2	.11
L2826F-5A	5/16	4	1/2	.12
L2827F-5B	5/16	5	3/4	.12
L2828F-6	3/8	4	1	.14
L2829F-6A	3/8	5	1	.15
L2830F-6B	3/8	6	1	.16
L2831F-6C	3/8	8	1	.21

100 Eye Bolts—10 of Each Size

Per Ass't. 61-1000-F X7D25..... Each \$11.50

One in shpg. container. Wt. container 16 lbs.

OPEN STOCK

Per Box	Old Nos.	Wt. Box, lbs.	Each
L2822F (2)	D2C8	1 1/2	\$0.05
L2823F (4)	D3C4	3/4	.06
L2824F (4A)	D4C1	1	.08
L2825F (5)	D5C7	1 1/4	.11
L2826F (5A)	D6C1	1 1/2	.12
L2827F (5B)	D6C5	1 3/4	.12
L2828F (6)	D7C3	2	.14
L2829F (6A)	D8C1	2 1/4	.15
L2830F (6B)	D8C4	3	.16
L2831F (6C)	X1D08	3 1/2	.21

Ten in box

EYE BOLTS

For sign hangers, farmers, structural erectors, railroads and electrical contractors.


Drop forged from solid piece of steel. Hot galvanized. Threads are cut before galvanizing. American Standard regular hexagon nuts. American Standard coarse thread.

Each		Diameter and Length Shank, ins.	Length Including Eye, ins.	Inside Diameter Eye, ins.	Wt. Each, ozs.	Each
L2838F	(H151/3/8x4 1/2)	D3C6	5 1/2	3/4	3 1/2	\$0.70
L2839F	(H151/1/2x3 1/4)	D4C5	5 1/4	1	6 1/2	.75
L2840F	(H151/1/2x6)	D5C9	8	1	9	1.00
L2841F	(H151/5/8x4)	D7C3	9 9/16	1 1/4	13 1/2	1.10
L2842F	(H151/5/8x6)	D8C7	8 9/16	1 1/4	16	1.35

Loose

PORCH SWING CHAINS

SHERADIZED



Tensile Strength 1500 lbs.

Tenso pattern steel wire chain extremely strong, accurately made to permit easy adjustment.

Leader No. 2/0 wire 5 feet long.

Braces No. 1/0 wire, each 2 1/2 feet long.

Set consists of two complete chains and two ceiling hooks.

RUST-PROOF FINISH

Per Set	Per Set
L3384J (201) X1D55★.....	\$2.25
O-L3384J (201) X1D55★—(Case lots 24 sets)	

One set in box. Twenty-four sets in ctn.
Wt. ctn. 87 lbs.

PORCH SWING HOOKS



With Wood Screw Thread

WROUGHT STEEL

Size 5/16 inch. Length 3 3/8 inches. Length of thread 1 3/4 inches.

BRIGHT FINISH

Per Box	Each
L5402F (231) D5C3.....	\$0.10

CADMIUM PLATED FINISH

Per Box	Each
L5403F (234) D6C8.....	\$0.10
Ten in box. Wt. box 1 1/4 lbs.	

Size 3/8 inch. Length 4 1/4 inches. Length of thread 2 inches.


BRIGHT FINISH

Per Box	Each
L5404F (251) D7C5★.....	\$0.15

CADMIUM PLATED FINISH

Per Box	Each
L5405F (254) D9C2★.....	\$0.15
Ten in box. Wt. box 2 lbs.	

HAMMOCK HOOKS



WROUGHT STEEL

To Screw


5/16 inch Screw and Hook

CADMIUM PLATED FINISH

Per Box	Each
L5393F (124) X1D25.....	\$0.20
Twelve in box. Wt. box 3 lbs.	

STAR ★ DENOTES BEST SELLER

EYE BOLTS

Lag Screw Thread
CADMIUM PLATED STEEL

Per Pkg				Dia., ins.	Lgth., ins.	Wt. Pkg., lbs.	Each
L2832F	(11 $\frac{1}{4}$ x3 $\frac{3}{4}$)	D4C7		$\frac{1}{4}$	3 $\frac{3}{4}$	1	\$0.08
L2867F	(11 $\frac{1}{4}$ x5)	D5C0		$\frac{1}{4}$	5	1	.09
L2833F	(11 $\frac{5}{16}$ x4)	D7C2		$\frac{5}{16}$	4	1 $\frac{1}{2}$	.13
L2868F	(11 $\frac{5}{16}$ x6)	D8C8		$\frac{5}{16}$	6	1 $\frac{1}{8}$	.16
L2834F	(11 $\frac{3}{8}$ x4 $\frac{1}{2}$)	D9C8		$\frac{3}{8}$	4 $\frac{1}{2}$	2 $\frac{3}{4}$	.18
L2870F	(11 $\frac{3}{8}$ x8)	X1D24		$\frac{3}{8}$	8	3 $\frac{3}{4}$	.22

Ten in pkg.

EYE BOLT ASSORTMENT
TURNBUCKLES, INC.

Six Popular Sizes

Lag thread, bright zinc plated. Displayed on beautiful metal display panel 14x6 inches. Thread length 2 inches.

Quantity	Size Overall ins.	Wire Diam. ins.	Inside Diam of Eye ins.
20	$\frac{1}{4}$ x3 $\frac{3}{4}$	.225	$\frac{9}{16}$
10	$\frac{1}{4}$ x5	.225	$\frac{9}{16}$
10	$\frac{5}{16}$ x4	.311	$\frac{3}{4}$
20	$\frac{5}{16}$ x6	.311	$\frac{3}{4}$
10	$\frac{3}{8}$ x4 $\frac{1}{2}$	.362	1 $\frac{1}{8}$
10	$\frac{3}{8}$ x8	.362	1 $\frac{1}{8}$

Per Asst. 61-1100-F X7D20.....\$11.00

One asst. in ctn. Wt. ctn. 13 lbs.

CLOTHES LINE
HOOK BOLTS
TURNBUCKLES, INC.

Can be used on metal or wood posts.

Bright zinc plated steel assembled with two square nuts. Large hook on end.

Thread size $\frac{3}{8}$ inch. Thread length 3 $\frac{3}{8}$ inches. Length of shank 5 inches. Over all length 6 $\frac{3}{4}$ inches.

Per Box L5391F (622) X1D05.....Each \$0.20


Ten in box. Wt. box 3 lbs.

SCREW HOOKS

Lag Screw Thread
CADMIUM PLATED STEEL

Per Pkg.				Dia., ins.	Lgth., ins.	Wt. Pkg., lbs.	Each
L5116F	(324 $\frac{1}{4}$)	D4C5		$\frac{1}{4}$	4 $\frac{1}{4}$	1	\$0.10
L5117F	(324 $\frac{5}{16}$)	D8C4		$\frac{5}{16}$	4 $\frac{1}{2}$	1	.15
L5118F	(324 $\frac{3}{8}$)	D8C2		$\frac{3}{8}$	4 $\frac{7}{8}$	3	.20

Ten in pkg.

CLOTHES LINE HOOKS
LARSONPlate type. Hook $\frac{5}{16}$ x2 $\frac{1}{4}$ inches. Plate 1 $\frac{3}{4}$ x1 $\frac{3}{4}$ inches. Complete with 1 inch round head wood screws.

STEEL—ZINC PLATED

Per Box L5390F (522U) X1D27.....Each \$0.25
One on card, 10 in box. Wt. box 3 lbs.A tight line assured at all times. Self-fastening. No knots to tie. Cannot slip. Polished aluminum with two hooks, lip and holes for fastening. Size 2 $\frac{1}{2}$ x2 $\frac{3}{4}$ inches.Per Box L5392F (5310) X3D20.....Each \$0.20
Twenty-four in box. Wt. box 1 $\frac{3}{4}$ lbs.
We Do Not Break Boxes

A boon to the housewife. Practical and efficient, and a pleasure to use. Self-fastening, no knots to tie—cannot slip. A tight line assured at all times.

Heavy steel, one-piece construction. Hot dipped galvanized finish. Rust proof. Complete with screws.

Per Box L5389F (102) X5D00.....Each \$0.19

Forty-eight in attractive display box Wt. box 8 lbs.

Sold Only in Full Boxes

STAR ★ DENOTES BEST SELLER

CLOTHES LINE HOOKS

Cast iron $\frac{3}{8}$ inch hook. Takes No. 8 screws. Plate 1 $\frac{3}{4}$ x1 $\frac{3}{4}$ inches.

GALVANIZED FINISH


Per Box L5388F (22) X1D05.....Each \$0.15

Ten in box, without screws

Wt. box 2 lbs.

WIRE LINE TIGHTENERS

LEDO TURN-TITE



No More Sagging Lincs

For wire lines, television towers, guy wires, gates, fences and any type clothes line. Will take up to three feet of line. Operates with the use of any adjustable wrench.

All metal construction. Rust-proof finish. Bracket with catch and hole for mounting. Spindle with square ends, one for applying wrench and the other for engaging in catch on frame. Spindle has hole for inserting line.

Size 2 $\frac{3}{8}$ x2 $\frac{1}{2}$ x1 $\frac{1}{4}$ inches.

Each L5386F D4C2★.....Each \$0.65

Twenty-four in box. Wt. box 11 lbs.

WIRE GOODS

CADMIUM PLATED—IN BUNDLES

A line of popular items in a most acceptable form—Packaged for over-the-counter sale—No wasted time counting them out.

SCREW EYES ON WIRES



16 in a Bundle

Per Box L5025F (216½W) X1D60..... Each \$0.10

Twenty bdl. in box.
Wt. box ¼ lb.



16 in a Bundle

Per Box L5022F (214½W) X1D60..... Each \$0.10

Twenty bdl. in box.
Wt. box ½ lb.



16 in a Bundle

Per Box L5019F (212½W) X1D60..... Each \$0.10

Twenty bdl. in box.
Wt. box 1 lb.




10 in a Bundle

Per Box L5017F (210W) X1D60..... Each \$0.10

Twenty bdl. in box.
Wt. box 3 lbs.

Sold Only in Full Boxes


SCREW EYES ON WIRES



10 in a Bundle

Per Box L4990F (8W) X1D60..... Each \$0.10

Twenty bdl. in box. Wt. box 4¼ lbs.




12 in a Bundle

Per Box L4993F (10W) X1D60..... Each \$0.10

Twenty bdl. in box. Wt. box 2½ lbs.

HOOKS AND EYES ON WIRES



3 Only, 1½ inches

Per Box L5037F (40W/1½) X2D30..... Each \$0.15

3 Only, 2 inches

L5038F (40W/2) X2D30..... .15


3 Only, 2½ inches

L5039F (40W/2½) X2D30..... .15

Twenty bdl. in box. Wt. box 4 lbs.

Sold Only in Full Boxes


SCREW HOOKS ON STRAPS



8 in a Bundle

Per Box L5120F (812S) X1D60..... Each \$0.10

Twenty bdl. in box.
Wt. box 2 lbs.



12 in a Bundle

Per Box L5119F (810S) X1D60..... Each \$0.10


Twenty bdl. in box.
Wt. box 3½ lbs.

Sold Only in Full Boxes

WIRE SCREW HOOKS

Square Bend

(Illustrations Full Size)



STEEL—CADMIUM PLATED

Per Box			Wt. Box, lbs.	Each
L5061F	(104)	X3D29	4¼	\$0.06
L5109F	(106)	X2D20	1½	.04
L5111F	(108)	X1D45	¾	.03
L5062F	(110)	X1D07	1	.02
L5114F	(112)	D8C9	½	.02
L5063F	(114)	D7C0	¼	.01

100 in box

WIRE SCREW EYES

(Illustrations Full Size)



(Large Eye)

STEEL—CADMIUM PLATED

Per Box			Wt. Box, lbs.	No. in Box	Each
L4982F	(0)	X2D75	5¼	50	\$0.08
L4984F	(2)	X1D85	3½	50	.06
L4986F	(4)	X1D23	2½	50	.04
L4988F	(6)	X1D59	3	100	.03
L4991F	(8)	X1D10	1¾	100	.02
L4994F	(10)	D8C7	1½	100	.02
L4996F	(12)	D7C0	½	100	.02
L4998F	(14)	D6C1	¼	100	.01



(Medium Eye)


STEEL—CADMIUM FINISH

Per Box			Wt. Box, lbs.	Each
L4999F	(106)	X1D43	2¾	\$0.03
L5000F	(108)	X1D04	1½	.02
L5007F	(110)	D8C0	¾	.02
L5009F	(112)	D6C4	½	.01
L5011F	(114)	D5C6	¼	.01

100 in box.

WIRE SCREW EYES

(Illustrations Full Size)



Per Box
L5016F D6C7
L5020F D4C5

(210)
(214)
100 in box

(Small Eye)
BRIGHT STEEL

Wt.
Box,
lbs. 5 for .05
7 for .05

Per Box
L5002 D9C5
L5005 D7C5
L5013 D6C0
L5014 D5C1
L5003 D5C1

(208)
(210)
(212)
(214)
(214 1/2)


CADMIUM PLATED

100 in box

Wt.
Box
lbs. Each
1 1/4 \$0.01
3/4 .01
3/8 .01
1/4 .01
1/4 .01

WIRE SCREW HOOKS

(Illustrations Full Size)



STEEL WIRE—CADMIUM PLATED FINISH

Per Box			Wt. Box, lbs.	Each
L5092F	(0)	X3D70	7 1/2	\$0.06
L5094F	(2)	X2D75★	5	.05
L5096F	(4)	X1D85★	3 1/4	.04
Fifty in box				
L5098F	(6)	X2D55★	4	.04
L5100F	(8)	X1D65	2 1/4	.03
L5102F	(10)	X1D25	1 1/4	.02
L5105F	(12)	D9C7	1/2	.02
L5064F	(14)	D8C0	1/4	.02
100 in box				

STAR ★ DENOTES BEST SELLER

LINE CLEATS



MALLEABLE IRON GALVANIZED
For clothes lines, awning stays, 2 guy ropes, etc.

Per Box			Lgth., ins.	Takes Screws, Nos.	Wt. Box, lbs.	Each
L3916F	(114)	X2D40	4½	6	½	\$0.15
L3917F	(115)	X3D60	6	8	2½	.25

Twenty-four in box without screws

CUP HOOKS



WROUGHT BRASS

6 on a Card


7/8-inch.

Per Card
L5080F (817/8C) D0C7..... Each \$0.15

Twenty cards in box. Wt. box 2 lbs.

BRASS SHOULDER HOOKS

(Illustration Full Size)




BRASS WIRE—LACQUERED

(412)

Per Box			Projects, in.	Wt. Box, lbs.	
L5087F	X1D29	½	¼		\$0.02
L5088F	X1D55	¾	½		.03
L5089F	X2D10	1	¾		.04
100 in box					
L5090F	X1D99	1¼	1½		Each \$0.07
Fifty in box					

CUP HOOKS

(Illustration Full Size)



BRASS WIRE—LACQUERED

(81)

Per Box			Size, in.	Wt. Box, lbs.	
L5078F	X1D15	½	¼		\$0.02
L5079F	X1D26	¾	½		.02
L5081F	X1D65	1	¾		.03
100 in box					
L5082F	X1D38	1¼	1½		Each \$0.05
Fifty in box					

CEILING PULLEYS

CAST IRON



Single wheel, 2 inches diameter. For 5/16 inch rope. Requires No. 10 screws.

GALVANIZED

Each L1951F (88) D5C3..... Each \$0.75
Ten in box without screws. Wt. box 7½ lbs.

HOT HOUSE PULLEYS

CAST IRON



Single wheel.

GALVANIZED

Each			Diam. Wheel, ins.	For Rope, in.	Takes Screw No.	Wt. Box, lbs.	No. in Box	Each
L1949F	D6C5.....	2	5/16	12	4	5		\$1.00
L1950F	X1D00.....	2½	3/8	13	6	5		1.50

SIDE PULLEYS



CAST IRON

Without screws.

GALVANIZED

Each			Diam. Wheel, ins.	For Rope, in.	Takes Screw No.	Wt. Box, lbs.	No. in Box	Each
L1928F	D3C5.....	1½	¼	6	3¼	10		\$0.55
L1929F	D4C5.....	2	5/16	9	5¾	10		.70

SCREW PULLEYS

CAST IRON

GALVANIZED FINISH



Each			Diam. Wheel, ins.	For Rope, ins.	Lgth. Screw, ins.	Wt. Box, lbs.	Each
L1933F	(26 1/2)	D2C5	1 1/2	1/4	1 1/2	2	\$0.35
L1934F	(26 1/2)	D3C5	2	5/16	1 1/2	3 1/2	.50

Ten in box.

SWIVEL EYE PULLEYS



(No. 96)



(No. 97)

One-piece wrought steel frame. Solid steel wheels.

HEAVY CADMIUM PLATED FINISH

Single Wheel

Each			Diam. Wheel, ins.	For Rope, in.	No. in Box	Wt. Box, lbs.	Each
L1921F	(96/3/4)	D9C1/2 ★	3/4	3/16	24	2 1/4	\$0.15
L1922F	(96/1)	D1C2 ★	1	1/4	24	2 1/2	.20
L1923F	(96/1 1/2)	D1C8 ★	1 1/2	5/16	24	8 1/4	.30
L1924F	(96/2)	D2C0	2	3/16	12	3 3/4	.35

Double Wheels

L1925F	(97/3/4)	D1C4	3/4	3/16	24	3	.25
L1926F	(97/1)	D1C8 1/2	1	1/4	24	4	.30

KNOT PASSING CLOTHES LINE PULLEYS



CAST IRON

GALVANIZED FINISH

Takes 1/2 inch rope. Diameter of wheel 2 inches.

Each			Each
L1952F	(68)	D4C5	\$0.70

Ten in box. Wt. box 4 1/2 lbs.

TACKLE OR AWNING PULLEYS



CAST IRON

GALVANIZED FINISH

Solid Single Eye

Single Wheel

Each			Diameter Wheel, ins.	For Rope, in.	Wt. Box, lbs.	Each
L1939F	(230)	D1C4	3/4	3/16	1 1/4	\$0.20
L1940F	(230)	D1C7 1/2 ★	1	1/4	2	.25
L1941F	(230)	D2C9 1/2 ★	1 1/2	5/16	4 1/4	.50
L1942F	(230)	D5C6 ★	2	7/16	4 3/4	.80

Double Wheel

L1943F	(235)	D2C4	3/4	3/16	2 1/4	.40
L1944F	(235)	D3C0	1	1/4	3 1/4	.45
L1945F	(235)	D4C8 ★	1 1/2	5/16	7 1/2	.70
L1946F	(235)	D8C5	2	7/16	8 1/2	1.30

Two inch five, balance ten in box.



CAST IRON

GALVANIZED FINISH

Swivel Single Eye

Single Wheel

Each			Diameter Wheel, ins.	For Rope, in.	Wt. Box, lbs.	Each
L1935F	(330)	D2C0 ★	3/4	5/16	1 1/4	\$0.30
L1936F	(330)	D2C2 ★	1	1/4	1 3/4	.35
L1937F	(330)	D3C5	1 1/2	5/16	4 1/4	.55
L1938F	(330)	D6C5	2	7/16	4 3/4	1.00

Double Wheel

L1947F	(335)	D2C8	3/4	3/16	2	.40
L1948F	(335)	D3C2 ★	1	1/4	3	.45

Two inch five, balance ten in box.

CASTER ASSORTMENTS**BASSICK**

Hardwood display with masonite back with one each of the 10 casters mounted free of charge.

Size 12x7 inches.

Consists of:

Quantity Sets (4)		Nos.	Wheel Diameter, ins.	Tread, ins. ▲	Per Set
	Diamond Arrow				
2	Ball bearing Gripneck, Baco soft tread wheels.....	8696-OC	1 5/8	3/4	\$3.80
	Diamond Dart				
4	Ball bearing Gripneck, Atlasite wheels.....	5259	1 1/4	5/8	2.50
4	Ball bearing Gripneck, Atlasite wheels.....	7259	1 5/8	3/4	2.75
	Standard				
6	Ball bearing Gripneck, Atlasite wheels.....	5639B	1 1/4	5/8	1.09
6	Ball bearing Gripneck, Atlasite wheels.....	7639B	1 5/8	3/4	1.29
6	Swivlo. Ball bearing plate, Atlasite wheels.....	5629B	1 1/4	5/8	1.09
6	Swivlo. Ball bearing plate, Atlasite wheels.....	7629B	1 5/8	3/4	1.29
2	Swivlo. Ball bearing plate, iron wheels.....	9621B	2	1	2.90
3	Crib, Bassinet or Tea Wagon. Ball bearing Gripneck, soft tread moulded composition wheels	.9428S/OC	2	1 1/2	1.59

Rubber Cushion Slides

Quantity	No.	Diameter Base, in.	Per Set
10	CG90NE	1/8	\$0.55

Total Retail Value.....\$73.23

49 Sets of Casters and Slides

With one each extra mounted and numbered on display board FREE.

Per Assortment	▲ Per Assortment
61-HD10-F X43D94.....	\$73.23

One asst. in ctn. Wt. ctn. 45 lbs.

CRIB, BASSINETTE AND TEA WAGON CASTERS**BASSICK****Ball Bearing—Grip Neck****3/8 inch Socket**

Castors for cribs, bassinets, baby walkers, strollers and light equipment, such as beauty parlor or barber shop equipment, light display stands, etc.

Stamped steel frame and socket. Steel stem and axle. Hardened steel balls. Bore for socket 3/8 inch.

OXIDIZED COPPER PLATED FINISH**Atlasite Hard Tread Wheels**

Diameter of wheel 3 inches, tread 1 1/2 inch.

Per Set (4)	▲ Per Set (4)
L6543F (13428S/OC) X1D74.....	\$2.90
Three sets in box. Wt. box 25 ozs.	

Rubber Molded Composition Wheels

Diameter of wheel 2 inches.

Per Set (4)	▲ Per Set (4)
L6536F (9428S/OC) D9C5.....	\$1.59
Three sets in box. Wt. box 10 ozs.	

Sold Only in Full Boxes

**CRIB OR TEA WAGON CASTERS****BASSICK**

L4722F



L4723F

Carded Sets**Ball Bearing Swivel**

Light duty—for use on light furniture where easy rolling large diameter wheels are required. One set of 4 on card with sockets.


Per Set (4)	Wheel Diam., ins.	Per Set (4)
----------------	-------------------------	----------------

Soft Rubber Tread Wheel

L4722F (9428S-OCE) X1D01	2	\$1.69
--------------------------	---	--------

Clear Styrene Wheel

L4723F (9429S-CNE) X1D01	2	1.69
Four sets in ctn. Wt. ctn. 3 1/2 lbs.		

PIANO CASTERS**BASSICK****DIAMOND ARROW
Double Wheel****The Strongest
Stem Caster Made**

Combined width of two wheels 1 5/8 inches. Diameter 2 inches. Height over all 2 5/8 inches. Bore for socket 9/16x1 1/2 inches.

**Baco Soft Rubber Tread Wheels
CADMIUM FINISH**

With No. 66 socket

Per Set (4)	▲ Per Set (4)
L6530F (9006X2) X5D65.....	\$9.65
One set in box. Wt. box 3 3/4 lbs.	

STEM AND SOCKET CASTERS

BASSICK

Diamond Dart

Ball Bearing Swivel—Full Floating



Caster with patented Bassick two level ball bearing construction for use with standard grip neck sockets for wood. Bore for sockets, $\frac{3}{8}$ inch.

OXIDIZED COPPER FINISH

Atlasite Solid Tread Wheels

Per Set (4)			Diameter Wheel, ins.	Tread, in.	Wt. Box, ozs.	▲ Per Set (4)
L6495F (5259)	X1D50		1 $\frac{1}{4}$	$\frac{5}{8}$	16	\$2.50
L6515F (7259)	X1D65		1 $\frac{5}{8}$	$\frac{3}{4}$	19	2.75

One set in box



Standard

Plain Bearing—Grip Neck

For furniture such as bureaus, chests of drawers, chifferobes, etc. Bore for socket, $\frac{3}{8}$ inch.

Atlasite Solid Tread Wheels

OXIDIZED COPPER FINISH

Per Set (4)			Diameter Wheel, ins.	Tread, in.	Wt. Box, ozs.	▲ Per Set (4)
L4732F (54790C)	D5C7		1 $\frac{1}{4}$	$\frac{5}{8}$	8	\$0.95
L6517F (74790C)	D6C9		1 $\frac{5}{8}$	$\frac{3}{4}$	16	1.15

Six sets in box.

Sold Only in Full Boxes



Universal-Standard Carded Sets

Single Ball Bearing Swivel

For light wood furniture applications. Non-marking phenolic wheel. Brass finish. One set of 4 on card with sockets.

Per Set (4)			Wheel Diam., ins.	Per Set (4)
L4733F (5639BE)	D7C1		1 $\frac{1}{4}$	\$1.19
Four sets in box. Wt. box 2 $\frac{1}{2}$ lbs.				
L4734F (7639BE)	D8C3		1 $\frac{5}{8}$	1.39
Four sets in box. Wt. box 3 $\frac{1}{2}$ lbs.				

STEM AND SOCKET CASTERS

BASSICK

UNIVERSAL-STANDARD

Ball Bearing Grip Neck



Ball bearing furniture casters.

Stamped steel horn and socket. Steel stem and axle. Hardened steel balls. Bore for socket $\frac{3}{8}$ x1 $\frac{1}{2}$ inches.

Baco Soft Rubber Tread Wheels

BRASS FINISH


Per Set (4)			Diam. Wheel, ins.	Tread, in.	Wt. Box, lbs.	▲ Per Set (4)
L6525F (7636B)	X1D14		1 $\frac{5}{8}$	$\frac{3}{4}$	5 $\frac{1}{4}$	\$1.89
Six sets in box						

OFFICE CHAIR CASTERS

BASSICK

DIAMOND ARROW

Ball Bearing—Gripneck



A single raceway of chrome balls operate on two levels on hardened steel surface taking both direct and component thrust loads.

Stamped steel frame and socket. Nut and bolt removable axle. Bore for socket $\frac{3}{8}$ x1 $\frac{3}{4}$ inches.

Atlasite Hard Tread Wheels

Per Set (4)			Diam. Wheel, ins.	Tread, in.	Wt. Set, ozs.	▲ Per Set (4)
L6528F (7699)	X2D10		1 $\frac{5}{8}$	$\frac{3}{4}$	19	\$3.50
L6542F (9699)	X2D49		2	$\frac{7}{8}$	23	4.15

Baco Soft Tread Wheels

L6527F (8696)	X2D28★		1 $\frac{3}{4}$	$\frac{3}{4}$	19	3.80
L6541F (9696)	X2D64★		2	$\frac{7}{8}$	23	4.40

One set in box

EXTRA WHEELS

Atlasite Hard Tread

Per Set (4)			Diam. Wheel, ins.	Tread, in.	Wt. Set, ozs.	▲ Per Set (4)
L6445F (WP9007)	D4C8		1 $\frac{5}{8}$	$\frac{3}{4}$	4	\$0.80
L6446F (WP9009)	D6C2		2	$\frac{7}{8}$	13	1.04

Baco Soft Tread

L6444F (WD6009)	D7C6		2	$\frac{7}{8}$	15	1.28
L4735F (WD6007)	D6C0		1 $\frac{5}{8}$	$\frac{3}{4}$	4	1.00

Loose

SURFACE BALL CASTERS


ACME
Countersunk Type
Ball Bearing

Rolls in any direction with the least possible effort. Require no oiling. Will not bind or rust.

Roller steel frame and plate. Hardened steel ball and ball race.

NICKEL PLATED FINISH

Per Set (4)	Size Ball, ins.	Diam. Plate, ins.	Height, ins.	Wt. Set, lbs.	Per Set (4)
L6487F (656D) X1D55	1	1½	1⅜	¾	\$2.35
L6488F (656D) X1D64	1½	1⅞	1⅝	⅞	2.50
L6489F (656D) X1D73	1¼	1⅜	⅞	1¼	2.60

One set in box

**ACME BALL BEARING****Stem and Socket**

Roller steel frame, plate, stem and sockets. Hardened steel balls and ball race. Solid rim surface ball.

BLACK MAGIC FINISH

Per Set (4)	Size Ball, ins.	Lgth. Pin, ins.	Lgth. Over-rl, ins.	Wt. Box, lbs.	Per Set (4)
L6490F (658B) X1D92	1	¼x1¼	3	⅞	\$2.90
L6491F (658B) X2D04	1½	¼x1¼	3⅝	⅞	3.05
L6492F (658B) X2D25	1¼	¼x1¼	3¼	1	3.40

One set in box

BED CASTERS**BASSICK**

For Iron and Brass Beds
Ball Bearing Swivel



Stamped steel frame and spring socket. Steel stem and axle.

Atlasite Solid Tread Wheels

Diameter Wheel, in.	Tread, ins.	For Tubing Outside Diam., ins.
L6519F-7509B1½	1⅝	¾ 1½
L6520-F7509B-1-9	1⅝	¾ 1.9

BRASS FINISH

Per Set	Wt. Box, ozs.	▲ Per Set
---------	---------------------	-----------

Round Retaining Spring

L6520F (7509B-1-9) X1D17	20	\$1.95
--------------------------	----	--------

Square Retaining Spring

L6519F (7509B1½) X1D17	20	1.95
------------------------	----	------

One set in box

PLATE CASTERS**BASSICK****SWIVLO**

Oblong Plate
Ball Bearing
Newark Steel Wheels



Constructed of heavy gauge steel throughout to stand up under severe and rough service. The short heavy center pin adds greatly to the strength of this type of ball bearing caster.

	Diam. Wheel, ins.	Tread in.	Size Plate, ins.	Height Over-all, ins.
L6505F-5625	1¼	⅝	1⅝x1¾	1⅞
L6522F-7625	1⅝	¾	1½x2⅛	2⅜

BRIGHT STEEL FINISH

Per Set (4)	Wt. Box, lbs.	▲ Per Set (4)
L6505F (5625) D6C3★	4½	\$1.05
L6522F (7625) D7C5★	6	1.25

Six sets in box

Sold Only in Full Boxes

**SWIVLO**

Ball Bearing
Oblong Plate
Atlasite Hard Tread
Wheels

	Diam. Wheel, ins.	Tread, in.	Size Plate, ins.	Height Over-all, ins.
L6506F-5629B	1¼	⅝	1⅝x1¾	1⅞
L6523F-7629B	1⅝	¾	1½x2⅛	2⅜

BRASS FINISH

Per Set (4)	Wt. Box, lbs.	▲ Per Set (4)
L6523F (7629B) D7C7★	6	\$1.29

Six sets in box

Sold Only in Full Boxes

STAR ★ DENOTES BEST SELLER

PLATE CASTERS**BASSICK****SWIVLO—Ball Bearing**

Constructed of heavy gauge steel throughout to stand up under severe and rough service. The short heavy center pin adds greatly to the strength of this type of ball bearing caster.

Steel casters with strong center pin construction.

	Diam. Wheel, ins.	Tread, in.	Size Plate, ins.	Height Over-all, ins.
L6521F-7621	1⅝	¾	1½x2⅛	2⅜
L6538F-9621	2	1	1⅝x2⅝	2½
L6540F-9629	2	1	1⅝x2⅝	2½
L6539F-9626	2	1	1⅝x2⅝	2½

Iron Wheels**BRIGHT FINISH**

Per Set (4)	Wt. Box, lbs.	▲ Per Set (4)
L6521F (7621) X1D07	6¼	\$1.78

Six sets in box

BRASS FINISH

L6538F (9621B) X1D74	14¾	2.90
----------------------	-----	------

Atlasite Wheels**BRIGHT FINISH**

L6540F (9629) X2D19	14¾	3.65
---------------------	-----	------


Baco Soft Tread Wheels**BRIGHT FINISH**

L6539F (9626) X2D19	14¾	3.65
---------------------	-----	------

One set in box

PLATE CASTERS

BASSICK



DIAMOND ARROW
Double Wheel

The ideal caster for school and institutional pianos and other very heavy furniture.

Highest quality easy swiveling caster with 2 inch wheels. Size of plate $2\frac{3}{4} \times 3\frac{3}{4}$ inches. Bore hole spacing $1\frac{3}{4} \times 3$ inches. Height over all $2\frac{13}{16}$ inches.

CADIUM FINISH

Per Set ▲ Per Set (4)

Atlasite Solid Tread Wheels

L6533F (9009) X5D25..... \$8.75

Per Set ▲ Per Set (4)

Baco Soft Rubber Tread Wheels

L6529F (9006) X5D25..... \$8.75

One set in box. Wt. box 4 lbs.



Swivlo Carded Sets
Single Ball Bearing Swivel

Utility plate casters for light duty applications on creepers, chests, boxes, etc. Non-marking phenolic wheels. Brass finish. One set of four on card.

"Atlasite" Hard Composition Tread Wheel

Per Set (4)	Wheel Diam., ins.	Per Set (4)
L4724F (5629BE) D7C7	$1\frac{1}{4}$	\$1.29

Five sets in box. Wt. box $3\frac{1}{2}$ lbs.

L4725F (7629BE) D8C9	$1\frac{5}{8}$	1.49
-----------------------------	----------------	------

Four sets in box. Wt. box $4\frac{3}{4}$ lbs.

**Rigid Plate Carded Sets**

Designed for use with the 2-inch wheel Swivlo plate casters. One set of 4 in box.

Per Set (4)	Wheel Diam., ins.	Per Set (4)
-------------	-------------------	-------------

Iron Wheel

L4738F (9381 RP) X1D55	2	\$2.59
-------------------------------	---	--------

One set in box. Wt. box $2\frac{1}{2}$ lbs.

"Baco" Soft Rubber Tread Wheel

L4739F (9386 RP) X1D80	2	2.99
-------------------------------	---	------

One set in box. Wt. box $1\frac{1}{2}$ lbs

TRUCK CASTER WHEELS


Here is a brief description of the various kinds of wheels used on Bassick Truck Casters.

SEMI-STEEL

Medium Duty—Solid center webbing, heavy reinforcing spokes and very heavy rim sections.

Roller Bearings

Used in Series "77" and "78," Series "98" and "99", 8 inch only. Alemite lubrication fittings are standard on these wheels.



Plain Bearings—Used in Series "33," "36," "37," "38," and "61" All have drilled oil holes.

"BACO"**Rubber Protective Tread**

The new "Baco" wheel is offered as the finest protective tread wheel available for light and medium duty service.

The rubber tread is compounded of special high efficiency rubber that gives a remarkable ease of mobility. The tensile strength of the rubber tread is 3500 lbs. per square inch—equal to the finest auto tire stock.



The tread is molded by special vulcanization process to the solid core. It will not come off. The solid core is practically unbreakable.

"Durex" Self-Lubricating Bearings—Used in Series "33" and "61." They do not require lubrication and will not squeal or squeak.

"ATLASITE"**Solid Tread Composition—Non-Metallic**

The composition from which this wheel is molded is the result of chemical research providing a compound which is resistant to water, oil and the destructive action of most acids. It is a wheel adaptable for use under practically any and all conditions.

They have the same carrying capacity as metal wheels and are being widely used to replace metal wheels because of the increased floor protection it affords and the decrease of noise in operation.

Extreme strength is combined with non-brittleness and high resistance to abrasion.

"Durex" Self-Lubricating Bearings—Used in Series "33," "38" and "61." They do not require lubrication and will not squeal or squeak.

**Roller Bearings**

—Used in Series "77" and "78."

Roller and Ball Bearings—Used in Series "98" and "99" in 3, 4, 5 and 6 inch specially designed for silence in operation.



TRUCK CASTERS


BASSICK

Swivel

These Swivel Casters (All Except 2½-inch) Match in Height Stationary Casters Series "38"

STEEL—SERIES "61"

Ball Bearing Swivel



Heavy gauge embossed steel horn and top plate. Improved ball race with Grade "A" quality hardened steel balls. Steel spanner bushing (on all except 2-inch size) is locked tightly between legs of horn around the axle, prevents possibility of horn bending and binding against hub of wheel.

With Semi-Steel Wheels—Plain Bearing

Wheels have extra heavy rim section and solid center webbing.

All numbers have riveted axles.

Each			Diameter, Wheels, ins.	Tread, ins.	Size Plate, ins.	Spacing Bolt Holes, ins.	Height Over-all, ins.	Load Capacity, Each, lbs.	No. in Ctn.	Wt. Ctn., lbs.	▲ Each
L6547F	(2611)	D8C9★....	2½	1⅞	2¾x3¾	1¾ and 3	3¼	200	30	45	\$1.48
B-L6547F	(2611)	D8C5★—(Case lots 48)									
L6553F	(3611)	X1D16★..	3	1¼	3⅛x4⅛	2⅜ and 3⅞	3⅞	250	20	34	1.94
B-L6553F	(3611)	X1D10★—(Case lots 36)									
L6564F	(4611)	X2D04....	4	1½	4x5	3 and 4	5	375	16	60	3.40
B-L6564F	(4611)	X1D94—(Case lots 16)									

With Thread Guard

Steel thread guards effectively prevent clogging of wheels. For use in textile mills and other places where string, thread, hair, etc., is prevalent on floors. Diameter of wheel 2 inches. Tread 1⅞ inches. Plates 1⅞x2⅝ inches. Bolt hole spacing ¾ and 2⅞ inches. Height over-all 2½ inches. Working load each 125 lbs.

Each											▲ Each
L6537F	(9611/1)	D4C9.....									\$0.82
B-L6537F	(9611/1)	D4C7—(Case lots 72)									

Seventy-two in ctn. Wt. ctn. 54 lbs.

With "ATLASITE" Wheels—"Durex" Self-Lubricating Bearings

Wheels have composition solid tread. Bolt and nut axles.

Each			Diameter Wheels, ins.	Tread ins.	Size Plate, ins.	Spacing Bolt Holes, ins.	Height Over-all, ins.	Load Capacity, Each, lbs.	No. in Ctn.	Wt. Ctn., lbs.	▲ Each
L6549F	(2619)	X1D08	2½	1½	2¾x3¾	1¾ and 3	3¼	200	30	45	\$1.80
B-L6549F	(2619)	X1D03—(Case lots 48)									
L6555F	(3619)	X1D44★..	3	1⅞	3⅛x4⅛	2⅜ and 3⅞	3⅞	225	20	34	2.40
B-L6555F	(3619)	X1D37★—(Case lots 36)									
L6565F	(4619)	X2D64....	4	1⅞	4 x5	3 and 4	5	350	16	60	4.40
B-L6565F	(4619)	X2D50—(Case lots 16)									

With "BACO" Wheels—"Durex" Self-Lubricating Bearings

Wheels have composition rubber protective tread. Bolt and nut axles.

Each			Diameter Wheels, ins.	Tread ins.	Size Plate, ins.	Spacing Bolt Holes, ins.	Height Over-all, ins.	Load Capacity, Each, lbs.	No. in Ctn.	Wt. Ctn., lbs.	▲ Each
L6548F	(2616)	X1D08	2½	1½	2¾x3¾	1¾ and 3	3¼	100	30	45	1.80
B-L6548F	(2616)	X1D03—(Case lots 48)									
L6554F	(3616)	X1D44....	3	1⅞	3⅛x4⅛	2⅜ and 3⅞	3⅞	125	20	34	2.40
B-L6554F	(3616)	X1D37—(Case lots 36)									

Loose

STAR ★ DENOTES BEST SELLER

TRUCK CASTERS

BASSICK



**Heavy Duty Boxed Sets
Swivel**

For rough, rugged service in shops, garages, etc. Rust-resisting zinc plating. Strong sintered iron wheel—slightly crowned for easy swiveling. One set of 4 in box.

"Biron" Iron Wheel

Per Set (4)	Wheel Diam., ins.	Top Plate Size, ins.	Per Set (4)
L4726F (2611E) X3D66	2½	2¾x3¾	\$6.10

Six sets in box. Wt. box 36 lbs.

L4727F (3611E) X4D80	3	3½x4½	8.00
----------------------	---	-------	------

Four sets in box. Wt. box 40 lbs.



**Medium Duty Boxed Sets
"Diamond-Arrow" Swivel**

Double ball bearing swivel plate casters for home, school, store and institutional uses. Rust-resisting zinc plated finish.

"Baco" Soft Rubber Tread Wheel

Per Set (4)	Wheel Diam., ins.	Top Plate Size, ins.	Per Set (4)
L4728F (2686-1E) X5D67	2½	2¾x3¾	\$9.45

Six sets in ctn. Wt. ctn. 24 lbs.

L4729F (3686-1E) X7D11	3	2¾x3¾	11.85
------------------------	---	-------	-------

Four sets in ctn. Wt. ctn. 24 lbs.



**Light Duty Boxed Sets
"Diamond-Arrow" Swivel**

Double ball bearing swivel plate casters for utility carts, portable tables, work stands, etc. Rust-resisting zinc-plated finish. One set of 4 in box.

"Baco" Soft Rubber Tread Wheel

Per Set (4)	Wheel Diam., ins.	Top Plate Size, ins.	Per Set (4)
L4730F (H13706E) X4D95	3	2¾x3¾	\$8.25

Four sets in ctn. Wt. ctn. 20 lbs.

**Light Duty Boxed Sets
Rigid Plate**

Designed for use with H13706E swivel casters. Rust-resisting zinc-plated finish. Two in box.

"Baco" Soft Rubber Tread Wheel

Per Box (2)	Wheel Diam., ins.	Top Plate Size, ins.	Per Box (2)
L4731F (H13716E) X1D80	3	2¾x3¾	\$3.00

Four boxes in ctn. Wt. ctn. 8 lbs.

HEAVY DIAMOND ARROW

Full Floating Swivel**Two-Level Ball Race Design**

Quiet easy action on light duty trucks and service trucks in hotels, institutions and stores.

Special high tension alloy metal horn and top plate. Oiler axles. Two-level ball race construction. Single raceway of balls operates on two levels on hardened steel bearing surfaces.

With Baco Roller Bearing Wheels

Each	Diameter Wheel, ins.	Tread ins.	Size Plate, ins.	Spacing Bolt Holes, ins.	Height Over All, ins.	Load Capacity Each, lbs.	No. in Ctn.	Wt. Ctn., lbs.	▲ Each
L6556F (3686/2/1) X2D70...	3	1½	2¾x3¾	1¾ and 3	3½	100	20	29	\$4.50
B-L6556F (3686/2/1) X2D57—(Case lots 36)									
L6566F (4686/2/1) X3D60...	4	1½	3½x4½	2¾ and 3½	5½	125	12	50	6.00
B-L6566F (4686/2/1) X3D42—(Case lots 20)									
L6575F (5686/2/1) X4D08...	5	1½	3½x4½	2¾ and 3½	6½	125	10	60	6.80
B-L6575F (5686/2/1) X3D88—(Case lots 10)									

Stationary

Heavy gauge trussed steel construction for rigidity both in the horn and top plate.

Reinforced design prevents buckling under rough service.

Standard bolts and nuts. All metal parts attractively finished in rust-resisting lacquer. Extremely durable and will not chip or flake off.

With Baco Roller Bearing Wheels

Each	Diameter Wheel, ins.	Tread, ins.	Size Plate, ins.	Spacing Bolt Holes, ins.	Height Over All, ins.	Load Capacity Each, lbs.	No. in Ctn.	Wt. Ctn., lbs.	▲ Each
L6571F (5086/2-1) X3D42....	5	1½	3½x4½	2¾ and 3½	6½	125	10	28¾	\$5.70
B-L6571F (5086/2-1) X3D25—(Case lots 10)									

Loose

TRUCK CASTERS**BASSICK****Stationary**

These Stationary Casters (All Except 2 1/2-inch) Match in Height Swivel Casters of Series "61"

**STEEL—SERIES "38"**

One piece heavy gauge embossed steel. Steel spanner bushing is locked tightly between legs of horn around the axle and prevents possibility of horn bending and binding against hub of wheel.

With Semi-Steel Wheel**Plain Bearing**

Wheels have extra heavy rim section and solid center webbing.

No. 6381 has bolt and nut axle construction. Other numbers have riveted axles.

Each			Diameter Wheel, ins.	Tread, ins.	Size Plate, ins.	Spacing Bolt Holes, ins.	Height Over All, ins.	Load Capacity Each, lbs.	No. in Ctn.	Wt. Ctn., lbs.	▲ Each
L6544F	(2381)	D6C9	2 1/2	1 1/8	2 1/4 x 4 1/2	1 1/8 and 3 15/32	2 7/8	200	30	30	\$1.14
B-L6544F	(2381)	D6C6 —(Case lots 30)									

With "BACO" Wheels—"Durex" Self-Lubricating Bearings

Wheels have composition rubber protective tread.

L6551F	(3386)	X1D20	3	1 5/8	2 1/2 x 5	1 1/8 and 4	3 11/16	100	18	32	2.00
B-L6551F	(3386)	X1D14 —(Case lots 36)									

With "ATLASITE" Wheels—"Durex" Self-Lubricating Bearings

Wheels have composition solid tread.

L6546F	(2389)	D9C4	2 1/2	1 1/8	2 1/2 x 4 1/2	1 1/8 and 3 15/32	2 7/8	200	30	30	1.56
B-L6546F	(2389)	D8C9 —(Case lots 60)									
L5389-F		X3D42	5	2	3 3/4 x 6 5/32	2 1/2 and 5	6 1/4	500	8	36	5.70
Lots of 8		X3D25									

Loose

BASSICK**Swivel****SILENT STEEL—SERIES "H99"**

**Medium Duty—Double Ball Race
Ball Bearing Swivel**

Absolute quiet, easy swiveling and unusually strong.

Heavy gauge steel, specially hardened. By a special projection welding process the top plate and kingpin are welded into one unit, the horn and ball race cup into another and the adjusting nut into a third part—there are no rivets or parts to loosen up to cause poor action, loss of efficiency or caster failure. Extra large diameter ball race gives greater strength and operating efficiency. Hardened steel adjusting nut permits maximum precision adjustment. Fitted with oiler axles and lubrication fittings.

**"Alcore" Aluminum Core Rubber Tread Wheels**

Each			Wheel Diam., ins.	Tread, ins.	Plate Size, ins.	Bolt Hole Spacing, ins.	Height Over-all, ins.	Load Cap. Each, lbs.	No. in Ctn.	Wt. Ctn., lbs.	Each
L4736F	(H5993R-2B)	X9D30	5	2	5 x 5 1/2	4 1/8 x 4 1/2	6 1/2	350	6	42	\$15.50
L4737F	(H6993R-2B)	X10D44	6	2	5 x 5 1/2	4 1/8 x 4 1/2	7 3/8	410	4	32	17.40

Loose

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B. Bridgeport, Conn.

TRUCK LOCKS

BASSICK



These locks provide a simple and effective method of holding caster mounted floor trucks and other portable equipment securely in position.

Ideal for use on scaffolds, portable benches, tool stands, floor trucks, work stands, portable scales, portable conveyors and engine stands, mounted on casters.

Easy to apply—easy to release—out of the way.

An easy downward pressure on the foot lever sets the "shoe" securely in contact with the floor—a very slight upward pressure by the toe, under the foot lever, releases the lock.

Highest quality material, workmanship and finish. The steel cup mounting of brake shoe has a flexible joint so that the 12 inches of locking surface is always in flat contact even on floors that are not level. Springs control the pressure and compensate for variations in floor conditions and over-all heights.



Each	Effective Height for Attaching Plate Above the Floor, ins.	Size of Mounting Plate, ins.	Spacing Bolt Holes, ins.	Size of Bolt Holes, ins.	No. in Ctn.	Wt. lbs.	Suggest for Use with Following Sizes and Types Bassick Casters	▲ Each
✚F/410-F	X7D92 5 5/8	3 7/8 x 5 3/8	2 5/8 and 3 5/8	1 1/16	6	48	4 in. Series "77" and "78"	\$13.20
✚F/550-F	X7D20 Lots of 6							
✚F/550-F	X9D00 7 1/4	4 1/2 x 6	2 1/16 and 4 5/16	1 7/32	4	40	6 in. Series "99," "98," "61," "38"	15.00
✚F/600-F	X8D22 Lots of 4							
✚F/600-F	X9D00 7 3/4	4 1/2 x 6	2 1/16 and 4 5/16	1 7/32	4	40	6 in. Series "77" and "78"	15.00
✚F/800-F	X8D22 Lots of 4							
✚F/800-F	X11D34 10 1/4	5 3/8 x 7 1/4	3 3/8 and 5 1/4	1 7/32	4	60	8 in. Series "77" and "78"	18.90
	X10D32 Lots of 4							

FURNITURE RESTS

BASSICK—NOMAR

Rich brown Atlasite base—will not rust or discolor and is practically unbreakable. Has flexible joint which permits base to remain flat on the floor when furniture is tilted. Spring tension at joint prevents rattle and chatter when furniture is moved.



Socket Top

Made to fit standard 3/8 inch grip neck caster sockets. Slips into socket and is held firmly by heavy spring stem.

Per Set (4)	Dia. of Base, ins.	Wt. box, lbs.	Per ▲ Set (4)
L6479F (NR/2) D6C3	1 1/2	5/16	\$1.05
L6480F (NR/3) D8C3	2	1/2	1.38
L6481F (NR/4) D9C5	2 1/2	5/8	1.58

One set in box.



Drive-On Type

Can be driven on furniture leg without boring holes. Driving tool furnished with each set. Attached as easily as driving a nail.

(NR/20)

Per Set (4)	Dia. of Base, ins.	Wt. per Set, lbs.	▲ Per Set (4)
L6482F D7C0	1 1/2	1/4	\$1.16

One set in box.

FURNITURE GLIDES

BASSICK

Rubber Cushion
Socket Type

Replaces casters on furniture infrequently moved. Broad flat base spreads out weight and protects floors. Easy, quiet, sliding action. Standard 3/8 inch gripneck caster sockets. One set of 4 in box.

Per Set (4)	Diam. Base, ins.	Wt. Ctn., lbs.	Per Set (4)
L4716F (CG-392N) D6C3	1 1/4	12	\$1.05
L4717F (CG-393N) D7C8	1 1/2	15	1.30

25 sets in ctn.

Feltoid Tips



Well suited for use on light chairs, light tables, small radio cabinets and other light pieces of furniture to prevent scratching of polished floors or surfaces. Very resilient but will stand hard wear.

Highest grade felt composition base, crimped and held securely by a steel cup.

With Wood Screws—Four Glides to Set

Per Box	Dia. of Base, ins.	Wt. Box, lbs.	Per ▲ Set (4)
L6465F (FT1E) X3D96	3/4	1/4	\$0.55
L6466F (FT2E) X4D68	1	1 1/2	.65

Ten sets in box.

Sold Only in Full Boxes



Rubber Cushion

The flat bearing surface provides excellent wearing and easy sliding qualities.

Heavy gauge hardened nickel plated steel base. Specially designed live rubber cushion with annular rings to give resiliency and insure quietness. Sharp nail drives easily with a hammer.

Four Glides to Set

Per Box	Dia. of Base, ins.	Wt. Box, lbs.	Per ▲ Set (4)
L6447F (CG90NE) X3D30	7/8	1 3/8	\$0.55
L6448F (CG91NE) X3D90	1 1/16	2 1/2	.65

One set in tube. Ten tubes in box.

L6449F (CG92N) X3D18	1 1/4	1 3/8	.88
Six sets in box.			
L6450F (CG93N) X1D98	1 1/2	3 3/8	1.10
Three sets in a box.			

Sold Only in Full Boxes

CHAIR AND FURNITURE GLIDES

DOMES OF SILENCE



Made of hardened steel. Easily attached with hammer to light or heavy furniture.


Assortment: Consists of one-third gross sets assorted one dozen sets each $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, and $\frac{7}{8}$ inch. In a handsome lithographed cardboard counter display box. Each set of 4 in an individual carton.

HEAVILY NICKEL PLATED FINISH

Per Asst.

L6451F (D19) X3D00

One asst. in box. Wt. box. $2\frac{1}{2}$ lbs.



Open Stock

Set of (4)	Dia. ins.	Wt. Ctn., lbs.	Set of (4)
L6453F (DS $\frac{1}{2}$) D6C $\frac{1}{2}$	$\frac{1}{2}$	2	\$0.10
L6454F (DS $\frac{5}{8}$) D6C $\frac{1}{2}$	$\frac{5}{8}$	$2\frac{1}{4}$	.10
L6455F (DS $\frac{3}{4}$) D6C $\frac{1}{2}$	$\frac{3}{4}$	3	.10
L6456F (DS $\frac{7}{8}$) D6C $\frac{1}{2}$	$\frac{7}{8}$	$4\frac{1}{4}$	.10
L6457F (DS1 $\frac{1}{8}$) D9C $\frac{1}{2}$	$1\frac{1}{8}$	$6\frac{1}{4}$	.15

One set of four in a package.

Twelve pkgs. in ctn.

DOMES OF SILENCE

Noiseless in action. Glides softly, smoothly and silently over all floors without damage.



Hardened steel base. Single pin with $\frac{1}{4}$ inch insulated rubber cushion.

One Set of 4 on a Display Card

HEAVILY NICKEL PLATED FINISH

Per Card	Size ins.	Wt. Ctn. lbs.	Per Card
L6460F (DS89) D1C8★	$\frac{5}{8}$	2	\$0.30
L6461F (DS89 $\frac{3}{4}$) D2C1★	$\frac{3}{4}$	$2\frac{1}{4}$	.35
L6462F (DS90) D2C4★	1	$2\frac{1}{2}$	.40
L6463F (DS91) D2C7	$1\frac{1}{16}$	$2\frac{3}{4}$	.45
L6464F (DS92) D3C0	$1\frac{1}{4}$	3	.50

Twelve cards in ctn.

Sold Only in Full Cartons



Eight glides on a card. $\frac{3}{4}$ inch diameter.

STAINLESS STEEL

Per Card	Per Card
L6458F ($\frac{3}{4}$) D2C7.....	\$0.40

Twelve cards in box. Wt. box 8 ozs.

Sold Only in Full Boxes

STAR ★ DENOTES BEST SELLER

MONOPOINT BRAND



Case hardened; single prong, hollow head. Points are sharp and easily driven.

NICKEL PLATED FINISH

Per Box	Dia. ins.	Wt. box, ozs.	Per Set (4)
L6474F (MG $\frac{1}{2}$) D3C4	$\frac{1}{2}$	6	\$0.05
L6475F (MG $\frac{5}{8}$) D4C2	$\frac{5}{8}$	$7\frac{1}{2}$	.05
L6476F (MG $\frac{3}{4}$) D5C2	$\frac{3}{4}$	8	.05
L6477F (MG $\frac{7}{8}$) D6C4	$\frac{7}{8}$	18	.05

Twenty-five sets in box.

Sold Only in Full Boxes

H. O.



Made of heavy gauge steel. Three prongs; will not break off or split furniture legs. Apply with hammer.

H. O. GRADE

Heavy gauge, non-breakable prongs.

NICKEL PLATED FINISH

Per Box	Dia. ins.	Wt. Box, lbs.	Per Set (4)
L6468F (HOB $\frac{1}{2}$) X1D55	$\frac{1}{2}$	$3\frac{1}{2}$	\$0.05
L6469F (HOB $\frac{5}{8}$) X1D90	$\frac{5}{8}$	5	.05
L6470F (HOB $\frac{3}{4}$) X2D10	$\frac{3}{4}$	6	.05
L6471F (HOB $\frac{7}{8}$) X2D50	$\frac{7}{8}$	7	.05

100 sets in box.

L6472F (HOB1 $\frac{1}{8}$) X1D84	$1\frac{1}{8}$	13	.10
------------------------------------	----------------	----	-----

Fifty sets (4) in box.

Sold Only in Full Boxes

FURNITURE CASTERS

Ball Caster Products



Roll-A-Weight

Ball bearing. $\frac{1}{2}$ inch ball, $\frac{3}{4}$ inch top. Nickel hardened steel. Three prongs nail firmly into bottom of furniture legs. Rolls easy.

4 on a colorful card.

Per Box	Per Card
L6483F (816) X3D00.....	\$0.49

One set (4) on card.

Twelve cards in box. Wt. box 2 lbs.

Sold Only in Full Boxes

MERCHANDISER ACCESSORIES

SHELF STANDARD
AND SUPPORTS

For Show Cases, etc.

Strength tested to 70 lbs. Supports fit tight and secure. Easily installed without grooving wood. Shelves adjustable by $\frac{1}{2}$ inch.

Standard $1\frac{3}{16} \times \frac{3}{16}$ inch. Supports $1 \times 1\frac{3}{16}$ inches.

WROUGHT STEEL

STANDARDS

NICKEL PLATED FINISH

Each			Lgth., ins.	Wt. Each, lbs.	Each
L5465F	(233/3)	D1C8	36	$\frac{5}{8}$	\$0.30
L5464F	(233/4)	D2C4	48	$\frac{3}{4}$	.40
L5463F	(233/6)	D3C5	72	$1\frac{1}{4}$	.55

SUPPORTS

Size $1 \times 1\frac{3}{16}$ inches.

Each			Each
L5435F	(237)	D0C2	\$0.05
Wt. each $\frac{1}{2}$ oz.			

ADJUSTABLE SHELF
STANDARDS

Sturdy keyhole standard permits $1\frac{1}{8}$ inch adjustments of brackets. Brackets insert in keyholes and fasten securely with thumb screws.

NICKEL PLATED FINISH

Each			Lgth., ins.	Wt. Pkg., lbs.	Each
L5466F	(51/21 $\frac{1}{2}$)	D4C3 $\frac{1}{2}$	20	20	\$0.65
L5472F	(51/3)	D5C3	36	20	.80
L5467F	(51/3 $\frac{1}{2}$)	D6C1	42	25	.90
L5468F	(51/4)	D6C9 $\frac{1}{2}$	48	25	1.00
Ten in pkg.					

SHELF STANDARDS
AND SUPPORTS
KNAPE & VOGT

For flush or surface mounting. Flat surface, square edge. Numbered every inch for alignment of shelves.

Shows less metal and is not as conspicuous as wider standards.

Screw holes spaced 6 inches on centers. Width $\frac{5}{8}$ inch. Height $\frac{3}{16}$ inch. $\frac{1}{2}$ inch adjustment. $\frac{5}{8}$ inch screw type nails furnished.

Cold rolled steel.

Standards

Nickel Plated Finish

(255)

Each			Length, in.	Wt. each, lbs.	Each
L5459F	D1C8		36	$\frac{1}{2}$	\$0.30
L5460F	D2C4		48	$\frac{3}{4}$	.40
L5461F	D3C5		72	1	.55

SUPPORTS

Fit 233 and 255 Standards

Nickel Plated Finish

(256)

Each			Size, in.	Wt. each, ozs.	Each
L5550F	D0C2 $\frac{1}{2}$		$\frac{3}{4} \times \frac{9}{16}$	$\frac{1}{4}$	\$0.05

ADJUSTABLE SHELF
BRACKETS

For use with adjustable shelf standards No. 51. $\frac{1}{2}$ inch wide. Loose locking nut and bolt provide easy adjustment on above standards.

NICKEL PLATED FINISH

(52)

Each			For Shelves, ins.	Wt. Box, lbs.	Each
L5430F	D3C2 $\frac{1}{2}$		8	$5\frac{1}{2}$	\$0.50
L5431F	D3C4		10	$7\frac{1}{2}$	.52
L5432F	D3C6 $\frac{1}{2}$		12	$9\frac{1}{2}$	.55
L5433F	D4C1		14	13	.65
L5449F	D4C4		16	16	.70

Twenty-five in box.



For use with adjustable shelf standards No. 51.

All steel construction. Knurled locking nut and bolt provide easy adjustment and installing.

BRIGHT NICKEL FINISH

Each			Lgth, ins.	Angle	Wt. Box, lbs.	Each
L5548F	D6C0		14	30°	15	\$1.00
L5549F	D6C0		14	45°	15	1.00

Twenty in box.

MERCHANDISER ACCESSORIES SHOWCASE STANDARDS



PEERLESS

Distinctive and modern in design. Cold rolled steel. Open top and slotted for adjustments.

1 inch Adjustments

SATIN NICKEL FINISH

Each		Lgth., ins.	Width ins.	Wt. Pkg., lbs.	Each
		(80/3)			
L5469F	D5C2	36	$\frac{3}{4}$	7 $\frac{1}{2}$	\$0.85
		(80/3 $\frac{1}{2}$)			
L5470F	D6C2	42	$\frac{3}{4}$	8 $\frac{3}{4}$	1.00
		(80/4)			
L5471F	D7C2	48	$\frac{3}{4}$	10	1.15

Ten in pkg.

SHOWCASE STANDARD BRACKETS

PEERLESS



Fastens to standard with unique patented friction grip, which insures a firm and square hold with perfect alignment of shelves.

Cold rolled steel. Beltless.

For No. 80 Standards

SATIN NICKEL FINISH

(180)

Each		Lgth., ins.	Wt. Box, lbs.	Each
L5436F	D3C3	8	2 $\frac{1}{8}$	\$0.50
L5437F	D3C7 $\frac{1}{2}$	10	3	.60
L5438F	D4C2	12	7 $\frac{1}{2}$	.65
L5439F	D4C7	14	10	.75

Ten in box.

PERFORATED BOARD FIXTURE NUMBER COMPARATIVE CHART

FOR 1/8 INCH PERFORATED BOARD

Shapleigh	Turnbuckles	Handy-Hook	Butler
L5187F.....	TA1	SL1	F2
L5188F.....	TA2	SL26	F86
L5189F.....	TA3	SL3	F88
L5190F.....	TA4	SL4	F92
L5191F.....	TA5	SL5	
L5192F.....	TA7	SL7	
L5193F.....	TA10	SL10	
L5194F.....	TA11	SL11	
L5195F.....	TA16	SL16	F2C
L5196F.....	TA17	SL17	F26
L5197F.....	TA18	SL18	
L5198F.....	TA27	SL27	
L5199F.....	TA34	SL34	F1D
L5200F.....	TA37	SL37	F28
L5201F.....	TA38	SL38	
L5202F.....	TB2	SC2	F5R
L5203F.....	TB3	SC3	F5S
L5204F.....	TB6	SC6	
L5251F.....	TB14	SC14	F55
L5252F.....	TC2	SR2	
L5266F.....	TC4	SR4	F28B
L5269F.....	TC9	SR9	
L5272F.....	TD5	SX5	
L5278F.....	TE1	D1L1	F32S
L5280F.....	TE2	D1L2	F4
L5282F.....	TE3	D1L3	F3
L5283F.....	TE6	D1L6	F36
L5284F.....	TE7	D1L7	F37
L5325F.....	TE13	D1L43	F74
L5326F.....	TE14	D1L44	F76
L5334F.....	TE15	D1L45	F78
L5340F.....	TE34	D1L34	F29S
L5341F.....	TE35	D1L35	F9A
L5355F.....	TH3	D2L3	F72D
L5356F.....	TH5	D2L5	
L5357F.....	TH8	D2L8	F74D
L5358F.....	TQ1	D10R1	F23
L4934F.....	TU1	D1T1	F24
L4935F.....	TU2	D1T2	F24
L5379F.....	TU3	HL3	F45
L5385F.....	TU5	3/8 in. Spacers	F50
L5387F.....	TU6	1 in-8 Screws	F51
L4936F.....	TU7	SPB	F44
L5406F.....	TZ1	Tr. Legs	PL2

FOR 1/4 INCH PERFORATED BOARD



Shapleigh	Turnbuckles	Handy-Hook	Butler
L4934F.....	TU1	D1T1	F24
L4935F.....	TU2	D1T2	F24
L4936F.....	TU7	SPB	F44
L4937F.....	TV1	HSL1	H123
L4938F.....	TV2	HSL2	H124
L4939F.....	TV3	HSL3	H250
L4940F.....	TV4		
L4941F.....	TV7	HSL7	H125
L4942F.....	TV8		H178
L4943F.....	TV9		
L5083F.....	TV10		
L5084F.....	TW1	HD1L1	H100S
L5085F.....	TW2	HD1L2	H101S
L5086F.....	TW3	HD1L3	H102S
L4886F.....	TW4	HD1L4	H100D
L5174F.....	TW5	HD1L5	H101D
L5175F.....	TW6	HD1L6	H102D
L5176F.....	TW7	HD2L9	H200D
L5177F.....	TW8	HD2L8	H201D
L5178F.....	TW9	HD2L7	H202D
L5179F.....	TW10		
L5180F.....	TX1	HSC1	H251
L5181F.....	TX2		H257
L5182F.....	TX3		H255
L5183F.....	TY2	HL4	H145
L5184F.....	TY3	HD1L7	H1D
L5185F.....	TY4	HD1L8	H2D
L5186F.....	TY5	HD1L9	H3D

PERFORATED BOARD FIXTURES

TURNBUCKLES, INC.


Heavy Duty for 1/4 inch Perforated Board

No. 4 Gauge Wire—Bright Zinc Plated




TW-7
TW-8
TW-9
TW-10

TV-1
TV-2




TU-7




TV-3




TX-1



TV-4




TX-2-3



TV-7




TY-2






TV-8
TV-9
TV-10



TW-1
TW-2
TW-3



TW-4
TW-5
TW-6



TY-3
Double
8 Notch
RackTY-5
Single
8 Notch
RackTY-4
Double
6 Notch
Rack

Per Box	Size, in.	Width	Height	No. in Pkg.	Wt. lbs.	Pkg. Per Box
L4934F (TU1)	X1D08	3	1 1/16	30	1	\$1.80
L4935F (TU2)	D9C0	1 1/2	1 1/16	30	1	1.50
L4936F (TU7)	X2D10			100	1	3.50


Each	Size, in.	Lgth.	Width	Ht.	No. in Pkg.	Wt. lbs.	Pkg. Each
L4937F (TV1)	D1C9	7 3/8		3 1/8	10	2 1/2	.32
L4938F (TV2)	D2C4	11 3/4		4 1/4	10	3 1/2	.40
L4939F (TV3)	D0C2	1 1/2		1 5/8	50	2 1/2	.035
L4940F (TV4)	D0C3	2 1/2		1 3/8	20	1 1/4	.05
L4941F (TV7)	D3C6	15		6 3/8	10	5	.60
L4942F (TV8)	D1C4	8	1	1 3/8	20	3 1/2	.23
L4943F (TV9)	D1C1 1/2	6	1	1 3/8	20	3	.19
L5083F (TV10)	D1C0	4	1	1 3/8	20	2 1/2	.16
L5084F (TW1)	D1C4 1/2	8 3/8	1	1 1/2	10	1 3/4	.24
L5085F (TW2)	D1C2	5 3/8	1	1 1/2	20	3	.20
L5086F (TW3)	D1C0	3 3/8	1	1 1/2	20	2 1/2	.16
L4886F (TW4)	D1C9	8 3/8	1	1 1/2	10	2 1/2	.32
L5174F (TW5)	D1C6	5 3/8	1	1 1/2	10	2	.26
L5175F (TW6)	D1C3	3 3/8	1	1 1/2	10	1 1/2	.22
L5176F (TW7)	D2C0	8 3/8	2	1 1/2	10	2 3/4	.33
L5177F (TW8)	D1C6	5 3/8	2	1 1/2	10	2	.27
L5178F (TW9)	D1C4	3 3/8	2	1 1/2	10	1 1/2	.23
L5179F (TW10)	D1C3	2 1/2	2	1 1/2	10	1 1/4	.22
L5180F (TX1)	D0C2	9/16		1 1/4	50	2	.035
L5181F (TX2)	D0C4	1 5/8		2	20	1 1/4	.06
L5182F (TX3)	D0C4	2 1/8		2	20	1 1/2	.06 1/2
L5183F (TY2)	D0C1	1			250	1/4	.015
L5184F (TY3)	X2D04	18	1	5 3/4	1	2	3.40
L5185F (TY4)	X1D80	12	1	5 3/4	1	1 1/2	3.00
L5185F (TY5)	X1D68	18	1	5 3/4	1	1	2.80

PERFORATED BOARD FIXTURES

TURNBUCKLES, INC.

For 1/8 inch Perforated Board
No. 9 Gauge Wire—Bright Zinc PlatedTC-1
TC-2
TC-3
TC-9TA-2
TA-3
TA-4
TA-26
TA-34


TC-4




TE-35

TA-5
TA-8
TA-10
TA-11



TD-5




TQ-1



TA-7

TE-1
TE-34TU-1
TU-2TA-17
TA-18
TA-27

TE-2



TU-3

TU-6

TA-35
TA-36
TA-37
TA-38

TE-3





TU-5


3/8" SPACER

TE-5
TE-6
TE-7

TU-7

TB-2
TB-6
TB-17TE-13
TE-14

TB-3



TZ-1

SCREWS FURNISHED
TRIANGULAR LEGS FOR FRAMED PANELS
SOLD IN PAIRS

16 GA. POLISHED TUBING

TB-13
TB-14
TB-21TE-13
TE-14
TE-15


Per Box			Lgth.	Size, In. Width	Ht.	No. in Pkg.	Wt. lbs. Pkg.	Per Box
L5187F	(TA1)	X1D02	1½		1⅝	100	2	\$1.70
L5188F	(TA2)	X2D70	5¾		1	30	2½	4.50
L5189F	(TA3)	X2D28	7⅝		2	20	2	3.80
L5190F	(TA4)	X1D86	11¾		3	10	1½	3.10
L5191F	(TA5)	X1D14	1¼		1⅜	100	2	1.90
L5192F	(TA7)	X1D08	¾		1⅜	100	1½	1.80
L5193F	(TA10)	X1D50	2⅝		1⅜	100	2¾	2.50
L5194F	(TA11)	X1D44	2		1⅜	100	2¼	2.40
L5195F	(TA16)	D9C0	⅞		1⅝	100	1½	1.50
L5196F	(TA17)	X1D72	2⅞		1⅜	100	2¾	2.70
L5197F	(TA18)	X1D05	5½		1⅜	50	2	1.75
L5198F	(TA27)	D9C0	4½		1⅜	50	1¾	1.50
L5199F	(TA34)	X1D44	9		2	10	1¼	2.40
L5200F	(TA37)	X2D10	1	1¼	1⅜	50	1¼	3.50
L5201F	(TA38)	X2D10	1	1⅙	1⅜	50	1¼	3.50
L5202F	(TB2)	D9C0	½		1⅜	100	1½	1.50
L5203F	(TB3)	D8C4	¼		1¼	100	1¼	1.40
L5204F	(TB6)	X1D14	¾		2	100	2	1.90
L5251F	(TB14)	X1D68	2¼		2¼	100	3	2.80
L5252F	(TC2)	X2D10	1½		1⅜	50	1½	3.50
L5266F	(TC4)	X1D80	½		3⅝	50	2½	3.00
L5269F	(TC9)	X2D25	2¼		1⅜	50	2	3.75
L5272F	(TD5)	X3D00	¾		1⅜	50	2	5.00
L5278F	(TE1)	X4D20	4	1	1⅜	50	2¾	7.00
L5280F	(TE2)	X2D88	4¼	1	1¼	40	3	4.80
L5282F	(TE3)	X2D16	3	1	1½	30	1¾	3.60
L5283F	(TE6)	X1D80	4	1	1⅜	20	1½	3.00
L5284F	(TE7)	X2D16	6	1	1⅜	20	1¾	3.60
L5325F	(TE13)	X4D20	4	1	1⅜	50	2½	7.00
L5326F	(TE14)	X1D80	5⅝	1	1⅜	20	1¼	3.00
L5334F	(TE15)	X1D92	8	1	1⅜	20	1½	3.20
L5340F	(TE34)	X1D80	5⅝	1	1⅜	20	1¼	3.00
L5341F	(TE35)	X1D20	1½	1	2⅞	10	1	2.00
L5355F	(TH3)	X2D34	1½	2	1⅜	30	1½	3.90
L5356F	(TH5)	X2D52	2½	2	1⅜	30	1¾	4.20
L5357F	(TH8)	X1D92	4¼	2	1⅜	20	1½	3.20
L5358F	(TQ1)	X3D18	1½	10	2½	10	3	5.30
L4934F	(TU1)	X1D08		3	1⅙	30	1	1.80
L4935F	(TU2)	D9C0		1½	1⅙	30	1	1.50
L5379F	(TU3)	X1D05	⅝			250	¼	1.75
L5385F	(TU5)	D9C0		⅝		100	¾	1.50
L5387F	(TU6)	D9C0	1¼			100	½	1.50
L4936F	(TU7)	X2D10				100	1	3.50

TRIANGULAR LEGS FOR FRAMED PANELS

16-Gauge Polished Tubing

Per Pair	Pr. in Pkg.	Wt. Pkg. lbs.	Per Pair
L5406F (TZ1) X3D84	1	1¼	\$6.40

PERFORATED BOARD FIXTURES MERCHANDISERS (DISPLAY ASSORTMENTS) TURNBUCKLES, INC.



**For 1/8 inch Perforated Board
No. 9 Gauge Wire—Bright Zinc Plated
Includes Fixtures, Boards and Kits.**

Sturdy, compact, attractively lithographed, self-service merchandiser 24 inches wide by 21 inches deep by 54 inches high. Marked for proper placement of fixture samples. Perforated board fits in back section.

Assortment includes 21 of the most popular sizes and types of fixtures (11 in transparent bags and 10 in open stock packages), 5 of the popular workshop kit and 4 convenient sizes of 1/8 inch perforated board as listed below.

Contents (See Open Stock Listing) Fixtures in Transparent Bags

No. Bags	No.	Per Bag	No. Bags	No.	Per Bag
10	TA1B	\$0.29	10	TB6B	\$0.29
10	TA11B	.29	10	TB14B	.29
10	TA16B	.29	10	TB18B	.29
10	TA36B	.29	10	TC2B	.29
10	TA37B	.29	10	TU19B	.29
10	TB2B	.29			

Fixtures in Open Stock Packages

Qty.	No.	Each	Qty.	No.	Each
20	TA3	\$0.12	10	TE35	\$0.17
50	TD5	.10	30	TH5	.12
40	TE2	.14	20	TH8	.14
30	TE3	.13	10	TQ1	.53
20	TE14	.13	10 Pkg.	TU3	.19 Pkg.

Workshop Kits

Qty.	No.	Per Kit
5	K20	\$1.62

Perforated Board

Qty.	Size Ft.	Per Sq. Ft.
6	2x2	\$0.25
3	2x3	.25
4	1x4	.25
4	2x4	.25

Per Asst.	Per Asst.
✱K4-F X65D00	\$97.50

One Asst. in two ctns. Wt. 170 lbs.

Items marked ✱ not carried in stock. Can only be furnished by shipping direct from factory. F.O.B. Grand Beach, Mich.

PERFORATED BOARD FIXTURE MERCHANDISERS (DISPLAY ASSORTMENTS) TURNBUCKLES, INC.



**For 1/8 inch Perforated Board
No. 9 Gauge Wire—Bright Zinc Plated**

Takes only 16x20 inches of counter space. Sturdy, attractive heavy-fibre display box. 16x19 inch piece of 1/8 inch perforated board included—can be fitted into back of box to display fixtures and literature rack (folders furnished with assortment).

Contents (See Open Stock Listing)

Qty.	No.	Each	Qty.	No.	Each
100	TA1	\$0.02	20	TE2	\$0.14
20	TA2	.10	20	TE3	.13
50	TA11	.02	10	TE6	.13
100	TB2	.02	10	TE35	.17
100	TB3	.02	10	TH3	.11
50	TB6	.02	10	TH5	.14
50	TB14	.03	5	TQ1	.53
30	TC9	.07	500	TU3	.19 Pkg.
30	TD5	.10	100	TU5	.02

Per Asst.	Per Asst.
4-K2-F X21D15	\$35.25

One Assortment in ctn. Wt. ctn. 26 lbs.

PERFORATED BOARD FIXTURE KITS TURNBUCKLES, INC.



**For 1/8 inch Perforated Board
No. 9 Gauge Wire—Bright Zinc Plated
For the Workshop**

Contents (See Open Stock Listing)


Qty.	No.	Qty.	No.	Qty.	No.
6	TA1	2	TD5	25	TU3
6	TB2	2	TH8	6	TU5
2	TB14	1	TQ1	6	TU6

(K20)

Per Kit	Per Kit
L5407F X1D00	\$1.66

One Kit in ctn. Wt. ctn. 1 1/4 lbs.

MERCHANDISER ACCESSORIES DISPLAY PEG BOARDS



HARDBOARD

Peg Board—Brown masonite. For easy and quick arrangement of hooks for every need. Keep everything in its place and easy to find. Easily installed.

For 1/8 inch Board with 3/16 inch Holes, One inch Centers

Each		Size, ins.	No. in Ctn.	Wt. Ctn., lbs.	Each
O-2424 1/8-F	D6C6	24x24	10	37	\$1.00
O-2436 1/8-F	X1D00	24x36	10	60	1.50
O-2448 1/8-F	X1D32	24x48	10	74	2.00
✚-2472 1/8-F	X2D05	24x72	10	97	3.10
✚-2496 1/8-F	X2D70	24x96	10	150	4.10
O-3648 1/8-F	X1D98	36x48	10	56	3.00
O-4848 1/8-F	X2D84	48x48	10	150	4.30
✚-4872 1/8-F	X3D95	48x72	10	200	6.00
✚-4896 1/8-F	X5D25	48x96	6	173	7.95
✚-48144 1/8-F	X7D90	48x144	6	259	11.95

NOTE—For less than Full Cartons Add X2D50 per Lot for Packing.

For 1/4 inch Board with 1/4 inch Holes, One inch Centers

Each		Size, ins.	No. in Ctn.	Wt. Ctn., lbs.	Each
✚-2424 1/4-F	X1D12	24x24	5	30	\$1.65
✚-2436 1/4-F	X1D65	24x36	5	40	2.50
✚-2448 1/4-F	X2D15	24x48	5	60	3.25
✚-2472 1/4-F	X3D35	24x72	5	90	5.10
✚-2496 1/4-F	X4D14	24x96	5	120	6.25
✚-3648 1/4-F	X3D35	36x48	5	90	5.10
✚-4848 1/4-F	X4D14	48x48	5	120	6.25
✚-4872 1/4-F	X6D65	48x72	3	108	10.00
✚-4896 1/4-F	X8D85	48x96	3	144	13.50
✚-48144 1/4-F	X13D30	48x144	5	360	19.95

NOTE—For Less than Full Cartons Add X2D50 per Lot for Packing.

Sold Only in Full Cartons

DISPLAY BOARD ASSORTMENTS

MIDWEST

1/8 inch thick

Quantity	Size	Each Retail
6	24x28	\$2.25
5	24x36	1.65
13	12x24	.60
16	6x24	.30


40 Boards

▲Per
Asst.

Per Asst. ✚-HB-F X20D65.....\$34.35

One asst. in ctn. Wt. ctn. 90 lbs.

DISPLAY BOARDS AND HOOK SETS



Brown masonite display board 6x24 inches. For easy and quick arrangement of hooks for every need. Easily installed.

Complete with bright steel cadmium plated hooks, spacers and screws as follows:
5 only L6793F (SC2) Hooks.
5 only L6792F (SL1) Hooks.
10 only L6908F (HL1) Hooks.
2 only L6810F (KC1) Hooks.
4 only L6811F (SP 3/8) Spacers.
4 only screws.

Complete Sets

Per Set

4-100-F D6C5.....

Per Set

\$1.00

Twelve sets in ctn. Wt. ctn. 15 lbs.

Sold Only in Full Cartons

PERFORATED BOARD FIXTURES

MASONITE PEG-BOARD



1/4 inch Heavy Duty—Carded

Bright Zinc Plated

Wall Model Dispenser Display


Takes less than 4 square feet of wall space and includes twelve cards each of the seven fixtures listed below plus two free F2C hooks for 1/8 inch board and two free H250 small straight hooks for 1/4 inch board.

Per Display

Per Display

†901-F X28D75.....\$48.00

One display in ctn. Wt. ctn. 34 lbs.




Shows wall model display used with 801 merchandiser


INDIVIDUAL FIXTURES




C-173




C-173-D



C-175




No. C188—A 7 13/16 in. B 2 1/4 in.



C-250



C-251




C-257

Per Card	No. on Card	Wt. Ctn., lbs.	Per Card
3-inch Single Straight Arm Hook			
L4481F (C173) D3C5	3	43	\$0.55
3-inch Double Straight Arm Hook			
L4483F (C173D) D3C5	2	50	.55
5-inch Single Straight Arm Hook			
L4518F (C175) D3C5	3	50	.55
8-inch Shelf Bracket			
L4519F (C188) D4C5	2	53	.70
Small Straight Hook with Stabilizer			
L4574F (C250) D3C5	8	49	.55
Small Loop Hook with Stabilizer			
L4494F (C251) D3C5	10	52	.55
Large Loop Hook with Stabilizer			
L4506F (C257) D3C5	7	49	.55

Twelve cards in pkg. Ten pkgs. in ctn.

PEG BOARD AND HOOK MERCHANDISERS

MASONITE



Floor Dispenser

234 assorted cards and bubbles of 23 different peg-board fixtures.
6 each 46 piece utility starter sets.

24 unpainted 1 1/4 in. tempered Presdwood shelves in two sizes—
5 3/4 in. x 11 3/4 in. and 7 3/4 in. x 11 3/4 in.

18 genuine peg-board panels made of 1/8 in. masonite tempered
Duolux with neutral grey primecote on one side. 6 panels each size
24x24 in., 21x36 in. and 24x48 in.

Bubble Cards

150 Small Fixture Cards

Qty. Cards	No.	Item
6	C2	1 in. single hook
18	C2C	1 1/2 in. single hook
18	C5R	1 1/2 in. single loop hook
6	C5S	1/4 in. single hook
6	C5X	1/4 in. single loop hook
6	C5Z	1 in. single loop hook
6	C28	Plier holder
18	C28AB	Single tool holders
6	C50-51	1 1/4 in. spacer, screw
6	C57	1 1/2 in. single loop hook
6	C60	Hanger clip
6	C62L	Large tool holder
6	C62S	Small tool holder
18	C72	2 in. single hook

84 Large Fixture Cards

Qty. Cards	No.	Item
6	C3	3 in. double loop hook
6	C4	5 in. double loop hook
18	C72D	2 in. double hook
6	C74	4 in. single hook
6	C74D	4 in. double hook
6	C76	6 in. single hook
18	C86	5 3/4 in. shelf brackets
18	C88	7 3/4 in. shelf brackets
6	C101	Starter utility sets

Per Display

✚801-F X83D75

One Display in ctn. Wt. ctn. 90 lbs.



Counter Dispenser

Width 26 1/2 ins. Depth 24 ins. Height 36 ins.

90 assorted cards and bubbles of 15 different peg-board fixtures.

6 utility starter sets, 46 pieces each.

6 genuine peg-board masonite tempered Duolux panels with neutral
grey Primecote on one side.

168 assorted genuine peg-board fixtures of 12 different kinds.

Bubble Cards

90 Assorted Small Fixtures

Qty. Cards	No.	Item
6	C2	1 in. single hook
6	C2C	1 1/2 in. single hook
6	C5R	1 1/2 in. single loop hook
6	C5S	1/4 in. single loop hook
6	C5X	1/4 in. single loop hook
6	C5Z	1 in. single loop hook
6	C28	Pliers holder
6	C28AB	Single tool holder
6	C50-51	Spacer and 1 1/4 in. screw
6	C57	1 1/2 in. single loop hook
6	C60	Hanger clip
6	C62L	Large tool holder

168 Assorted Fixtures in Self-Service Tray

Qty. Fixtures	No.	Item
12	F3	3 in. double loop hook
12	F4	5 in. double loop hook
12	F13	6 in. hang bar
12	F23	Multiple tool holder
12	F25	6 in. metal shelf
12	F27	4 1/2 in. shelf bracket
12	F72D	2 in. double hook
24	F74	4 in. single hook
12	F74D	4 in. double hook
24	F76	6 in. single hook
12	F86	5 3/4 in. shelf bracket
12	F88	7 3/4 in. shelf bracket

Per Display

✚811-F X52D75

One Display in ctn. Wt. ctn. 45 lbs.

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Bellwood, Illinois, freight prepaid.

PEG BOARD FIXTURES

ON DISPLAY CARDS

B. B. BUTLER MFG. CO.



(C2)



(C2C)



(C3)



(C4)



(C5R)



(C5S)



(C5X)



(C5Z)



(C28)



(C28AB)



(C50-51)



(C57)



(C60)



(C62L)



(C62M)



(C62S)



(C72)



(C72D)



(C74)



(C74D)



(C76)



(C86)



(C88)



(C101)

For 1/8-inch Peg Board

Per Card			Qty.	Wt.	
			Size, on	Ctn., Per	
			ins.	Card	lbs. Card
L5150F (C2)	D2C1	Single Hook	1	10	2 1/2 \$0.39
L5151F (C2C)	D2C1	Single Hook	1 1/2	10	2 1/2 .39
L5152F (C3)	D2C1	Double Loop Hook 3	2	2 3/8	.39
L5153F (C4)	D2C1	Double Loop Hook 5	2	2 5/8	.39
L5154F (C5R)	D2C1	Single Loop Hook 1/2	12	2 9/16	.39
L5155F (C5S)	D2C1	Single Loop Hook 1/4	12	2 3/8	.39
L5156F (C5X)	D2C1	Single Loop Hook 1/4	15	2 3/8	.39
L5157F (C5Z)	D2C1	Single Loop Hook 1	10	2 5/8	.39
L5158F (C28)	D2C1	Pliers Holder	—	3	1 1/2 .39
L5159F (C28AB)	D2C1	Single Tool Holders (1—7/8 in., 2—1/8 in.)	3	1 11/16	.39
L5160F (C50-51)	D2C1	Spacer & Screw	1 1/4	6	1 3/8 .39
L5161F (C57)	D2C1	Single Loop Hook 1 1/2	7	2 5/16	.39

Per Card			Qty.	Wt.	
			Size, on	Ctn., Per	
			ins.	Card	lbs. Card
L5162F (C60)	D2C1	Hanger Clip	—	6	1 3/8 \$0.39
L5163F (C62L)	D2C1	Tool Holder, Large	2	1 3/8	.39
L5164F (C62M)	D2C1	Tool Holder, Medium	2	1 3/8	.39
L5165F (C62S)	D2C1	Tool Holder, Small	2	1 1/16	.39
L5166F (C72)	D2C1	Single Hook	2	4	1 7/8 .39
L5167F (C72D)	D2C1	Double Hook	2	3	2 7/8 .39
L5168F (C74)	D2C1	Single Hook	4	3	2 3/8 .39
L5169F (C74D)	D2C1	Double Hook	4	2	2 5/8 .39
L5170F (C76)	D2C1	Single Hook	6	3	2 3/4 .39
L5171F (C86)	D2C1	Shelf Bracket	5 3/4	2	2 1/4 .39
L5172F (C88)	D2C1	Shelf Bracket	7 3/4	2	2 5/8 .39
L5173F (C101)	D5C3 1/2	Starter Assortment	46	4 3/8	.89

Twelve cards in ctn. (except C101, ten cards in ctn.)

PERFORATED BOARD FIXTURES

MASONITE PEG-BOARD



$\frac{1}{4}$ inch Heavy Duty—Carded

Bright Zinc Plated

Wall Model Dispenser Display


Takes less than 4 square feet of wall space and includes twelve cards each of the seven fixtures listed below plus two free F2C hooks for $\frac{1}{8}$ inch board and two free H250 small straight hooks for $\frac{1}{4}$ inch board.

Per Display

Per Display

✚901-F X28D75.....\$48.00

One display in ctn. Wt. ctn. 34 lbs.




Shows wall model display used with 801 merchandiser


INDIVIDUAL FIXTURES




C-173




C-173-D




C-175




No. C188—A $7\frac{13}{16}$ in. B $2\frac{1}{4}$ in.



C-250



C-251



C-257

Per Card	No. on Card	Wt. Ctn., lbs.	Per Card
3-inch Single Straight Arm Hook			
L4481F (C173) D3C5	3	43	\$0.66
3-inch Double Straight Arm Hook			
L4483F (C173D) D3C5	2	50	.66
5-inch Single Straight Arm Hook			
L4518F (C175) D3C5	3	50	.66
8-inch Shelf Bracket			
L4519F (C188) D4C5	2	53	.84
Small Straight Hook with Stabilizer			
L4574F (C250) D3C5	8	49	.66
Small Loop Hook with Stabilizer			
L4494F (C251) D3C5	10	52	.66
Large Loop Hook with Stabilizer			
L4506F (C257) D3C5	7	49	.66

Twelve cards in pkg. Ten pkgs. in ctn.

PEG BOARD AND HOOK MERCHANDISERS

MASONITE



Floor Dispenser

234 assorted cards and bubbles of 23 different peg-board fixtures.
6 each 46 piece utility starter sets.
24 unpainted 1 1/4 in. tempered Presdwood shelves in two sizes—
5 3/4 in. x 11 3/4 in. and 7 3/4 in. x 11 3/4 in.
18 genuine peg-board panels made of 1/8 in. masonite tempered
Duolux with neutral grey primecote on one side. 6 panels each size
24x24 in., 21x36 in. and 24x48 in.

Bubble Cards

150 Small Fixture Cards

Qty. Cards	No.	Item
6	C2	1 in. single hook
18	C2C	1 1/2 in. single hook
18	C5R	1 1/2 in. single loop hook
6	C5S	1/4 in. single hook
6	C5X	1/4 in. single loop hook
6	C5Z	1 in. single loop hook
6	C28	Plier holder
18	C28AB	Single tool holders
6	C50-51	1 1/4 in. spacer, screw
6	C57	1 1/2 in. single loop hook
6	C60	Hanger clip
6	C62L	Large tool holder
6	C62S	Small tool holder
18	C72	2 in. single hook
84 Large Fixture Cards		
6	C3	3 in. double loop hook
6	C4	5 in. double loop hook
18	C72D	2 in. double hook
6	C74	4 in. single hook
6	C74D	4 in. double hook
6	C76	6 in. single hook
18	C86	5 3/4 in. shelf brackets
18	C88	7 3/4 in. shelf brackets
6	C101	Starter utility sets

Per Display

✚801-F X78D25

One Display in ctn. Wt. ctn. 90 lbs.



Counter Dispenser

Width 26 1/2 ins. Depth 24 ins. Height 36 ins.
90 assorted cards and bubbles of 15 different peg-board fixtures.
6 utility starter sets, 46 pieces each.
6 genuine peg-board masonite tempered Duolux panels with neutral
grey Primecote on one side.
168 assorted genuine peg-board fixtures of 12 different kinds.

Bubble Cards

90 Assorted Small Fixtures

Qty. Cards	No.	Item
6	C2	1 in. single hook
6	C2C	1 1/2 in. single hook
6	C5R	1 1/2 in. single loop hook
6	C5S	1/4 in. single loop hook
6	C5X	1/4 in. single loop hook
6	C5Z	1 in. single loop hook
6	C28	Pliers holder
6	C28AB	Single tool holder
6	C50-51	Spacer and 1 1/4 in. screw
6	C57	1 1/2 in. single loop hook
6	C60	Hanger clip
6	C62L	Large tool holder

168 Assorted Fixtures in Self-Service Tray

Qty. Fixtures	No.	Item
12	F3	3 in. double loop hook
12	F4	5 in. double loop hook
12	F13	6 in. hang bar
12	F23	Multiple tool holder
12	F25	6 in. metal shelf
12	F27	4 1/2 in. shelf bracket
12	F72D	2 in. double hook
24	F74	4 in. single hook
12	F74D	4 in. double hook
24	F76	6 in. single hook
12	F86	5 3/4 in. shelf bracket
12	F88	7 3/4 in. shelf bracket

Per Display

✚811-F X48D75

One Display in ctn. Wt. ctn. 45 lbs.

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Bellwood, Illinois, freight prepaid.

PEG BOARD FIXTURES

ON DISPLAY CARDS

B. B. BUTLER MFG. CO.



(C2)



(C2C)



(C3)



(C4)



(C5R)



(C5S)



(C5X)



(C5Z)



(C28)



(C28AB)



(C50-51)



(C57)



(C60)



(C62L)



(C62M)



(C62S)



(C72)



(C72D)



(C74)



(C74D)



(C76)



(C86)



(C88)



(C101)

For 1/8-inch Peg Board


Per Card			Qty.	Wt.	
			Size, on	Ctn., Per	
			ins. Card	lbs. Card	
L5150F D2C1	(C2)	Single Hook	1	10 2 1/2	\$0.35
L5151F D2C1	(C2C)	Single Hook	1 1/2	10 2 1/2	.35
L5152F D2C1	(C3)	Double Loop Hook	3	2 2 3/8	.35
L5153F D2C1	(C4)	Double Loop Hook	5	2 2 5/8	.35
L5154F D2C1	(C5R)	Single Loop Hook	1/2	12 2 9/16	.35
L5155F D2C1	(C5S)	Single Loop Hook	3/4	12 2 3/8	.35
L5156F D2C1	(C5X)	Single Loop Hook	3/4	15 2 3/8	.35
L5157F D2C1	(C5Z)	Single Loop Hook	1	10 2 5/8	.35
L5158F D2C1	(C28)	Pliers Holder	—	3 1 1/2	.35
L5159F D2C1	(C28AB)	Single Tool Holders (1—7/8 in., 2—7/16 in.)	3	1 11/16	.35
L5160F D2C1	(C50-51)	Spacer & Screw	1 1/4	6 1 3/8	.35
L5161F D2C1	(C57)	Single Loop Hook	1 1/2	7 2 5/16	.35

Per Card			Qty.	Wt.	
			Size, on	Ctn., Per	
			ins. Card	lbs. Card	
L5162F D2C1	(C60)	Hanger Clip	—	6 1 3/8	.35
L5163F D2C1	(C62L)	Tool Holder, Large	2	1 3/8	.35
L5164F D2C1	(C62M)	Tool Holder, Medium	2	1 3/8	.35
L5165F D2C1	(C62S)	Tool Holder, Small	2	1 7/16	.35
L5166F D2C1	(C72)	Single Hook	2	4 1 7/8	.35
L5167F D2C1	(C72D)	Double Hook	2	3 2 7/8	.35
L5168F D2C1	(C74)	Single Hook	4	3 2 3/8	.35
L5169F D2C1	(C74D)	Double Hook	4	2 2 5/8	.35
L5170F D2C1	(C76)	Single Hook	6	3 2 3/4	.35
L5171F D2C1	(C86)	Shelf Bracket	5 3/4	2 2 1/4	.35
L5172F D2C1	(C88)	Shelf Bracket	7 3/4	2 2 5/8	.35
L5173F D5C3 1/2	(C101)	Starter Assortment	46	4 3/8	.89

Twelve cards in ctn. (except C101, ten cards in ctn.)

FOLDING DOOR HARDWARE

WASHINGTON

**Complete Hardware Sets with Track**

Easy to install—all hardware can be assembled on doors before hanging. Overhead aluminum track and lower pivot socket easily installed. Assembled doors with roller guides are fitted into position and tilted into overhead track (same as by-passing doors.)


Clear threshold—leading edge of each door supported by nylon roller guide in overhead aluminum track—no sag. Alignment guide at center opening and plastic friction catches between hinged pairs keep doors firmly aligned.

Per Set		For Open. Ft.	Wt. Ctn. lbs.	Per Set
4-680/4-F	X4D26	4	17	\$7.10
4-680/5-F	X4D50	5	18	7.50
4-680/6-F	X4D77	6	20	7.95

Six sets in ctn.

ROLLING DOOR HARDWARE

WASHINGTON

**Valance Type****For By-Passing Wardrobe or Closet Doors**

Complete hardware for two-door installation. Doors may be hung after mounting hardware—will not jump tracks.


Set includes one-piece heat-treated aluminum track, one pair each Nos. A671 and A672 smooth rolling axle-bearing nylon hangers, No. 623 adjustable nylon floor guide, four No. 624 bumpers and two No. 1600 polished brass finger pulls.

Per Set		For Open. Ft.	Wt. Ctn. lbs.	Per Set
For 5/8 to 3/4 Inch Doors (No. 648 Track)				
4-AW84-F	X3D75	4	14	\$ 6.25
4-AW85-F	X4D20	5	15	7.00
4-AW86-F	X4D75	6	17	7.90
4-AW88-F	X5D85	8	21	9.75
For 1 to 1 3/8 Inch Doors (No. 649 Track)				
4-AW94-F	X4D35	4	15	7.25
4-AW95-F	X4D95	5	19	8.25
4-AW96-F	X5D55	6	22	9.25
4-AW98-F	X6D75	8	28	11.25


One set in ctn.

SLIDING DOOR HARDWARE

WASHINGTON



5/8 to 3/4 Inch Door Thickness
672 on Front—671 on Rear



1 to 1 3/8 Inch Door Thickness
671 on Front—672 on Rear

**For By-Passing Wardrobe Doors
Universal Aluminum Low Headroom Track**

Easily installed on 5/8 to 1 3/8 inch doors—requires only 1 1/4 inch headroom. 12° installation angle makes it unnecessary to disturb trim to hang or remove doors.

Strong, heat-tempered, anti-jump aluminum track. Extra strong, deeply embossed steel hangers with single side-mounted 3/4 inch nylon wheel and Teflon plastic coated axle that requires no lubrication. Hangers interchangeable for use on front or back door depending on thickness of doors.

PACKAGED SETS

Includes one piece of track, pair of hangers for front door, pair of hangers for rear door, two finger pulls, four door bumpers and universal door guide.

Per Set		For Open. Ft.	Wt. Ctn. lbs.	Per Set
4-AW74-F	X2D91	4	12	\$4.85
4-AW75-F	X3D30	5	14	5.50
4-AW76-F	X3D75	6	17	6.25
4-AW78-F	X4D56	8	22	7.60

Six sets in ctn.

TRACK ONLY

Each		Lgth., Ft.	Wt. Ctn., lbs.	Each
4-647-4-F	X1D59	4	16	\$2.65
4-647-5-F	X2D01	5	18	3.35
4-647-6-F	X2D40	6	21	4.00
4-647-8-F	X3D18	8	25	5.30

Twelve in ctn.

HANGERS ONLY

Per Pair		Per Pair
For 5/8 to 3/4 inch Rear or 1 to 1 3/8 inch Front Doors		
4-A671N-F	D4C8	\$0.80
For 5/8 to 3/4 inch Front or 1 to 1 3/8 inch Rear Doors		
4-A672N-F	D4C8	.80

Twenty-four pair in ctn. Wt. ctn. 7 lbs.

SLIDING DOOR HARDWARE


WASHINGTON

TRACK

With one set of hangers, it fits both $\frac{3}{4}$ inch and $1\frac{3}{8}$ inch doors.

Doors can be taken off without removing hangers. Anti-jump and self-cleaning "V" groove. For ball bearing or axle bearing hangers.

Without Hangers



Steel

D4C0%

Each		Size Opening, Ft.	Wt. Box, lbs.	Each
4-611/5-F	X1D47.....	5	18	\$2.45
4-611/6-F	X1D74.....	6	22	2.90



Aluminum

4-645/4-F	X1D68.....	4	11	2.80
4-645/5-F	X2D10.....	5	14	3.50
4-645/6-F	X2D52.....	6	17	4.20
4-645/8-F	X3D36.....	8	20	5.60

Six in box.

PACKAGED SETS

With Steel Track

Consists of:

Qty.	No.	Item
1 only	611	Track
1 Pr.	662	Axle Bearing Hangers
1 Pr.	670	Hangers
4 only	624	Door Bumpers
1 Set	623	Guides
2 only	1600US3	Finger Pulls

With Axle Bearing Hangers

D4C0%

Per Set		Track Opening, Ft.	Wt. Box, lbs.	Per Set
4-AW14-F	X2D64.....	4	21	\$4.40
4-AW15-F	X2D94.....	5	25	4.90
4-AW16-F	X3D21.....	6	27	5.35

With Ball Bearing Hangers

D4C0%
Per Set

		Track Opening, ft.	Wt. Box, lbs.	Per Set
4-BW14-F	X3D15.....	4	18	\$5.25
4-BW15-F	X3D45.....	5	25	5.75
4-BW16-F	X3D72.....	6	27	6.20
4-BW18-F	X4D29.....	8	37	7.15

Six in box

With Aluminum Track

Consists of:

Qty.	No.	Item
1 Only	645	Track
1 Pr.	662	Axle Bearing Hangers
1 Pr.	670	Axle Bearing Hangers
4 only	624	Door Bumpers
1 Set	623	Door Guides
2 only	1600US3	Finger Pulls

With Axle Bearing Hangers


D4C0%

Per Set		Size Track Opening, Ft.	Wt. Box, lbs.	Per Set
4-AW56-F	X3D98 $\frac{1}{2}$	6	23	\$8.64

Six in box.

SLIDING DOOR HARDWARE

D4C0%

WASHINGTON
PACKAGED SETS

For By-Passing Wardrobe Doors

Fits all doors from $\frac{5}{8}$ to $1\frac{3}{8}$ inches thick.

Corrosion-resisting zinc-coated steel track. Unique hanger design—positively will not jump, yet doors remove and install with less valance clearance.

Set includes one piece No. 611 track, one pair each No. A674 and A673 hangers, four No. 624 door bumpers, one set No. 623 guides and two No. 1600/3 finger pulls.




With Axle Bearing Hangers

Per Set		Track Opening, Ft.	Wt. Ctn., lbs.	Per Set
4-AW14-F	X2D64.....	4	21	\$4.40
4-AW15-F	X2D94.....	5	25	4.90
4-AW16-F	X3D21.....	6	27	5.35

With Ball Bearing Hangers

Per Set		Track Opening, ft.	Wt. Ctn., lbs.	Per Set
4-BW14-F	X3D15.....	4	18	\$5.25
4-BW15-F	X3D45.....	5	25	5.75
4-BW16-F	X3D72.....	6	27	6.20
4-BW18-F	X4D29.....	8	37	7.15

One set in box. Six sets in ctn.

 $\frac{5}{8}$ to $\frac{3}{4}$ Inch Door Thickness
672 on Front—671 on Rear1 to $1\frac{3}{8}$ Inch Door Thickness
671 on Front—672 on Rear

For By-Passing Wardrobe Doors

Universal Aluminum Low Headroom Track

Easily installed on $\frac{5}{8}$ to $1\frac{3}{8}$ inch doors—requires only $1\frac{1}{4}$ inch headroom. 12° installation angle makes it unnecessary to disturb trim to hang or remove doors.Strong, heat-tempered, anti-jump aluminum track. Extra strong, deeply embossed steel hangers with single side-mounted $\frac{3}{4}$ inch nylon wheel and Teflon plastic coated axle that requires no lubrication. Hangers interchangeable for use on front or back door depending on thickness of doors.

Set includes one piece No. 647 track, one pair each No. A671 and A672 hangers, four No. 624 door bumpers, one set No. 623 guides and two 1600/3 finger pulls.

Per Set		For Open., Ft.	Wt. Ctn., lbs.	Per Set
4-AW74-F	X2D91	4	12	\$4.85
4-AW75-F	X3D30	5	14	5.50
4-AW76-F	X3D75	6	17	6.25
4-AW78-F	X4D56	8	22	7.60

One set in box. Six sets in ctn.

WASHINGTON STEEL PRODUCTS—Direct Shipment Prices


All Washington items—Cabinet hardware, rolling door hardware and Kitchen Handy items 200 lb. lots, F. O. B. factory at Tacoma, Washington, with full freight allowed in full shipping cartons only. Prices D4C0-D1C0% discount from list.

STAR ★ DENOTES BEST SELLER

SLIDING DOOR HARDWARE

WASHINGTON
PACKAGED SETS

D4C0%



Valance Type

For By-Passing Wardrobe or Closet Doors

Complete hardware for two-door installation. Doors may be hung after mounting hardware—will not jump tracks.

Set includes one-piece heat-treated aluminum track, one pair each Nos. A671 and A672 smooth rolling axle-bearing nylon hangers, No. 623 adjustable nylon floor guide, four No. 624 bumpers and two No. 1600 polished brass finger pulls.

Per Set		For Open. Ft.	Wt. Ctn. lbs.	Per Set
	For 5/8 to 3/4 Inch Doors (No. 648 Track)			
4-AW84-F	X3D75	4	14	\$ 6.25
4-AW85-F	X4D20	5	15	7.00
4-AW86-F	X4D75	6	17	7.90
4-AW88-F	X5D85	8	21	9.75
	For 1 to 1 3/8 Inch Doors (No. 649 Track)			
4-AW94-F	X4D35	4	15	7.25
4-AW95-F	X4D95	5	19	8.25
4-AW96-F	X5D55	6	22	9.25
4-AW98-F	X6D75	8	28	11.25

One set in box. Six sets in ctn.

WASHINGTON

WALL
POCKET

All necessary hardware is included—lumber is standard dimensions, no detail millwork required.


Set includes one piece No. 601 track, one pair A651 hangers, two No. 608 jamb stiffeners, four No. 625 door bumpers, one No. 615 floor plate, No. 627 floor guide.

Furnished with all necessary screws.

Door Size—
2 feet 8 inches

Per Set	▲ Per Set
4-B632/28-F	X4D89...\$8.15

1 set in box. 6 sets in ctn. Wt. ctn. 54 lbs.



Wall Pocket

For 1 to 1 7/8 inch wall pocket doors.

Set includes one piece No. 601 steel track, one pair A651 hangers, No. 627 floor guide, four No. 625 door bumpers.


For single 1 3/8 inch doors up to 50 lbs., sliding in wall.

Per Set		For Door, feet	Lgth. Track, feet	Wt. Set, lbs.	▲ Per Set
4-BP004-F	X2D25★	2	4	3	\$3.75
4-BP005-F	X2D37★	2 1/2	5	3 1/4	3.95
4-BP006-F	X2D46★	3	6	3 3/4	4.10

One complete set in pkg. Six sets in ctn.

FOLDING DOOR HARDWARE

WASHINGTON



PACKAGED SET

Complete Hardware Sets with Track

Easy to install—all hardware can be assembled on doors before hanging. Overhead aluminum track and lower pivot socket easily installed. Assembled doors with roller guides are fitted into position and tilted into overhead track (same as by-passing doors.)

Clear threshold—leading edge of each door supported by nylon roller guide in overhead aluminum track—no sag. Alignment guide at center opening and plastic friction catches between hinged pairs keep doors firmly aligned.

Per Set	For Open. Ft.	Wt. Ctn. lbs.	Per Set
4-680/4-F	X4D26	4	17
4-680/5-F	X4D50	5	18
4-680/6-F	X4D77	6	20

One set in box. Six sets in ctn.

WASHINGTON STEEL PRODUCTS—Direct Shipment Prices

All Washington Items—Cabinet Hardware, Rolling Door Hardware and Kitchen Handy items: 200 lb. lots, F. O. B. factory at Tacoma, Washington, with full freight allowed in full shipping cartons only. Prices D4C0-D1C0%—discount from list.

STAR ★ DENOTES BEST SELLER

SLIDING DOOR HARDWARE

D4C0%

WASHINGTON

HANGERS ONLY

For By-Passing Wardrobe Doors

Side mounting, single wheel hanger with nylon bearings. For use with No. 611 double steel track and $\frac{5}{8}$ to $1\frac{3}{8}$ inch by-passing wardrobe doors. One pair in box.

**For Rear Door $\frac{5}{8}$ - $\frac{3}{4}$ inch or
Front Door $1\frac{1}{8}$ inch Installation**

Per Pair		Per Pair
	Nylon Ball Bearing	
4-B673-F	D9C0.....	\$1.51
	Nylon Axle Bearing	
4-A673-F	D6C4.....	1.06

**For Front Door $\frac{5}{8}$ - $\frac{3}{4}$ inch or
Rear Door $1\frac{1}{8}$ inch Installation**

Per Pair		Per Pair
	Nylon Ball Bearing	
4-B674-F	D9C0.....	\$1.51
	Nylon Axle Bearing	
4-A674-F	D6C4.....	1.06
One pair in pkg., twenty-four pair in ctn. Wt. ctn. 7 lbs.		

For 647, 648 & 649 Aluminum Track

Per Pair		Per Pair
	For $\frac{5}{8}$ to $\frac{3}{4}$ inch Rear or 1 to $1\frac{3}{8}$ inch Front Doors	
4-A671N-F	D4C8.....	\$0.80
	For $\frac{5}{8}$ to $\frac{3}{4}$ inch Front or 1 to $1\frac{3}{8}$ inch Rear Doors	
4-A672N-F	D4C8.....	.80
One pair in pkg., twenty-four pair in ctn. Wt. ctn. 7 lbs.		

For Wood Wall Pocket Doors

Top mounting, single wheel, adjustable hanger with nylon-tired wheel and sealed-in ball bearings. For use with No. 601 single steel track and $1\frac{1}{8}$ inch doors. One pair in box.

Per Pair		Per Pair
4-B651-F	X1D65.....	\$2.75
One pair in pkg., twenty-four pair in ctn. Wt. ctn. 10 lbs.		

TRACK ONLY

Double—Aluminum

For By-Passing Doors $\frac{5}{8}$ to $1\frac{3}{8}$ Inch

Each		Lgth., Ft.	Wt. Ctn., lbs.	Each
4-647-4-F	X1D59	4	16	\$2.65
4-647-5-F	X2D01	5	18	3.35
4-647-6-F	X2D40	6	21	4.00
4-647-8-F	X3D18	8	25	5.30
Twelve in ctn.				

Single—Steel

For Doors 1 to $1\frac{3}{8}$ Inch Thick

Heavy gauge rust-resistant steel. With $\frac{3}{4}$ -inch No. 8 recessed head screws. Recommended for doors weighing up to 60 lbs.

Each		Lgth., feet	Wt. Each, lbs.	▲ Each
4-601/4-F	D9C0.....	4	2 $\frac{1}{2}$	\$1.50
4-601/5-F	X1D05★.....	5	2 $\frac{3}{4}$	1.75
4-601/6-F	X1D11★.....	6	3	1.85
4-601/8-F	X1D50.....	8	3 $\frac{1}{4}$	2.50
Twelve in ctn.				

FINGER PULLS



For $\frac{3}{4}$ inch size hole 1 inch diameter.

SOLID BRASS—BRASS FINISH

Per Env.		▲ Per Env.
L1356F (1600/3)	D2C8★.....	\$0.48

POLISHED CHROME FINISH

Per Env.		▲ Per Env.
L1357F (1600/14)	D2C8.....	\$0.48
Twelve in env. Wt. env. $\frac{1}{4}$ lb.		



$3\frac{1}{4}$ inch diameter and large enough to cover rough mortise edges.

SOLID BRASS
POLISHED BRASS FINISH

Each		▲ Each
L1344F (1611B/3)	D4C8★.....	\$0.80
Twelve in box. Wt. box 1 lb.		

FLUSH PULLS



Quick mortise and rectangular. Size $1\frac{1}{2}$ x $3\frac{1}{4}$ inches.

SOLID BRASS—BRASS FINISH

Each		▲ Each
L1360F (1610B/3)	D2C1★.....	\$0.35

POLISHED CHROME

Each		▲ Each
L1361F (1610B/26)	D2C7.....	.45
One in env. 12 envs. in box. 72 boxes in ctn. Wt. ctn. 4 lbs.		

GUIDES

Nylon. Simple installation—adjustable to doors of any width. Complete with screws.

Per Set (3 Pieces)		▲ Per Set (3 Pieces)
4-623-F	D2C7★.....	\$0.45
One set in env. 12 envs. in box. 6 boxes in ctn. Wt. ctn. 5 lbs.		



WASHINGTON STEEL PRODUCTS—Direct Shipment Prices


All Washington items—Cabinet hardware, rolling door hardware and Kitchen Handy items 200 lb. lots, F. O. B. factory at Tacoma, Washington, with full freight allowed in full shipping cartons only. Prices D4C0-D1C0% discount from list.

STAR ★ DENOTES BEST SELLER

SLIDING DOOR HARDWARE

For Doors $1\frac{3}{8}$ to $1\frac{3}{4}$ inches Thick

Designed to meet the builder's needs. For every room in the house. Emergency release for bathroom doors. Security plate for patio and exterior doors. Turn button both sides for connecting rooms. Combination pulls for passageway doors. Easily installed.

PRIVACY LOCKS
KWIKSET


For Bathroom and Bedroom Doors

Affords inter-room privacy by turn button one side, emergency release on the other.

Size Plate $2\frac{1}{2} \times 2\frac{3}{4}$ inches**POLISHED BRASS FINISH**

Each **L4531F** (333/3) **X2D43**★.....\$3.64

**POLISHED BRASS ONE SIDE
CHROME ON OTHER**

Each **L4532F** (333/3x26) **X2D58**★.....\$3.86

Forty-eight in ctn. Wt. ctn. 30 lbs.

For Patio and Exterior Doors

Turnbutton on inside, blank outside. Forced entry prevented by security plate under outside trim.

POLISHED BRASS FINISH

Each **L4535F** (334/3) **X2D43**.....\$3.64

Forty-eight in ctn. Wt. ctn. 30 lbs.

FLUSH PULLS
KWIKSET

For Use on Door Requiring Only a Pull

Size Plate $2\frac{1}{2} \times 2\frac{3}{4}$ inches

Matching size and design for sliding wardrobe doors.


POLISHED BRASS FINISH

Each **L4502F** (336/3) **D4C0**★.....\$0.60

CHROME FINISH

Each **L4503F** (336/26) **D5C3**.....\$0.80

Ten in box. Wt. box 1 lb.

COMBINATION EDGE AND FLUSH PULL
KWIKSET
For Passageway Doors
Size Plate $2\frac{1}{2} \times 2\frac{3}{4}$ inches**POLISHED BRASS FINISH**

Each **L4529F** (332/3) **X1D40**★.....\$2.10

**POLISHED BRASS ONE SIDE
CHROME ON OTHER**


Each **L4530F** (332/3x26) **X1D55**.....\$2.32

Thirty in ctn. Wt. ctn. $12\frac{1}{2}$ lbs.
EDGE PULLS
AJAX

Balanced leverage finger-lock grip.

Size $3\frac{1}{2} \times 3\frac{3}{4} \times 1\frac{3}{16}$ inches**POLISHED BRASS FINISH**

Each **L4504F** (CZ315B/1) **D4C5**★.....\$0.65

Twelve in box. Wt. box $2\frac{1}{8}$ lbs.
ROUND PULLS
SAFE
Standard
 $2\frac{1}{8} \times 1\frac{1}{2}$ inches

Each **L4568F** (206/US3) **D2C2**.....\$0.39

Twelve in ctn. Wt. ctn. 1 lb.

STAR ★ DENOTES BEST SELLER


SLIDING DOOR HARDWARE

STERLING TRACKS

Extruded aluminum, with two tracks and apron in one piece. Easily attached to standard head jamb with screws. Etched and anodized to a beautiful, satin finish and apron serves as decorative trim. Wrapped for protection of finish.



No. 610 Hanger




No. 602 Track and No. 620 Hanger

3/4 inch Thick By-Passing Doors

Each		Size Track, ins.	For No. Doors	Width Door, ft. ins.	Wt. Box, lbs.	▲ Each
4-602/48-F	X2D59	48	2	2 0	26	\$4.32
4-602/60-F	X3D24	60	2	2 6	31	5.40

Twelve in ctn.



No. 606 Track and No. 630 Hanger

1 3/8 inch Thick By-Passing Doors

Each		Size Track, ins.	For No. Doors	Width Door, ft. ins.	Wt. Box, lbs.	▲ Each
4-606/48-F	X3D31★	48	2	2 0	29	\$5.52
4-606/60-F	X4D14★	60	2	2 6	38	6.90
4-606/72-F	X4D97★	72	3 2 or 3	2 0 0	48	8.28

Twelve in box

HANGERS

Cold rolled steel, with rollers of durable self-lubricating nylon. Twin cross arms to equalize load on rollers. Metal drill template furnished with each pair of hangers makes installation simple.

One door guide and screws included.

CADMIUM PLATED FINISH

3/4 inch Thick By-Passing Cabinet Doors

Per Pair		▲ Per Pair
4-610-F	D7C5.....	\$1.25

Twelve pair in box. Wt. box 3 lbs.

3/4 inch Thick By-Passing Wardrobe Doors

Per Pair		▲ Per Pair
4-620-SD-F	X1D35.....	\$2.25

Twelve pair in box. Wt. box 5 lbs.


1 3/8 inch Thick By-Passing Doors

CADMIUM PLATED FINISH

Per Pair		▲ Per Pair
4-630SD-F	X1D35.....	\$2.25

One pair in metal edge box. Wt. box 8 ozs.

GUIDE STRIPS



Eliminate need for grooving bottom of doors. Not visible from outside. Made from cold steel.

One door guide furnished with each strip. Slotted screw holes allow easy adjustment.

For By-Passing Doors

CADMIUM PLATED FINISH

Each		Size, ins.	Width Door, ft. ins.	Wt. Box, lbs.	▲ Each
4-876/24-F	D4C5★	24	2 0	5	\$0.75
4-876/30-F	D5C4★	30	2 6	6	.90
4-876/32-F	D5C7	32	2 8	7	.95
4-876/36-F	D6C3	36	3 0	8	1.05

Twelve in box

DOOR STOPS



Makes by-passing doors safer and more convenient to operate. Action is limited when rear door is open so fingers can't get pinched in flush pull. Steel, with rubber bumpers.

CADMIUM PLATED FINISH

Each		▲ Each
4-880-F	D1C8.....	\$0.30

One in ctn. Wt. ctn. 3/4 lb.

DOOR CUSHIONS

For By-Passing Doors



For added safety, quiet and convenience. They are double-acting — they limit sliding action when rear door is opened so fingers cannot get pinched in flush pull — and they absorb shock and prevent slam when doors are closed.

Steel, with resilient rubber cushions.

CADMIUM PLATED FINISH

Per Pair		▲ Per Pair
4-885-F	D4C5★.....	\$0.75

One pair in envelope, twelve envelopes in box. Wt. box 2 lbs.

PRICES

Stock Items—Any quantity . . . D4C0%
 Direct Shipment Items—
 Less than 12 sets of one size . D3C3 1/8%
 12 sets more . . . D4C0%

SLIDING DOOR HARDWARE

KENNATRACK

For Every Interior Door
 SLIDING DOOR SETS



Double Track

For 3/4 and 1 1/8 inch plywood wardrobe and closet doors up to 2x6 ft. size. Will carry doors up to 38 lbs. each.

For 2, 3 or 4 parallel doors.


Sets consist of pair of hangers for each door, sufficient rail and guides.

Extruded aluminum track, size 1 1/8 x 1 3/8 inch.

Complete Sets

Per Set	Lgth., ins.	No. of Doors	Wt. Set, lbs.	▲ Per Set
✚250A/48-2-F X3D60	48	2-24 in.	2 1/2	\$6.00
✚250A/58-2-F X4D02	58	2-30 in.	2 3/4	6.70
✚250A/70-2-F X4D50	70	2-36 in.	3	7.50
✚250A/96-4-F X7D67	96	4-24 in.	4 1/2	11.50

One set in a ctn.




Single Track

For 3/4 inch to 1 3/8 inch closed pocket door. Adjustable nylon wheel hangers with popular 300A track. Requires 1 1/8 inch minimum headroom, 8 nylon wheels per door. No. 1236 nylon guide set included. Supports doors up to 100 lbs.

Complete Sets

Per Set	Size Track	Wt. Set, lbs.	▲ Per Set
4-350/48-F X4D50	48 in.	2	\$7.50
4-350/64-F X4D80	64 in.	2	8.00
4-350/72-F X5D10	72 in.	3	8.50
✚350/84-F X6D33	84 in.	3	9.50
✚350/96-F X7D17	96 in.	3	10.75

One set in ctn.



De Luxe Single Track

For 1 3/8 inch to 1 3/4 inch pocket doors weighing up to 150 lbs.

Ball bearing adjustable hanger with silent, long wearing neoprene tired wheels.


Set consists of rail, one pair hangers and floor guide.

Complete Sets

Per Set	Size Track	Wt. Set, lbs.	▲ Per Set
✚400A/48-F X7D20	48 in.	1 3/4	\$10.80
4-400A/64-F X6D96	64 in.	2	11.60
4-400A/72-F X7D20	72 in.	2 1/2	12.00
✚400A/84-F X8D67	84 in.	3	13.00
✚400A/96-F X9D67	96 in.	3 1/2	14.50

One set in a ctn.

For parallel doors using No. 300 and 400 hangers use double length of track, placed parallel to each other with clearance between tracks to be governed by thickness of doors.



True Section Track


Hangers allow speedy adjustment of door height and alignment of door to jamb. Double track assures correct space between by-passing 1 3/8 inch doors and saves installation time.

Extruded double track made of heat treated aluminum. Newly designed adjustable hanger provides a convenient means of aligning the door to the side jamb. Allows 3/4 inch vertical adjustment. Four nylon wheels on each hanger.

Set consists of track, two pair of hangers and two floor guides.

For Doors up to 1 3/8 inches thick

Per Set	Size Track, ins.	Wt. Set, lbs.	▲ Per Set
4-600/48-F X7D50★	48	3 1/2	\$12.50
4-600/64-F X8D70★	64	4	14.50
4-600/72-F X9D30	72	4 1/2	15.50



For Doors up to 1 3/8 inches Thick

Non-Adjustable. Require 1 inch Head Room


Extruded double track made of heat treated aluminum, assures correct space between by-passing 1 3/8 inch doors and saves installation time. Four nylon wheels on each hanger.

Set consists of: track, two pair hangers and floor guide.

Per Set	Size Track, ins.	Wt. Set, lbs.	▲ Per Set
✚650/48-F X7D65	48	3 1/2	\$11.50
✚650/64-F X9D00	64	4	13.50
✚650/72-F X9D65	72	4 1/2	14.50

One set in ctn.

COMBINATION GUIDE AND FRICTION LATCH



The purpose of this guide is to bring the sliding doors into alignment so that the lock may engage. It also serves as a latch.

Size 1/2 x 1 1/4 inch

POLISHED BRASS FINISH

Each	▲ Each
L4514F (302/3) D3C0	\$0.50

Twelve in box. Wt. box 1 1/2 lbs.

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Elkhart, Ind. All orders less than X30D00 subject to D1C0% handling charge.

STAR ★ DENOTES BEST SELLER

SLIDING DOOR HARDWARE

KENNATRACK

FINGER PULLS



For cabinet and wardrobe doors. For $\frac{3}{4}$ inch size hole, $\frac{1}{4}$ inch deep.

Face size $1\frac{1}{16}$ inch.

POLISHED BRASS FINISH

(10/3)

Per Env. Δ Per Env.
L4510F D3C0..... \$0.50

POLISHED NICKEL FINISH

(10/14)

L4511F D4C8..... .80

Twelve in env. Wt. env. $\frac{7}{8}$ lb.



For cabinet and wardrobe doors.

SOLID BRASS

Size $2\frac{5}{16} \times 1\frac{1}{16} \times \frac{3}{8}$ inch.

POLISHED BRASS FINISH

(50/3)

Each Δ Each
L4512F D3C0★..... \$0.50

BRIGHT CHROME FINISH

(50/26)

Each Δ Each
L4513F D3C0..... \$0.50

Twelve in box. Wt. box $\frac{3}{4}$ lb.

FLUSH PULLS



Size $2\frac{7}{8} \times 1\frac{1}{8}$ inches. Depth $\frac{13}{32}$ inch.

WROUGHT STEEL

Fancy.

DULL BRASS FINISH
(EA716)

Each Δ Each
L4472F D5C1/2..... \$0.10

DULL NICKEL FINISH
(DN716)

Each Δ Each
L4471F D6C..... \$0.10

WROUGHT BRASS
POLISHED BRASS FINISH
(A816)

Each Δ Each
L4475F D1C3/2..... \$0.25

DULL BRASS FINISH
(EA816)

Each Δ Each
L4478F D1C3/2..... \$0.25


POLISHED CHROME FINISH
(CM816)

Each Δ Each
L4476F D1C7..... \$0.30

Thirty-six in box with screws. Wt. box $2\frac{1}{2}$ lbs.

SLIDING POCKET DOOR FRAMES

KENNATRACK



Kennaframe



Has the popular No. 350 Series of three-way adjustable hangers with eight molded nylon wheels on plain bearings. For minimum headroom installations. Center mounting for proper balance. Easily supports normal door load up to 100 lbs.

Warp proof prefabricated frame for $1\frac{3}{8}$ and $1\frac{1}{4}$ inch closed pocket door installation. All-steel members have wood nailing strip for all types of wet or dry wall construction. Each comes complete with track and hangers installed at factory, door guides, screws, door bumper and detailed instructions for easy assembly and installation. Nails cannot go through steel jamb and damage door. Track is removable by removing only two screws.

Fits All 2x4 inch Walls

Per Set	12 sets or more (can be assorted)	Size Door					Rough Opening					Wt. Ctn. lbs.	▲ Per Set
		Ft.	In.		Ft.	In.	Ft.	In.		Ft.	In.		
✚920-F	X19D33.....X17D40	2	0	x	6	8	4	1	x	7	½	47	29.00
✚924-F	X19D67.....X17D70	2	4	x	6	8	4	9	x	7	½	48	29.50
✚926-F	X19D73.....X17D94	2	6	x	6	8	5	1	x	7	½	49	29.90
✚928-F	X19D73.....X17D94	2	6	x	6	8	5	5	x	7	½	50	29.90
✚930-F	X20D17.....X18D15	3	0	x	6	8	6	1	x	7	½	52	30.25

One set in ctn.

Items marked ✚ not carried in stock. Can only be furnished by shipping direct from factory, Elkhart, Ind., N.F.A.

STAR ★ DENOTES BEST SELLER

SLIDING DOOR HARDWARE

HARDWOOD TRACK AND
UPPER GUIDE

WADDELL



No. 732 Upper Guide



No. 731 Track

For sliding doors made of $\frac{1}{4}$ -inch plywood, hardboard or glass.

Made from seasoned hard rock maple.

Especially suited for by-passing doors for bookshelves, cupboards, record cabinets, headboards, etc., where heavier doors are not needed.

Pre-drilled every 6 inches with holes for No. 16 brads for easy installation. Paint, stain or finish clear to match natural birch.

Size of Demonstrator $8 \times 11\frac{1}{4} \times 2$ inches.

Consists of the following:

Quantity Each	No.	Item
6	731	3-ft. Track
6	732	3-ft. Upper Guide
12	731	4-ft. Track
12	732	4-ft. Upper Guide
6	731	5-ft. Track
6	732	5-ft. Track
1	7	Demonstrator

Per Ass't **4-71-F X28D80**.....\$48.00

One asst. in ctn. Wt. ctn. 24 lbs.

OPEN STOCK

Track

Per Carton	Length Ft.	Wt. lbs.	Ctn.	Per Carton
4-731/3-F	X5D40	3	4	\$9.00
4-731/4-F	X7D20	4	5	12.00
4-731/5-F	X9D00	5	6	15.00

Upper Guides

Per Carton	Length Ft.	Wt. lbs.	Ctn.	Per Carton
4-732/3-F	X5D40	3	4 $\frac{1}{2}$	9.00
4-732/4-F	X7D20	4	6	12.00
4-732/5-F	X9D00	5	7 $\frac{1}{2}$	15.00


Twelve in carton.

SLIDING DOOR HARDWARE

SLIDING DOOR SHEAVE RAILS

Interchangeable with All Sheaves


WROUGHT STEEL, PLAIN FINISH



Height of track $\frac{5}{16}$ inch. Width over-all $\frac{9}{16}$ inch. Complete with $\frac{1}{2}$ inch nails. Length 12 feet.

Per Foot
O-470/12-F D0C8★.....\$0.15

Loose. Wt. each $1\frac{1}{2}$ lbs.



Height of track $\frac{5}{16}$ inch. Width over-all $\frac{5}{8}$ inch. Complete with $\frac{1}{2}$ inch nails. Length 12 feet.

Per Foot
O-455/12-F D0C4 $\frac{3}{4}$ ★.....\$0.10

Loose. Wt. each $\frac{3}{4}$ lb.

SLIDING DOOR SHEAVES

For Cabinet and Show Case Work

Interchangeable with All Rails

These sheaves have case hardened center bearings and outer rings with "A" quality glass-hard ball bearings for long wear. The machined center bearing is the latest improved construction and insures absolute accuracy and greater strength.

Screw-in type—flanges drilled and countersunk for wood screws.




Wrought steel frame $2\frac{15}{16} \times \frac{7}{16}$ inches. Wheel $1\frac{3}{16}$ inches diameter.

(Old No. 17021)

Each
O-427-F D2C7★.....\$0.40

Fifty in box. Wt. box $6\frac{1}{4}$ lbs.



Wrought steel frame $\frac{7}{16} \times 1\frac{7}{8}$ inches. Roller $1\frac{1}{16} \times \frac{9}{32}$ inch.

(Old No. 17001)

Each
O-620-F D0C8★.....\$0.15

One hundred in box. Wt. box 4 lbs.



Wrought steel case $1\frac{1}{4} \times \frac{5}{16}$ inches. Flange $2\frac{1}{4} \times \frac{5}{16}$ inches.

(Old No. 16994)

Each
O-402A-F D1C4★.....\$0.20

One hundred in box. Wt. box 8 lbs.



Drive type—no screws needed for fastening. Wrought steel case $1\frac{1}{4} \times \frac{5}{16}$ inches.

(Old No. 16993)

Each
O-400A-F D1C0 $\frac{1}{2}$ ★.....\$0.15

One hundred in box. Wt. box $8\frac{1}{2}$ lbs.

NOTE—All of the above sheaves can be used with any of the rails shown on this page.

STAR ★ DENOTES BEST SELLER